




Innovation is our mission!



	FROM PAGE
WORKBENCHES	498
WORKBENCHES	498
BACK WALL SYSTEMS	500
WALL CUPBOARDS	500
CLOAKROOM CUPBOARD	500
HINGED DOOR CABINET	500
BENCH VICES	501
HOOK ASSORTMENT	502
HOLE WALL	507
SERVICE TROLLEYS	508
PLATFORM	510
SUPPORTS	510
TRANSPORT SACK TROLLEY	511
KNEE AND LIE DOWN MATS	512
STRETCHER	512
STOOLS	513
AXLE STANDS	513
LIFTING TOOLS	514
COLLECTION CONTAINER	517
WORKSHOP EQUIPMENT	519

## WORKBENCHES

### Mechanics workbench

- Mobile workbench ideally for vice work
- Foldable for transporting
- Wooden work surface
- Metal protective edge
- High level of stability due to splayed table legs



	Total depth mm	Width mm	Depth mm	
914.1300	850,0	1070,0	620,0	40,00

### Mechanics workbench

- Mobile workbench ideally for vice work
- Foldable for transporting
- Laminated wooden work surface
- Waterproof and resistant to chemicals
- Metal protective edge
- High level of stability due to splayed table legs



	Total depth mm	Width mm	Depth mm	
914.2000	850,0	1220,0	620,0	34,00

## WORKBENCHES

### Workbench

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- With floor levelling screws (0 - 45mm)
- High level of stability
- General construction from robust steel square type tube
- High stability due to all metal parts being welded
- Electrostatic powder coating
- Worktop solid beech



	Total depth mm	Width mm	Depth mm	
865.0013	840,0	1200,0	500,0	27,00

### Workbench with 1 door

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- With floor levelling screws (0 - 45mm)
- High level of stability
- General construction from robust steel square type tube
- High stability due to all metal parts being welded
- Lockable door
- Electrostatic powder coating
- Worktop solid beech



	Total depth mm	Width mm	Depth mm	
865.0012	840,0	600,0	600,0	42,00

### Workbench with 3 drawers

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- With floor levelling screws (0 - 45mm)
- High level of stability
- Worktop solid beech
- General construction from robust steel square type tube
- High stability due to all metal parts being welded
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Side mounted handle
- Electrostatic powder coating



	Total depth mm	Width mm	Depth mm	
865.0010	840,0	600,0	600,0	51,00

### Workbench with 1 door

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- General construction from robust steel square type tube
- Worktop solid beech
- Metal protective edge
- High stability due to all metal parts being welded
- Lockable door
- Electrostatic powder coating



**Technical data:**  
Total load capacity: 400,0 kg

	Total depth mm	Width mm	Depth mm	
865.0001	840,0	1200,0	600,0	71,00

### PROFI workbench with 2 doors

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- General construction from robust steel square type tube
- Worktop solid beech
- Metal protective edge
- High stability due to all metal parts being welded
- Lockable door
- Electrostatic powder coating



### Technical data:

Total load capacity: 400,0 kg

	Total depth mm	Width mm	Depth mm	
865.0002	840,0	1200,0	600,0	85,00



### Workbench with 3 drawers and 1 door

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- General construction from robust steel square type tube
- Worktop solid beech
- Metal protective edge
- High stability due to all metal parts being welded
- Lockable door
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Side mounted handle
- Electrostatic powder coating



### Technical data:

Total load capacity: 400,0 kg

Load capacity of each drawer: 35,0 kg

	Total depth mm	Width mm	Depth mm	
865.0003	840,0	1200,0	600,0	86,00

### Workbench with 4 drawers and 1 door

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- With floor levelling screws (0 - 45mm)
- High level of stability
- General construction from robust steel square type tube
- Worktop solid beech
- High stability due to all metal parts being welded
- Lockable door
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Side mounted handle
- Electrostatic powder coating



#### Technical data:

Total load capacity: 400,0 kg  
Load capacity of each drawer: 35,0 kg

	Total depth mm	Width mm	Depth mm	kg
865.0006	840,0	1200,0	500,0	99,00

### Workbench with 8 drawers

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- With floor levelling screws (0 - 45mm)
- High level of stability
- Worktop solid beech
- General construction from robust steel square type tube
- High stability due to all metal parts being welded
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Side mounted handle
- Electrostatic powder coating



#### Technical data:

Total load capacity: 400,0 kg  
Load capacity of each drawer: 35,0 kg

	Total depth mm	Width mm	Depth mm	kg
865.0007	840,0	1200,0	500,0	113,00

### Mobile workbench with 6 drawers

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- Worktop solid beech
- General construction from robust steel square type tube
- High stability due to all metal parts being welded
- Lockable door
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- With two castor wheels 200 mm with rolling and turning brake
- Drawers with non-slip rubber mat
- Side mounted handle
- Electrostatic powder coating



#### Technical data:

Total load capacity: 400,0 kg  
Load capacity of each drawer: 35,0 kg

	Total depth mm	Width mm	Depth mm	kg
865.0011	840,0	1200,0	600,0	103,00

### Workbench with 6 drawers

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- General construction from robust steel square type tube
- Worktop solid beech
- Metal protective edge
- High stability due to all metal parts being welded
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Side mounted handle
- Electrostatic powder coating



#### Technical data:

Total load capacity: 400,0 kg  
Load capacity of each drawer: 35,0 kg

	Total depth mm	Width mm	Depth mm	kg
865.0004	840,0	1200,0	600,0	86,00

### Mobile workbench with 3 drawers and 1 door

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- General construction from robust steel square type tube
- Worktop solid beech
- Metal protective edge
- High stability due to all metal parts being welded
- Lockable door
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Two castor wheels Ø 125 mm with rolling and turning brake
- Drawers with non-slip rubber mat
- Side mounted handle
- Electrostatic powder coating



#### Technical data:

Total load capacity: 400,0 kg  
Load capacity of each drawer: 35,0 kg

	Total depth mm	Width mm	Depth mm	kg
865.0101	840,0	1200,0	600,0	71,00

### MODULO Fahrbare Werkbank

- Very stable steel construction with 0,75 mm sheet steel - distortion resistant
- Extreme high level of stability
- Drawer double locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 110% extendable
- Beech worktop 25 mm
- Full width metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating



#### Technical data:

Total load capacity: 450,0 kg  
Load capacity of each drawer: 80,0 kg

	Total depth mm	Width mm	Depth mm	kg
899.0004	900,0	1200,0	600,0	125,00

### XXL workbench with 3 drawers and 1 door

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- General construction from robust steel square type tube
- High stability due to all metal parts being welded
- Lockable door
- Worktop solid beech
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Electrostatic powder coating



#### Technical data:


Total load capacity: 400,0 kg  
Load capacity of each drawer: 35,0 kg

	Total depth mm	Width mm	Depth mm	
865.0201	840,0	2000,0	680,0	86,00

### BACK WALL SYSTEMS

#### Extension back wall system for workbenches


- 2 x posts
- 2 x hole wall
- for additional tools
- clearly organised workspace
- steel sheet construction



	Total depth mm	Width mm	Depth mm	
865.0008	710,0	1200,0	8,00	

#### Extension back wall system for workbenches with cupboard

- 2 x posts
- 1 x hole wall
- 1 x high level cupboard system, lockable
- for additional tools
- clearly organised workspace
- steel sheet construction



	Total depth mm	Width mm	Depth mm	
865.0009	710,0	1200,0	200,0	38,00

### WALL CUPBOARDS

#### Tool cabinet with 2 doors

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- Central locking system on all doors through the cylinder lock
- Cupboard back wall with hole system
- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- 2 mounting rails with 4 connection holes
- Continuous opening without stop
- Electrostatic powder coating



	Total depth mm	Width mm	Depth mm	
865.0205	470,0	970,0	200,0	22,00

### CLOAKROOM CUPBOARD

#### Cloakroom stand

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- Base and reinforced doors
- All parts have electrostatic powder coating
- Compartment with hat base, clothes rail and 3 adjustable coat hooks
- Lockable by cylinder lock



	Compartment	Total depth mm	Width mm	Depth mm	
850.0502	2	1800,0	600,0	500,0	26,00
850.0503	3	1800,0	890,0	500,0	35,00

### HINGED DOOR CABINET

#### Lockable cupboard

- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Front side edges are rounded
- Inside recumbent hinges and locking bar
- 4 shelves have universal height adjustment
- Internal storage wall with square punching, approx. 340 mm high
- Side mounted handle
- Electrostatic powder coating




#### Technical data:

Total load capacity: 400,0 kg  
Load capacity of each drawer: 35,0 kg

	Total depth mm	Width mm	Depth mm	
865.0000	1920,0	780,0	380,0	84,00

**Lockable cupboard**

- High quality welded sheet metal
- High level of stability
- Reinforced doors with 3-point safety lock
- Inside recumbent hinges and locking bar
- Galvanised shelves can be adjusted in 25 mm intervals
- Load capacity per shelf max. 60 kg with even load distribution
- Powder coated



**Technical data:**

Total load capacity: 400,0 kg

	Total depth mm	Width mm	Depth mm	
865.0005	1950,0	950,0	500,0	68,00

**BENCH VICES**

**Bench vice**


- With swivel base
- Interchangeable jaws
- Includes pipe vice attachment
- Absolutely parallel with adjustable centric drive
- Extra high possible clamping jaws shaped by large embossed casting
- Large anvil for straightening and compression work
- Induction hardened jaws and anvil
- Vise forward opening
- Ground jaws, anvil plate and slide corners
- Special steel



	Jaw length mm	Jaw length mm	Clamping range mm	
914.0004	4"	100,0	120,0	8,70
914.0005	5"	130,0	140,0	11,00
914.0006	6"	150,0	170,0	14,50
914.0008	8"	200,0	200,0	20,50

**Bench vice**

- With adjusting screw and pipe clamps
- Forged front and rear jaws
- Extra high possible clamping jaws shaped by large embossed casting
- Durable prismatic guide
- With mounting screws for turntable
- Induction hardened jaws and anvil
- Double start trapezoidal thread for quick opening and closing
- Vise forward opening
- Ground jaws, anvil plate and slide corners
- Special tool steel



	Jaw length mm	Clamping range mm	T mm	H mm	L mm	Cudget ø mm	
914.0026	90,0	100,0	70,0	143,0	290,0	12,0	5,00
914.0031	120,0	120,0	83,5	163,0	360,0	14,0	11,00
914.0036	147,0	180,0	100,0	212,0	450,0	16,0	20,00
914.0041	167,0	210,0	112,0	243,0	535,0	18,0	29,00

**Turntable for bench vice**


- Ideal supplement for KS-vices 914.0027 - 914.0041
- Enables accurate positioning of the workpiece
- 360° freely rotatable
- Safe and quick locking via handle
- Flat and stable construction
- Inclusive fastening screws for vice



		Ø mm	
914.0027	914.0026	90,0	1,40
914.0032	914.0031	120,0	2,80
914.0037	914.0036	147,0	3,75
914.0042	914.0041	167,0	4,85

**Parallel vice with round plate**

- With adjusting screw and pipe clamps
- Forged front and rear jaws
- Extra high possible clamping jaws shaped by large embossed casting
- Durable prismatic guide
- With mounting screws for turntable
- Induction hardened jaws and anvil
- Double start trapezoidal thread for quick opening and closing
- Vise forward opening
- Ground jaws, anvil plate and slide corners
- Special tool steel



		Jaw length mm	
914.0025	2 pcs	90,0	6,40
914.0030	2 pcs	120,0	13,80
914.0035	2 pcs	147,0	23,75
914.0040	2 pcs	167,0	33,85



**Aluminium bench vice protective jaws with textured surface**

- Suitable for all bench vices
- The profile is right angled and level parallel
- Integrated special magnet hold the protective jaws safely on the vice
- For material protection and non slip grip on sensitive materials
- For coarse to medium fine work pieces
- Fine textured
- Aluminium



		Protective jaws mm	
914.0080		100,0	170
914.0081		120,0	210
914.0082		140,0	240
914.0083		160,0	260
914.0084		175,0	290

### Aluminium bench vice protective jaws with trapezoid notches

- Suitable for all bench vices
- The profile is right angled and level parallel
- Integrated special magnet hold the protective jaws safely on the vice
- For material protection and non slip grip on sensitive materials
- For different shaped materials
- For trapezoid use
- Aluminium



	Protective jaws mm	
914.0085	100,0	145
914.0086	120,0	187
914.0087	140,0	210
914.0088	160,0	226
914.0089	175,0	248

### Aluminium bench vice protective jaws with rubber insert

- Suitable for all bench vices
- The profile is right angled and level parallel
- Integrated special magnet hold the protective jaws safely on the vice
- For material protection and non slip grip on sensitive materials
- For thin walled wood and plastic parts
- Smooth
- Aluminium / rubber



	Protective jaws mm	
914.0090	100,0	163
914.0091	120,0	207
914.0092	140,0	224
914.0093	140,0	204
914.0094	175,0	276



### HOOK ASSORTMENT

#### Hook assortment for hole wall system

- creates an overview of the work area
- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



860.0888	28 pcs	Hook assortment for hole wall system	1,78
1 x		150 x 55 mm	
1 x		65 x 25 mm	
2 x		55 mm	
2 x		150 mm	
1 x		150 x 55 mm	
1 x		150 x 55 mm	
14 x		3 x 35 mm - 4 x 50 mm - 4 x 75 mm 3 x 100 mm	
6 x		35 mm	

#### Tool holder with straight end Ø 6 mm


- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	L mm	
860.0801	6,0	50,0	30
860.0802	6,0	100,0	40
860.0803	6,0	150,0	40

#### Double tool holder with straight end Ø 6 mm

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	L mm	
860.0820	6,0	35,0	60
860.0821	6,0	50,0	80
860.0822	6,0	75,0	110

#### Tool holder with angled hook end Ø 6 mm

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	L mm	
860.0804	6,0	50,0	30
860.0805	6,0	100,0	40
860.0806	6,0	150,0	50
860.0807	6,0	200,0	60

#### Double tool holder with angled hook end Ø 6 mm

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	L mm	
860.0812	6,0	35,0	60
860.0813	6,0	50,0	60
860.0814	6,0	75,0	80
860.0815	6,0	150,0	110

**Tool holder with vertical hook end Ø 6 mm**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	L mm	Ⓜ
860.0809	6,0	35,0	30
860.0810	6,0	75,0	40
860.0811	6,0	125,0	90

**Tool clip, double small**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	Ⓜ
860.0829	6,0	40
860.0830	10,0	40
860.0831	13,0	40
860.0832	16,0	40
860.0833	19,0	50

**Pliers holder depth 20 mm**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	Ⓜ
860.0837	35,0	60
860.0838	55,0	50
860.0839	75,0	60

**Double tool holder with vertical hook end Ø 6 mm**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	L mm	Ⓜ
860.0816	6,0	35,0	60
860.0817	6,0	50,0	70
860.0818	6,0	75,0	90
860.0819	6,0	150,0	100

**Tool clip, single large**


- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	Ⓜ
860.0834	25,0	50
860.0835	28,0	50
860.0836	32,0	50

**Round holder**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	L mm	B mm	Ⓜ
860.0840	65,0	25,0	70

**Tool clip, single small**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	Ⓜ
860.0824	6,0	20
860.0825	10,0	20
860.0826	13,0	20
860.0827	16,0	20
860.0828	19,0	20

**Angled hook for nuts and sockets Ø 6 mm**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	L mm	Ⓜ
860.0823	6,0	40,0	30

**Power tool holder**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	Ⓜ
860.0841	40,0	50
860.0842	60,0	70
860.0843	80,0	80

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
i

### Tool holder 3 way

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	L mm	g
860.0844	6,0	150,0	150

### Cable holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	L mm	B mm	H mm	g
860.0874	150,0	37,0	50,0	110
860.0875	200,0	37,0	50,0	120

### Tool holder for euro blister packaging

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	L mm	B mm	g
860.0876	125,0	40,0	80
860.0877	150,0	40,0	90

### Six way tool holder hook ends 45° angled

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	L mm	B mm	g
860.0845	6,0	240,0	140,0	240

### Combination holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	L mm	B mm	g
860.0846	150,0	55,0	110

### Spanner holder horizontal

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	No. holes	L mm	B mm	g
860.0849	8	150,0	55,0	200

### Screwdriver holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	No. holes	L mm	B mm	g
860.0850	6	150,0	55,0	170
860.0851	12	150,0	55,0	320

### Drill- and hexagon socket holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	No. holes	L mm	B mm	g
860.0852	14	150,0	55,0	200
860.0853	28	150,0	55,0	550

### Saw holder

- To be used in pairs
- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	No. holes	L mm	g
860.0854	4	150,0	70

### Pipe holder

- To be used in pairs
- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	Ø mm	B mm	g
860.0855	60,0	35,0	100
860.0856	100,0	35,0	150

### Storage shelf without partition

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	L mm	B mm	g
860.0857	350,0	125,0	1,10
860.0858	450,0	150,0	1,50

**Lin bin holder single**

- For size 7 and 8
- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		📏
860.0859	Lin bin holder single	60

**Base plate**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		📏
860.0860	Base plate	20
860.0861	Base plate	40

**Lin bin holder**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		B mm	H mm	📏
860.0862		550,0	40,0	520
860.0863		550,0	60,0	660

**Spanner holder tapered for 10 spanners**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		No. holes	L mm	B mm	H mm	📏
860.0864		5	145/75,0	50,0	220,0	310
860.0865		5	225/125,0	50,0	255,0	480

**Can holder**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		No. holes	Ø mm	L mm	📏
860.0866		1	70,0	100,0	170
860.0867		3	70,0	300,0	580

**Pipe holder**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		L mm	B mm	📏
860.0868		230,0	70,0	700

**Small component tray with partition**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		L mm	B mm	📏
860.0847		150,0	55,0	240

**Small component tray without partition**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		L mm	B mm	📏
860.0848		150,0	55,0	210

**Universal tool holder self drill**

- With plastic pad for DIY drilling
- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		L mm	B mm	📏
860.0869		70,0	120,0	340
860.0870		45,0	390,0	1030

**Universal tool storage box**

- With wooden insert for DIY drilling
- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



		L mm	B mm	H mm	📏
860.0871		155,0	120,0	55,0	1,25



**Magnet set, pack of 10**

- Different colours
- Ideally suited for metal surfaces
- Plastic coated magnet



		Colour code	Ø mm	📏
860.0882		●	25,0	90
860.0883		●	25,0	90
860.0884		●	25,0	100

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### Sheet steel tray

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	L mm	B mm	
860.0878	250,0	435,0	1390

### Socket holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	No. holes	B mm	H mm	
860.0873	9	390,0	30,0	150

### Paper roll holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	L mm	B mm	H mm	
860.0879	100,0	355,0	120,0	710

### Document holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	B mm	H mm	
860.0880	220,0	310,0	750

### Works order holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	B mm	H mm	
860.0881	220,0	310,0	690

### Drill holder for MK 2 and MK 3 shafts

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	No. holes	B mm	H mm	
860.0886	16	395,0	85,0	570

### Bit holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	No. holes	L mm	B mm	
860.0887	7	35,0	150,0	150

### Hexagon socket holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- For Ø 1 - 11 mm
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel



	No. holes	B mm	H mm	
860.0872	11	145,0	70,0	190

### Socket holder for 1/2" sockets

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- fixing screws included
- Baseplate thickness 1,5 mm
- Zinc coated
- Sheet steel




	No. holes	
860.0894	6	200
860.0895	13	360



## HOLE WALL

### Hole wall gentian blue


- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889EB	5010	500,0	450,0	2,00
860.0890EB	5010	1000,0	450,0	5,00
860.0891EB	5010	1500,0	450,0	7,00
860.0892EB	5010	2000,0	450,0	9,00

### Hole wall light grey


- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889LG	7035	500,0	450,0	2,00
860.0890LG	7035	1000,0	450,0	5,00
860.0891LG	7035	1500,0	450,0	7,00
860.0892LG	7035	2000,0	450,0	9,00

### Hole wall slate grey


- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889SG	7015	500,0	450,0	2,00
860.0890SG	7015	1000,0	450,0	5,00
860.0891SG	7015	1500,0	450,0	7,00
860.0892SG	7015	2000,0	450,0	9,00

### Hole wall sky blue

- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889HB	5015	500,0	450,0	2,00
860.0890HB	5015	1000,0	450,0	5,00
860.0891HB	5015	1500,0	450,0	7,00
860.0892HB	5015	2000,0	450,0	9,00

### Hole wall pure white


- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889RW	9010	500,0	450,0	2,00
860.0890RW	9010	1000,0	450,0	5,00
860.0891RW	9010	1500,0	450,0	7,00
860.0892RW	9010	2000,0	450,0	9,00

### Hole wall jet black


- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889TS	9005	500,0	450,0	2,00
860.0890TS	9005	1000,0	450,0	5,00
860.0891TS	9005	1500,0	450,0	7,00
860.0892TS	9005	2000,0	450,0	9,00

### Hole wall light blue


- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889LB	5012	500,0	450,0	2,00
860.0890LB	5012	1000,0	450,0	5,00
860.0891LB	5012	1500,0	450,0	7,00
860.0892LB	5012	2000,0	450,0	9,00

### Hole wall reseda green

- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889RG	6011	500,0	450,0	2,00
860.0890RG	6011	1000,0	450,0	5,00
860.0891RG	6011	1500,0	450,0	7,00
860.0892RG	6011	2000,0	450,0	9,00

### Hole wall bright gold


- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889VG	1023	500,0	450,0	2,00
860.0890VG	1023	1000,0	450,0	5,00
860.0891VG	1023	1500,0	450,0	7,00
860.0892VG	1023	2000,0	450,0	9,00

### Hole wall bright red

- Versatile and practical
- 1,25 mm thick steel sheet
- Beveled all around
- Impact and scratch resistant plastic coating
- Electrostatic powder coating



	RAL	L mm	B mm	kg
860.0889VR	3020	500,0	450,0	2,00
860.0890VR	3020	1000,0	450,0	5,00
860.0891VR	3020	1500,0	450,0	7,00
860.0892VR	3020	2000,0	450,0	9,00



### SERVICE TROLLEYS

#### Tyres platform trolley

- Solid construction of steel sheet
- Firmly fixed grasping handle made from steel tube
- Grasping handle is hinged and locked with safety security catches without any tools
- In minimal time
- Rubber surrounding edges protect the trolley and surroundings from damage
- With 4 ball bearing rubber wheels, 2 with steering
- Load area has a plastic covering



**Technical data:**  
 Total load capacity: 150 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	kg
800.0015	810,0	740,0	480,0	9,20

#### ECOline Workshop service trolley

- Made from robust sheet steel construction
- Easy to move, even with heavy loads
- All shelves with high retaining border
- Internal dimension 565 x 395 mm
- With side pull handle
- Two fixed wheels Ø 100 mm
- Two castor wheels Ø 100 mm with rolling and turning brake
- High level of stability



**Technical data:**  
 Tray internal dimensions: 565 x 395 mm  
 Total load capacity: 150 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	kg
890.0001	850,0	680,0	425,0	12,60

#### ECOline Workshop-Service Trolley with Perforated Plate Cover

- Made from robust sheet steel construction
- Easy to move, even with heavy loads
- All shelves with high retaining border
- Internal dimension 565 x 395 mm
- lateral perforated steel cover for use with extra tools
- lockable at the back
- clearly organised workspace
- With side pull handle
- Two fixed wheels Ø 100 mm
- Two castor wheels Ø 100 mm with rolling and turning brake
- High level of stability



**Technical data:**  
 Tray internal dimensions: 565 x 395 mm  
 Total load capacity: 150 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	kg
890.0006	850,0	682,0	426,0	20,00

#### Workshop service trolley

- Extremely substantial plastic construction
- Without screws easily constructed
- Distance between the ground 30 cm
- With two handles
- 2 castor wheels 100 mm
- 2 castor wheels with brake 100 mm
- High level of stability
- Light profile weight
- Columns made out of anodised aluminum



**Technical data:**  
 Total load capacity: 200 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	kg
800.0020	1010,0	860,0	480,0	12,10

#### Workshop service trolley with lining

- Extremely substantial plastic construction
- Equipment lining
- Without screws easily constructed
- Distance between the ground 30 cm
- With two handles
- 2 castor wheels 100 mm
- 2 castor wheels with brake 100 mm
- High level of stability
- Light profile weight
- Columns made out of anodised aluminum



**Technical data:**  
 Total load capacity: 200 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	kg
800.0021	1010,0	860,0	480,0	12,10

**Workshop service trolley with 2 drawers**

- Extremely substantial plastic construction
- Without screws easily constructed
- Two ball bearing drawer runner guides
- With two handles
- 2 castor wheels 100 mm
- 2 castor wheels with brake 100 mm
- High level of stability
- Light profile weight
- Columns made out of anodised aluminum



**Technical data:**

Drawer internal dimensions: 520 x 430 x 85 mm  
 Total load capacity: 200 kg  
 Load capacity of each drawer: 35 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	kg
800.0030	1010,0	860,0	480,0	14,20

**Workshop service trolley with 2 drawers and lining**

- Extremely substantial plastic construction
- Without screws easily constructed
- Two ball bearing drawer runner guides
- With two handles
- 2 castor wheels 100 mm
- 2 castor wheels with brake 100 mm
- High level of stability
- Light profile weight
- Columns made out of anodised aluminum



**Technical data:**

Drawer internal dimensions: 520 x 430 x 85 mm  
 Total load capacity: 200 kg  
 Load capacity of each drawer: 35 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	kg
800.0031	1010,0	860,0	480,0	15,00

**Service trolley**

- Ideally suited as mobile PC station, exhaust gas test station or as storage and operation trolley for diagnostic equipment
- Also suitable for customer service entrainment
- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- Lockable door
- With several openings for passing the cord
- Ball bearing drawer runners
- Drawers are extendable
- Front side edges are rounded
- Internal hinges and cylinder lock
- 2 shelves, universal adjustable in height
- Four castor wheels Ø 125 mm with rolling and turning brake
- Electrostatic powder coating



**Technical data:**

Drawer internal dimensions: 300 x 450 x 55 mm  
 Total load capacity: 150 kg  
 Load capacity of each drawer: 25 kg  
 Wheel diameter: 125 mm

	Total depth mm	Width mm	Depth mm	kg
865.0020	1155,0	500,0	500,0	47,00

**Pallet cage trolley**

- For universal use
- With 4 steering castors
- Load capacity up to 80 kg
- Robust construction from steel pipe



**Technical data:**

Total load capacity: 80 kg

	Total depth mm	Width mm	Depth mm	kg
160.0260	1965,0	900,0	600,0	40,86

**Paper trolley with 2 shelves**

- Ideally suited to masking painting
- Mobile paper dispenser with 2 shelves for up to 2 paper rolls
- Suitable for covering paper and covering sheets up to 45 cm
- Supplied with adjustable tape pressure rollers
- Includes gun holder on one side
- Problem-free and graded separation with use of a sharp blade
- With practical storage compartments
- With two sturdy wheels
- Including handles for easy manoeuvring
- Robust construction from steel pipe



	Total depth mm	Width mm	Depth mm	kg
140.2382	920,0	660,0	600,0	11,00

**Paper trolley with 3 shelves**

- Ideally suited to masking painting
- Mobile paper giver with 4 shelves for up to 6 paper rolls
- Suitable for covering paper and covering sheets up to 90 cm
- Supplied with adjustable tape pressure rollers
- Simple replacing of paper rolls
- Multi-adjustable for different lengths
- Includes gun holder on both sides
- With 4 sturdy, steerable castors
- Including bracket for easy manoeuvring
- Robust construction from steel pipe



	Total depth mm	Width mm	Depth mm	kg
140.2350	1130,0	1240,0	540,0	29,00

## PLATFORM

### Aluminium work platform

- Skid proof profile on the platform stage
- Chequer plate profile on the steps
- No tipping over through obliquely placed standing feet
- Double-sided access
- Large platform for safe standing
- Safety clips for added security
- Beams and step made from aluminium
- Easy to store as the unit is fully collapsible
- The gripped plastic feet protect the surface and add stability
- Secure stand makes working easier
- Can be used to assemble screens, engine bay work, work on the roof, commercial vehicle pit work etc.
- Universal suitable in very high vehicles e.g. motor homes, small vehicles, truck and buses, terrain vehicles
- Heavy aluminium construction



#### Technical data:

Platform dimensions: 1000 x 300 mm  
Total load capacity: 150 kg

	L mm	B mm	H mm	kg
800.0960	1345,0	405,0	480,0	7,30

### Safety assembly step

- No tipping over through obliquely placed standing feet
- Anti slip, hot dip galvanised, with the frame riveted lattice rustproof
- Step to DIN 50976
- Massive and distortion stiff steel tube construction
- Base frame plastic coated
- The gripped plastic feet protect the surface and add stability
- Applicable e.g. panel assembly, engine compartment works, roof works truck pit working
- Universal suitable in very high vehicles e.g. motor homes, small vehicles, truck and buses, terrain vehicles



#### Technical data:

Surface area: 690 x 620  
Steel grating: 590 x 290  
Total load capacity: 300 kg

	kg
450.0960 Safety assembly step	14,00

## SUPPORTS

### Windscreen table with rubber protective pads

- Ideally suited to holding the windscreen when removing, or removing adhesive material
- four movable rubber suction cups hold the disc securely in position and protect it from scratches
- Fully adjustable
- For nearly all windscreen sizes
- Foldable to save space during storage
- Robust construction
- Capacity up to 50 kg with rubber suction cup
- Capacity up to 300 kg without rubber suction cup
- Made from zinc coated steel tube



#### Technical data:

max. Load: 50 kg  
Suction cup diameter: 125,0 mm

	Length mm	Width mm	Height mm	Rubber pad	kg
140.2225	1030,0	50,0	1040,0	140.2225-1	8,40

### Universal storage table

- Ideally suited to holding the windscreen when removing, or removing adhesive material
- Holding tube with non-slip, coated padding offer optimal grip and prevent scratches
- Fully adjustably
- For nearly all windscreen sizes
- Foldable to save space during storage
- Robust construction
- Capacity up to 80 kg
- Made from zinc coated steel tube



#### Technical data:

max. Load: 80 kg

	Length mm	Width mm	Height mm	Pad	kg
140.2226	1030,0	900,0	940,0	140.2226-1	6,60

## Universal storage table with rollers

- Ideally suited to holding the windscreen when removing, or removing adhesive material
- Holding tube with non-slip, coated padding offer optimal grip and prevent scratches
- For nearly all windscreen sizes
- Foldable to save space during storage
- 4 substantial wheels, 2 with locking brakes
- Simple handling
- Capacity up to 100 kg
- Robust construction from steel pipe



#### Technical data:

max. Load: 100 kg

	Length mm	Width mm	Height mm	Pad	kg
140.2227	900,0	760,0	930,0	140.2228	8,00

## Universal Telescopic-Multi-purpose trolley with rollers

- Ideally suited to bodywork restoration, in the painting area or for filing screens when removing, or applying adhesive material etc.
- Holding tube with non-slip, coated padding offer optimal grip and prevent scratches
- The multi-talented universal use, since width and height are fully adjustable and lockable
- For nearly all windscreen sizes
- Can also be used as a work bench or for carrying parts
- Collapsible to save space during storage
- With 4 stable castors, 2 with locking brakes
- Simple handling
- Capacity up to 100 kg
- Robust construction made from square tube



#### Technical data:

max. Load: 100 kg

	Length mm	min. width mm	Max width mm	Height min in mm	Height max in mm	kg
500.8100	1320,0	257,0	1380,0	845,0	1320,0	23,50

**TRANSPORT SACK TROLLEY**

**Transport sack trolley with pneumatic wheels**

- Steel tubular structure with deep-welded joints
- easy and flexible transport even in small rooms
- Effortless receiving and transporting of packages, carton and all other objects
- made from round pipes, solid weld
- Very wide shovel base
- Equipped with 2 fixed wheels with pneumatic tyres
- Safety handles and slip protection
- Perfectly suitable in industry and business



**Technical data:**

max. Load capacity kg: 250,0 kg  
 Tyre size: Ø 260 x 85 mm  
 Shovel/base dimensions: W 400 x D 170 mm

	L mm	B mm	H mm	kg
160.0225	430,0	550,0	1100,0	10,00

**Transport sack trolley with pneumatic wheels**

- Steel tubular structure with deep-welded joints
- easy and flexible transport even in small rooms
- Effortless receiving and transporting of packages, carton and all other objects
- made from round pipes, solid weld
- Fold away shovel base
- Equipped with 2 fixed wheels with pneumatic tyres
- Safety handles and slip protection
- Perfectly suitable in industry and business



**Technical data:**

max. Load capacity kg: 250,0 kg  
 Tyre size: Ø 260 x 85 mm  
 Shovel/base dimensions: W 400 x D 170 mm

	L mm	B mm	H mm	kg
160.0226	775,0	550,0	1100,0	10,00

**Transport sack trolley with full rubber three staged wheels**

- Steel tubular structure with deep-welded joints
- easy and flexible transport even in small rooms
- Effortless receiving and transporting of packages, carton and all other objects
- made from round pipes, solid weld
- Fold away shovel base
- Problem free overcoming of stairs
- Full rubber three staged wheels
- Perfectly suitable in industry and business



**Technical data:**

max. Load capacity kg: 250,0 kg  
 Tyre size: Ø 160 x 30 mm  
 Shovel/base dimensions: W 400 x D 170 mm

	L mm	B mm	H mm	kg
160.0227	900,0	610,0	1285,0	15,00

**Transport sack trolley with full rubber tyres**

- Steel tubular structure with deep-welded joints
- easy and flexible transport even in small rooms
- Effortless receiving and transporting of packages, carton and all other objects
- made from round pipes, solid weld
- Fold away shovel base
- Equipped with 2 fixed full rubber wheels
- Safety handles and slip protection
- Perfectly suitable in industry and business



**Technical data:**

max. Load capacity kg: 250,0 kg  
 Tyre size: Ø 255 x 46 mm  
 Shovel/base dimensions: W 400 x D 170 mm

	L mm	B mm	H mm	kg
160.0228	430,0	560,0	1100,0	17,00

**Transport sack trolley with full rubber tyres**

- Steel tubular structure with deep-welded joints
- easy and flexible transport even in small rooms
- Effortless receiving and transporting of packages, carton and all other objects
- made from round pipes, solid weld
- Fold away shovel base
- Equipped with 2 fixed full rubber wheels
- Safety handles and slip protection
- Perfectly suitable in industry and business



**Technical data:**

max. Load capacity kg: 250,0 kg  
 Tyre size: Ø 255 x 46 mm  
 Shovel/base dimensions: W 400 x D 170 mm

	L mm	B mm	H mm	kg
160.0229	775,0	560,0	1100,0	19,00

**Bottle trolley**

- Steel tubular structure with deep-welded joints
- Ideal for the storage of 10 litre nitrogen bottles
- With safety chain for transport
- Includes hose attachment
- Integrated tray for accessories
- Stable fully-rubber wheels
- Secure and easy to use
- Special tool steel



**Technical data:**


max. Load capacity kg: 85,0 kg  
 Tyre size: Ø 160 mm

	Length mm	Width mm	Height mm	kg
160.0247	275,0	305,0	1170,0	4,46

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### Radiator transport trolley

- Practical transport trolley to transport radiators
- With automatic brake
- Max. payload: 150 kg
- Max. height 370 mm
- Special tool steel



	B mm	H mm	SL mm	SB mm	kg
160.0230	610,0	980,0	420,0	195,0	30,00

### Transport sack trolley for barrels

- Steel tubular structure with deep-welded joints
- With pneumatic tyres
- easy and flexible transport even in small rooms
- Suitable for all common 200 litre barrels (GGVS, UNO)
- With barrel rim holder for secure grip
- Thanks to adjustable height other barrel sizes may be transported safely



#### Technical data:

Tyre size: Ø 260 x 85 mm

	Max load kg	B mm	H mm	kg
160.0223	250,0 kg	700,0	1600,0	13,40



### Professional wheel trolley

- Steel tubular structure with deep-welded joints
- easy and flexible transport even in small rooms
- for effortless collection and transport of tyres and rims
- made from round pipes, solid weld
- 2 large pneumatic tyres
- with 2 solid rubber guide rollers
- with improved stability and tilting safety
- Optimal transportation due to traverse brake stop



#### Technical data:

Wheel size fixed rollers: Ø 260 mm (pneumatic tyres)  
 Wheel size steer rollers: Ø 125 mm (solid rubber)  
 Max. bucket dimensions: Ø 730 mm

	Max load kg	L mm	B mm	H mm	kg
160.0055	150,0 kg	850,0	715,0	1610,0	15,00

### KNEE AND LIE DOWN MATS

#### Protection mat

- Guarantees safety-conscious working on a flat surface
- Moisture and dirt resistant
- Work garments and knees stay dry, clean and protected
- 3 layered padded construction from soft material
- Integrated hand grip
- Petrol and oil resistant



	L mm	B mm	H mm	kg
500.8040	480,0	320,0	36,0	200
500.8045	1150,0	550,0	36,0	760

### Mat with handle

- Guarantees safety-conscious working on a flat surface
- Moisture and dirt resistant
- Work garments and knees stay dry, clean and protected
- Insulated
- Can be folded together
- With integrated carry handle
- Petrol and oil resistant



	L mm	B mm	H mm	kg
500.8002	1022,0	440,0	40,0	1,05



### STRETCHER

#### Drivable stretcher and folding seat

- For the use of lying and sitting
- Interlocking mechanism against accidental loosening
- Padded execution for fatigue free working
- Washable cushion
- Shallow depth for comfortable working
- six polyvinyl chloride swivel castors with ball bearings
- Black powder coated metal frame



#### Technical data:

Total load capacity: 90 kg

	L mm	B mm	H mm	Substitute ref.	kg
500.8011	1040,0	490,0	85,0	500.8012	9,50

**Drivable stretcher and folding seat**

- For the use of lying and sitting
- Interlocking mechanism against accidental loosening
- Padded execution for fatigue free working
- Tool storage tray in the foot well
- Washable cushion
- Shallow depth for comfortable working
- Adjustable head rest
- seven polyvinyl chloride swivel castors with ball bearings
- Black powder coated metal frame



**Technical data:**  
Total load capacity: 90 kg

	L mm	B mm	H mm	Substitute roll	kg
500.8000	1200,0	430,0	145,0	500.8001	12,40

**Mobile seat**

- Padded head support
- Shaped arm areas for optimal movement freedom
- Includes safe tool recesses
- six polyvinyl chloride swivel castors with ball bearings
- Easy to clean
- Maximum capacity up to 120 kg
- Solid construction made from plastic



**Technical data:**  
Total load capacity: 120 kg

	L mm	B mm	H mm	Substitute roll	kg
500.8090	1030,0	480,0	115,0	500.8091	5,00

**Mobile seat**

- for use when lying down
- Padded execution for fatigue free working
- Washable cushion
- Shallow depth for comfortable working
- extra stable, ball bearing mounted, solid rubber castors
- Black powder coated metal frame
- maximum weight up to 180 kg



**Technical data:**  
Total load capacity: 180 kg

	L mm	B mm	H mm	Substitute roll	kg
500.8003	1160,0	540,0	120,0	500.8003-R001P	10,50

**STOOLS**

**Mobile stool**

- Robust and mobile stool
- Storage area for the protection of tools and small parts
- Washable cushion
- four ball-bearing polyvinyl chloride swivel castors
- Maximum capacity up to 90 kg
- Construction from robust steel square tube



**Technical data:**  
Total load capacity: 90 kg  
Number of direct rollers: 4

	L mm	B mm	H mm	Substitute roll	kg
500.8020	440,0	360,0	360,0	500.8022	4,00

**Mobile and height adjustable stool**

- Robust and mobile stool
- Storage area for the protection of tools and small parts
- Washable cushion
- Hydraulic height adjustment
- extra stable, ball bearing mounted, solid rubber castors
- maximum weight up to 135 kg
- Durable metal construction



**Technical data:**  
Total load capacity: 135 kg  
Number of direct rollers: 5

	B mm	Height min in mm	Height max in mm	Substitute roll	kg
500.8004	360,0	440,0	560,0	500.8004-R001P	7,80

**AXLE STANDS**

**Aluminium axle stand set**

- Especially light and stable
- High level of stability due to the diameter of the base plate
- Safety locking bolt with chain
- Suits itself especially well in combination with jack for the safe bracing of a load
- Aluminium



	Max load t	Stroke way mm	Min total height mm	Max total height mm	kg
160.0315	3,0	140,0	260,0	400,0	2,20



**Mobile and height adjustable stool**

- Robust and mobile stool
- Storage area for the protection of tools and small parts
- Washable cushion
- Hydraulic height adjustment
- five ball-bearing polyvinyl chloride swivel castors
- Maximum capacity up to 90 kg
- Durable metal construction



**Technical data:**  
Total load capacity: 90 kg  
Number of direct rollers: 5

	B mm	Height min in mm	Height max in mm	Substitute roll	kg
500.8030	370,0	400,0	540,0	500.8031	7,30



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
i

### Steel chassis stand with quick lock

- Solid construction
- For heavy vehicles weights
- High level of stability due to large sturdy base plate
- Lifting bar made from cast steel
- Quick adjustments
- Height adjustment has 13 stages
- Suits itself especially well in combination with jack for the safe bracing of a load
- Delivery takes place in parts
- Made from solid steel
- 160.0377 / 160.0378 with turnstile



	Max load t	Min total height mm	Max total height mm	kg
160.0373	10	450,0	750,0	21,50
160.0374	10	650,0	1100,0	26,50
160.0377	20	420,0	660,0	26,00
160.0378	20	665,0	1170,0	29,00
160.0379	25	415,0	640,0	25,50
160.0380	25	675,0	1050,0	35,50

### Steel axle stands with quick adjustment

- 4 feet on each stand
- Solid construction
- For heavy vehicles weights
- High level of stability
- Lifting bar made from cast steel
- Quick adjustments
- Supplied in pairs
- Height adjustment has 13 stages
- Suits itself especially well in combination with jack for the safe bracing of a load
- Made from solid steel



	Max load t	Stroke way mm	Min total height mm	Max total height mm	kg
160.0370	3,0	130,0	276,0	420,0	6,40
160.0371	6,0	205,0	382,0	600,0	1,40

### Spindle support stand

- Variably adjustable via spindle
- 3-foot chassis stand
- Solid construction
- For heavy vehicles weights
- High level of stability
- Collapsible, so saves a lot of space
- Suits itself especially well in combination with jack for the safe bracing of a load
- Made from solid steel



	Max load t	Min total height mm	Max total height mm	kg
160.0441	12,0	456,0	710,0	17,50
160.0442	12,0	710,0	1065,0	25,00

### Underhoist stand with pedal

- Ideal for all work when extra support is needed
- Stable trapeze threaded spindle
- Secure stand thanks to the large foot
- Infinitely variable
- Smooth-operating with axial bearings
- Foot pedal for precise adjustments (20 mm)
- The ideal workshop assistant in many situations



	Load capacity kg	Min total height mm	Max total height mm	kg
160.0342	750	1360,0	2030,0	15,00

### LIFTING TOOLS

#### Hydraulic bottle jack 2 - 50 t

- Security valve against overload
- Telescopic piston pole
- Additional spindle for extension (not in 30 and 50 t executions)
- Two piece lever arms
- For heavy vehicles weights
- Suitable for narrow spaces
- High level of stability
- Ideally suited in combination with jack for the neutralizing and bracing of a load
- Heavy steel construction



	Max load t	min lift height mm	max lift height mm	Hydraulic lift mm	Screw extension mm	Dimension of base plate mm	kg
160.0350	2,0	181,0	345,0	116,0	48,0	88 x 92	2,90
160.0351	3,0	194,0	372,0	118,0	60,0	92 x 100	3,80
160.0352	5,0	216,0	413,0	127,0	70,0	96 x 112	5,10
160.0354	10,0	230,0	460,0	150,0	80,0	110 x 127	7,10
160.0356	15,0	230,0	460,0	150,0	80,0	113 x 136	9,30
160.0358	20,0	242,0	452,0	150,0	60,0	144 x 155	11,90
160.0359	30,0	285,0	465,0	180,0	-	190 x 155	21,70
160.0360	50,0	300,0	480,0	180,0	-	218 x 176	30,70

#### SlimPOWER hydraulic aluminium trolley jack 2 t

- Especially light aluminum jack
- Very shallow depth for use under low vehicles
- Large base for safe standing
- Raising with the pump lever and foot lever is possible
- With foot pedal to bridge the empty stroke
- Controlled releasing through the turning of the pump lever
- Raising with small pump lifts to the maximum height
- Good maneuverability through two oil and acid resistant nylon direct castors
- Integrated screw tray
- The lower area of the pump lever is coated with foam material
- Problem free movement due to lightweight and secure handling
- Lifting plate diameter 135 mm
- Overload protection through pressure relief valve
- Ideally suited for daily workshop use
- Extremely heavy aluminium construction



	Max capacity t	Stroke way mm	min lift height mm	max lift height mm	Total height mm	Spore lifting plate	kg
161.0365	2,0	370,0	90,0	460,0	790,0	161.0365-R047P	26,80

**Hydraulic steel trolley jack 3 t**

- Large base for safe standing
- Controlled releasing through the turning of the pump lever
- Raising with small pump lifts to the maximum height
- Good maneuverability through two oil and acid resistant nylon direct castors
- Intergrated screw tray
- The lower area of the pump lever is coated with foam material
- Lifting plate diameter 140 mm
- Overload protection through pressure relief valve
- Ideally suited for daily workshop use
- Heavy steel construction



	Max capacity t	Stroke way mm	min lift height mm	max lift height mm	Total length mm	Spare lifting plate	kg
160.0366	3,0	410,0	125,0	535,0	720,0	160.0362	43,00

**ULTIMATE<sup>line</sup> Hydraulic steel trolley jack**

- Very shallow depth for use under low vehicles
- Large base for safe standing
- Raising with the pump lever and foot lever is possible
- With foot pedal to bridge the empty stroke
- Controlled releasing through the turning of the pump lever
- Raising with small pump lifts to the maximum height
- Good maneuverability through two oil and acid resistant nylon direct castors
- Intergrated screw tray
- The lower area of the pump lever is coated with foam material
- Lifting plate diameter 120 mm
- Overload protection through pressure relief valve
- Ideally suited for daily workshop use
- Heavy steel construction



	Max capacity t	Stroke way mm	Min total height mm	Max total height mm	Total length mm	Spare lifting plate	kg
161.0367	2,0	415,0	80,0	495,0	760,0	161.0371	32,00



**Jack for forklifts, hydraulic 4 - 5 t**


- Specially developed for forklifts, agricultural and industrial vehicles
- Combination lifting jack with scissor action
- Scissor capacity of 4 tons and cylinder capacity of 5 tons
- Steel wheels



	Max capacity t	Stroke way mm	min lift height mm	max lift height mm	Total length mm	kg
160.0716	5,0	365,0	75,0	440,0	700,0	44,00

**Pneumatic hydraulic trolley jack 30 t / 15 t**


- Hydraulic jack for vehicles up to max. 30t
- Large lifting base for safe standing
- Short and compact design
- Extremely light weight ideal for the mobile usage
- Overload protection through overload pressure valve
- Maximum lift is reached using one of the two adaptors included
- Very short and transportable design
- Folding handle
- Easy running oil and acid resistant solid rubber wheels
- Suitable for narrow spaces
- Ideally suited for daily workshop use
- Durable steel construction



	Max capacity t	L mm	L2 mm	L3 mm	L4 mm	L5 mm	kg
160.0739	30 / 15	430,0	150,0	139,0	75,0	45,0	24,00

**Pneumatic hydraulic trolley jack 40 t / 20 t**

- Hydraulic jack for vehicles up to max. 40 t
- Large lifting base for safe standing
- Short and compact design
- Extremely light weight ideal for the mobile usage
- Overload protection through overload pressure valve
- Maximum lift is reached using one of the two adaptors included
- Very short and transportable design
- Folding handle
- Easy running oil and acid resistant solid rubber wheels
- Suitable for narrow spaces
- Ideally suited for daily workshop use
- Durable steel construction



	Max capacity t	L mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	kg
160.0741	40 / 20	480,0	1300,0	150,0	139,0	75,0	45,0	40,00

### Pneumatic hydraulic trolley jack 40 t / 20 t

- Hydraulic jack for vehicles up to max. 40 t
- Large lifting base for safe standing
- Short and compact design
- Extremely light weight ideal for the mobile usage
- Overload protection through overload pressure valve
- Maximum lift is reached using one of the two adaptors included
- Very short and transportable design
- Folding handle
- Easy running oil and acid resistant solid rubber wheels
- Suitable for narrow spaces
- Ideally suited for daily workshop use
- Durable steel construction



Max capacity t	L mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	kg
160.0742	40 / 20	600,0	1300,0	170,0	169,0	75,0	45,0 53,00

### Pneumatic hydraulic trolley jack 60 / 40 t / 22 / 11 t

- Hydraulic jack for vehicles up to max. 60 t
- Large lifting base for safe standing
- Short and compact design
- Extremely light weight ideal for the mobile usage
- Overload protection through overload pressure valve
- Maximum lift is reached using one of the two adaptors included
- Very short and transportable design
- Folding handle
- Easy running oil and acid resistant solid rubber wheels
- Suitable for narrow spaces
- Ideally suited for daily workshop use
- Durable steel construction



Max capacity t	L mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	kg
160.0744	60 / 40 / 22 / 11	905,0	1380,0	150,0	243,0	75,0	45,0 66,00

### Underhoist stand with pedal


- Ideal for all work when extra support is needed
- Stable trapeze threaded spindle
- Secure stand thanks to the large foot
- Infinitely variable
- Smooth-operating with axial bearings
- Foot pedal for precise adjustments (20 mm)
- The ideal work shop assistant in many situations



	Load capacity kg	Min total height mm	Max total height mm	kg
160.0342	750	1360,0	2030,0	15,00

### Pneumatic hydraulic trolley jack 40 t / 20 / 10 t

- Hydraulic jack for vehicles up to max. 40 t
- Large lifting base for safe standing
- Short and compact design
- Extremely light weight ideal for the mobile usage
- Overload protection through overload pressure valve
- Maximum lift is reached using one of the two adaptors included
- Very short and transportable design
- Folding handle
- Easy running oil and acid resistant solid rubber wheels
- Suitable for narrow spaces
- Ideally suited for daily workshop use
- Durable steel construction



Max capacity t	L mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	kg
160.0743	40 / 20 / 10	830,0	1380,0	130,0	159,0	75,0	45,0 44,00

### Pneumatic hydraulic trolley jack 80 / 50 t

- Hydraulic jack for vehicles up to max. 80 t
- Large lifting base for safe standing
- Short and compact design
- Extremely light weight ideal for the mobile usage
- Overload protection through overload pressure valve
- Maximum lift is reached using one of the two adaptors included
- Very short and transportable design
- Folding handle
- Easy running oil and acid resistant solid rubber wheels
- Suitable for narrow spaces
- Ideally suited for daily workshop use
- Durable steel construction



Max capacity t	L mm	L1 mm	L2 mm	L3 mm	L4 mm	L5 mm	kg
160.0745	80 / 50	930,0	1380,0	230,0	213,0	75,0	45,0 106,00

### Hydraulic transmission jack

- Ideal for installing and removing motors, transmissions, couplings etc.
- Uncomplicated lifting with hydraulic foot pump
- Continuous adjustment allows for precise positioning
- Slow release of the load possible with hand wheel
- Includes overload valve
- With integrated safety stop handle
- High stability due to wide wheel spacing
- Good manoeuvrability through four oil and acid resistant nylon direct castors
- Extra-large covering for lifting
- Wide wheel spacing ensures more stability and manoeuvrability when loaded
- Robust shape



	Max load kg	min lift height mm	max lift height mm	Width mm	kg
160.0327	300	1200,0	2040,0	610,0	32,00
160.0324	500	1200,0	2040,0	610,0	34,00
160.0329	1000	1200,0	2040,0	610,0	48,00

**Hydraulic transmission jack**


- Ideal for safe installation
- Heavy execution
- Uncomplicated lifting with hydraulic foot pump
- Continuous adjustment allows for precise positioning
- Especially wide working area
- Slow release of the load possible with the foot pump
- Includes overload valve
- With integrated safety stop handle
- Ground plate can be inclined and adjusted into position/horizontal + 40 mm/inclination -10°/+20°
- Includes 420 mm wide support rail with support chains for secure tensioning
- Chains can be adjusted from 130-430 mm
- Transmission holder attached to the piston rod
- Includes transmission holder
- Good manoeuvrability through four oil and acid resistant nylon direct castors
- Extra-large covering for lifting
- Wide wheel spacing ensures more stability and manoeuvrability when loaded
- Robust shape



	Max load kg	max lift height mm	min lift height mm	Length mm	Width mm	kg
160.0334	500	1870,0	880,0	700,0	800,0	67,00

**Universal assembly stool**


- Ideal for installing and removing engines, transmission and support frames
- Suitable for transmission jacks with an attachment diameter of 25, 30 and 35 mm
- With four arms that can swivel sideways and can be adjusted in length
- For up to 75 kg
- Supporting plates height adjustable with non slip feet
- Simple handling and quick repair
- Stable construction
- Special tool steel



	Max load kg	Length mm	kg
160.0146	75	700,0 - 960,0	13,00

**Folding workshop crane**

- Hand lever pump for lifting
- Finely controllable reduction valve
- Made out of rectangle pipe, welded frame
- Stable construction
- Safety load hooks
- Telescopic crane jib with 4 sided adjustment of the length
- 2 fixed and 2 controllable castors (due to this there is problem free positioning over the load to be lifted)
- Flat feet enable a simple access under low vehicles
- Good maneuverability due to the ball bearing metal castors
- Adjustable load capacity
- Chassis in slightly splayed form and can be folded away
- Ideal for lifting works in the motor vehicle workshop
- For the removal and replacement of engines
- Raising of motorcycles in special works



	Max load kg	H mm	L mm	A mm	kg
160.0015	1000	1440,0	1550,0	1006,0 - 1330,0	73,30

**Load positioning device**

- Makes balancing the load on the crane easier depending on the shape of the parts to be lifted during installation and assembly
- Easy balance adjustment with the hand lever
- Supplied with 4 load chains
- Axle distance 320 mm
- Can be combined with work shop crane for units



	Max load kg	Height mm	Width mm	kg
160.0018	680	560,0	430,0	5,60

**Load positioning device**

- Makes balancing the load on the crane easier depending on the shape of the parts to be lifted during installation and assembly
- Easy balance adjustment with the hand lever
- Supplied with 4 load chains
- Centre distance: 400 mm
- Can be combined with work shop crane for units like the engine block, transmission, etc.

**Application range:** Volvo FH, FM, FMX and NH Series



**Technical data:**

max. Load: 2.000 kg

	Width mm	Height mm	kg
460.5255	445,0	190,0	5,40

**COLLECTION CONTAINER**

**Flexible funnel with aluminium body**

- Ideally suited to a clean and control draining of all fluids, e.g. oil, coolant, brake fluid, fuel etc.
- Resistant to petrol, diesel, oil, coolant, hydraulic and brake fluid
- Also suitable as a funnel for filling
- Shape is maintained and can be altered at any time
- Free malleable, therefore can be adapted for extremely tight spaces
- Problems with draining fluids are a thing of the past
- The heavy-duty construction can be fit to any desired shape and used again
- Easy to clean
- Temperature resistance of -34 to +232 °C
- Aluminium frame
- Outer skin made from nitrile rubber



	Length mm	Width mm	kg
150.9303	372,0	170,0	240

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### Drain pan 7.5 litres

- With three carry handles
- Safe and clean pouring with the self-contained overflow edge and spout
- Ideally suited to collecting different fluids
- Suitable for oil, chemicals, petrol, acid and anti-freeze fluid
- Also suitable for cleaning parts
- Practical, quick and friendly to the environment
- Shock and impact resistant



	Ø mm	H mm	kg
150.9359	385,0	130,0	620

### Drain pan 17 litres

- With three carry handles
- Safe and clean pouring with the self-contained overflow edge and spout
- Ideally suited to collecting different fluids
- Suitable for oil, chemicals, petrol, acid and anti-freeze fluid
- Also suitable for cleaning parts
- Practical, quick and friendly to the environment
- Shock and impact resistant



	Ø mm	H mm	kg
150.9360	445,0	145,0	1,07

### Drain pan 17 litres

- With three carry handles
- Safe and clean pouring with the self-contained overflow edge and spout
- Ideally suited to collecting different fluids
- Suitable for oil, chemicals, petrol, acid and anti-freeze fluid
- Also suitable for cleaning parts
- Practical, quick and friendly to the environment
- Shock and impact resistant



	B mm	H mm	L mm	kg
150.9357	340,0	120,0	600,0	1,06

	Ø mm	H mm	kg
150.9361	445,0	145,0	1,16

### Mobile drain pan, 30 litres, extra flat with castors

- With five carry handles
- 12.0 cm high, extra flat edges
- Safe and clean pouring with the closed contained and spout
- Ideally suited to collecting different fluids
- Suitable for oil, chemicals, petrol, acid and anti-freeze fluid
- Also suitable for cleaning parts
- With four steerable castors
- Practical, quick and friendly to the environment
- Includes removable sieve
- Screwed connection with rubber seal for safe transport
- Shock and impact resistant



	B mm	H mm	L mm	kg
150.9354	600,0	120,0	850,0	5,60

### Drain pan 55 litres, extra flat

- With four carry handles
- 11.0 cm high, extra flat edges
- Safe and clean pouring with the self-contained overflow edge and spout
- Ideally suited to collecting different fluids
- Suitable for oil, chemicals, petrol, acid and anti-freeze fluid
- Also suitable for cleaning parts
- Practical, quick and friendly to the environment
- Shock and impact resistant
- Polyethylene




	L mm	B mm	H mm	kg
150.9358	1030,0	724,0	110,0	6,80



**Mobile oil draining device 60 litre**

- Basic unit for old oil capture and re-filling
- Pneumatic pressure emptying with manometer and safety valve
- Emptying takes approximately 3 minutes at 0.8 bar
- Heavy deposits can also be removed via a plate on the underside
- Mobile and connectible container with extra-large plastic wheels
- With carry handle
- Stop cock and clamping screws to release pressure
- Extremely manoeuvrable and ideal for workshop design
- Centrally mounted and height-adjustable round drip pan
- Side filling display with measuring scales
- Includes clear fabric hose for draining



**Vacuum fluid extractor suction pump 9.5 litre**

- Ideal for quick, clean and simple suction, intake and emptying of fluids
- Suitable for engine oil, transmission oil, hydraulic oil, brake fluid, water etc.
- For pneumatic use with a compressor or manual use with the integrated hand pump
- Select a suitable probe and suck easily using the vacuum principle
- Suction process automatically stopped when housing is full, preventing fluids from spilling over
- With integrated pressure relief valve for more safety
- With high-quality pump housing and strengthened pump head
- Includes 4 probes for different uses
- Ideally suited to hard-to-reach places thanks to the included, long suction hose
- The suction hose is resistant to petrol and oil
- Polyethylene



**Technical data:**

- Work pressure: 5-11,5 bar
- Capacity: 9,5 l
- Operating temperature: +0°C to +55°C
- Filling tube length: 1,5 m
- Max. flow rate: 125 l/min

160.0790	5 pcs	Vacuum fluid extractor suction pump 9,5 litre	5,00
----------	-------	---	------



**Technical data:**

- Capacity of container: 60 l
- Capacity of catch: ca.16 l
- Collection container dimensions: 490 x 580 x 1040 mm
- Collection pan dimensions: Ø 380 mm
- Height adjustment: 1040 - 1700 mm

160.0001	60	32,00
----------	----	-------



**WORKSHOP EQUIPMENT**

**Mobile cleaning station for small parts**

- Mounted metal reservoir with 60 l tank capacity
- Includes compressed air operated drying pistol
- Cleaning brush with strong bristles
- Emptying of the collecting container by means of pneumatic air
- Includes level indicator display
- Safety valve for the vacuum production and pressure emptying
- High quality 2 m tube and compressed air pistol
- Good maneuverability due to the two solid rubber direct castors
- Storage compartment for small parts
- Includes stop handles
- Especially suitable for use in the car industry
- Ideally suited for removing of stubborn soiling
- Base unit made out of cast iron




**Technical data:**

- Operating pressure: 6,3 bar (90 psi)
- Collecting tank: 500 x 810 x 130 mm


	L mm	B mm	H mm	kg
160.0040	490,0	580,0	1040,0	54,00



TOOL CABINET / INSERT MODULE SYSTEM 1



Innovation is our mission!



	FROM PAGE	
		1
		2
TOOL BAGS AND BOXES	522	3
TOOL BOXES	523	
TOOL CHESTS	524	4
SERVICE TROLLEYS	525	
TOOLBOX TOOL CABINETS	526	5
ECOLine TOOL CABINETS	526	
BASICline TOOL CABINETS	527	6
RACINGline TOOL CABINETS	528	
RACINGline+ TOOL CABINETS	529	7
MASTERline TOOL CABINETS	529	
MASTERline ACCESSORIES	531	8
ULTIMATEline TOOL CABINETS	532	
ULTIMATEline ACCESSORIES	532	9
TOOLBOX SYSTEM INLAY SETS	537	
SCS SYSTEM INSERT SETS	537	10
TOOLBOX MODULE INSERTS	544	
1/3 SCS - SPANNER - METRIC	544	11
1/3 SCS - SOCKET WRENCH 1/4" - METRIC	546	
1/3 SCS - SOCKET WRENCH 1/4" - IMPERIAL	549	12
1/3 SCS - SOCKET WRENCH 3/8" - METRIC	549	
1/3 SCS - SOCKET WRENCH 3/8" - IMPERIAL	551	13
1/3 SCS - SOCKET WRENCH 1/2"	551	
1/3 SCS - SOCKET WRENCH 1/4" + 1/2" - METRIC	555	14
1/3 SCS - SOCKET WRENCH 1/4" + 3/8" + 1/2" - METRIC	556	
1/3 SCS - IMPACT SOCKET WRENCH - METRIC	556	15
1/3 SCS - SCREWDRIVER	557	
1/3 SCS - PLIERS	558	16
1/3 SCS - VDE	559	
1/3 SCS - MEASURING AND CHECKING TOOL	559	17
1/3 SCS - PULLER	560	
1/3 SCS - WORKSHOP SUPPLIES	560	18
1/3 SCS - EMPTY INSERTS	560	
2/3 SCS - SPANNER - METRIC	560	19
2/3 SCS - SOCKET WRENCH 3/8" - METRIC	562	
2/3 SCS - SOCKET WRENCH 1/2" - METRIC	563	20
2/3 SCS - SOCKET WRENCH 1/2" - IMPERIAL	565	
2/3 SCS - SOCKET WRENCH 1/4" + 1/2" - METRIC	565	21
2/3 SCS - SOCKET WRENCH 1/4" + 3/8" + 1/2" - METRIC	566	
2/3 SCS - SCREWDRIVER	566	22
2/3 SCS - WORKSHOP SUPPLIES	567	
2/3 SCS - EMPTY INSERTS	567	23
1/1 SCS - SPANNER - METRIC	568	
1/1 SCS - SPANNER - IMPERIAL	571	24
1/1 SCS - SOCKET WRENCH 1/4" - METRIC	572	
1/1 SCS - SOCKET WRENCH 1/2" - METRIC	573	25
1/1 SCS - SOCKET WRENCH 3/4" - METRIC	574	
1/1 SCS - SOCKET WRENCH 1/4" + 3/8" - METRIC	575	26
1/1 SCS - SOCKET WRENCH 1/4" + 1/2" - METRIC	578	
1/1 SCS - SOCKET WRENCH 3/8" + 1/2" - METRIC	579	27
1/1 SCS - SOCKET WRENCH 1/4" + 3/8" + 1/2" - METRIC	579	
1/1 SCS - SOCKET WRENCH 1/4" + 3/8" + 1/2" - IMPERIAL	584	28
1/1 SCS - IMPACT SOCKET WRENCH	585	
1/1 SCS - SCREWDRIVER	586	29
1/1 SCS - PLIERS	588	
1/1 SCS - HAMMER & CHISEL	590	30
1/1 SCS - WORKSHOP SUPPLIES	591	
1/1 SCS - EMPTY INSERTS	593	

## TOOL BAGS AND BOXES

### Textile hammer holder with belt loop

- Ideal for claw hammer
- Unrestricted movement enables total freedom
- Made out of tear resistant polyester webbing
- With rust proof loop



		g
850.0304	Textile hammer holder with belt loop	130

### Universal work waistcoat

- Multi functional with many storage possibilities
- Universal size with 2 adjustable belts
- Includes case for a mobile phone
- Made out of tear resistant polyester webbing



		g
850.0303	Universal work waistcoat	470

### Professional tool belt

- Multi functional with many pockets and holders
- Universal size - stepless adjustable up to 120 cm size
- Includes case for a mobile phone
- 2 Hammer holders with rust free metal hooks
- Hook for a tape measure
- Strong belt upholstery for a high level of comfort
- Made out of tear resistant polyester webbing



		g
850.0302	Professional tool belt	920

### SMARTBAG universal tool case

- Practical arrangement of compartments in the internal and external areas
- Ideal for accommodating of tools and accessories
- Padded carry handle
- Shoulder strap with strengthening in the shoulder area
- Through flexible hood locking with hook and loop fastener
- Includes 2 small part component trays
- Numerous pockets
- Strong design due to the plastic reinforcement
- Made out of tear resistant polyester webbing



	L mm	B mm	H mm	kg
850.0300	420,0	230,0	260,0	2,25

### SMARTBAG universal tool case XL

- Practical arrangement of compartments in the internal and external areas
- Ideal for accommodating of tools and accessories
- Padded carry handle
- Shoulder strap with strengthening in the shoulder area
- Through flexible hood locking with hook and loop fastener
- Numerous pockets
- Strong design due to the plastic reinforcement
- Made out of tear resistant polyester webbing



	L mm	B mm	H mm	kg
850.0325	520,0	250,0	340,0	2,40

### ROLLBAG Toolcase with telescopic trolley, empty

- 8 practically arranged storage pockets on the outside area
- 15 practically arranged storage pockets in the internal area
- ideal for tools, accessories and documents
- Padded carry handle
- robust zip
- Strong design due to the plastic reinforcement
- With wide rollers and standing feet for firm standing
- Telescopic carrying handle
- Made out of tear resistant polyester webbing



	L mm	B mm	H mm	kg
850.0305	500,0	280,0	400,0	3,25

### ROLLBAG universal tool case XL with telescopic trolley

- Practical arrangement of compartments in the internal and external areas
- Ideal for accommodating of tools and accessories
- Padded carry handle
- Shoulder strap with strengthening in the shoulder area
- Through flexible hood locking with hook and loop fastener
- Numerous pockets
- Strong design due to the plastic reinforcement
- With wide rollers and standing feet for firm standing
- Telescopic carrying handle
- Made out of tear resistant polyester webbing



	L mm	B mm	H mm	kg
850.0335	490,0	330,0	420,0	4,70

### SMARTBACKPACK Rucksack Telescope-Trolley

- 4 practically arranged external storage pockets
- 18 practically arranged storage pockets in the internal area
- with extra internal tool pockets for quick reach
- ideal for tools, accessories and documents
- with tape measure holder and hooks for insulation tape
- Padded carry handle
- robust zip
- Strong design due to the plastic reinforcement
- with wide rollers and standing feet for stability
- Telescopic carrying handle
- Made out of tear resistant polyester webbing
- maximum weight up to 40 kg



	L mm	B mm	H mm	kg
850.0334	330,0	270,0	460,0	3,60

**ABS hard protective tool case**

- Strong hard protective case made from impact resistant plastic
- 1 tool board for individual tool mounting
- Lower case shell is on divisible through internal dividers
- Lockable through two locks
- Capacity up to 30 kg



	L mm	B mm	H mm	kg
850.0520	465,0	335,0	150,0	6,00

**ABS hard protective case with removable telescopic trolley**

- Strong hard protective case made from impact resistant plastic
- Document compartment in upper lid
- 2 tool boards for individual tool mounting
- Lower case shell is on divisible through internal dividers
- Lockable through two locks
- Carrying handle with telescopic removable frame
- Capacity up to 30 kg



	L mm	B mm	H mm	kg
850.0530	435,0	310,0	160,0	6,00

**ABS hard protective tool case with aluminium frame**

- Strong hard protective case made from impact resistant plastic with aluminium frame
- Document compartment in upper lid
- 2 removable tool boards for individual tool mounting
- Lower case shell is on divisible through internal dividers
- Lockable through two locks
- Capacity up to 30 kg



	L mm	B mm	H mm	kg
850.0540	471,0	338,0	154,0	3,40

**ABS hard protective tool case with hardened aluminium frame**

- Strong hard protective case made from impact resistant plastic with hardened aluminium frame
- Document compartment in upper lid
- 2 removable tool boards for individual tool mounting
- Lower case shell is on divisible through internal dividers
- Lockable through two locking fastening catches
- Capacity up to 30 kg



	L mm	B mm	H mm	kg
850.0560	460,0	310,0	180,0	4,50

**Leather tool case**

- Strong tool case made from environment friendly quality leather
- Edges reinforced with aluminium capping
- Folding front wall enables easy access to the tools
- 18 practically arranged storage pockets in the internal area
- 2 Loops on the side walls
- Inner area completely reinforced
- Lockable with two fastening catches
- Standing feet for sensitive surfaces
- Capacity up to 30 kg



	L mm	B mm	H mm	kg
850.0310	420,0	150,0	250,0	2,60

**TOOL BOXES**

**Sheet steel toolbox, 5 compartments**

- with riveted hinges
- Compartments can be pulled all the way out
- Highly stable
- Double-seamed edges
- Lockable with padlock
- Red powder coating
- Made of electrolytically galvanised sheet steel



	L mm	B mm	H mm	kg
999.0120	420,0	200,0	190,0	3,45
999.0125	550,0	200,0	190,0	5,60

**Universal plastic tool box**

- Multi-functional for various storage possibilities
- Includes 2 removable trays for small parts
- Capacity up to 10 kg
- Made from robust plastic



	L mm	B mm	H mm	kg
850.0505	450,0	240,0	260,0	1,70

**Mobile plastic sheet steel tool box**

- Strong hard protective case made from impact resistant plastic and sheet steel
- Multi-functional for various storage possibilities
- Made of 3 interchangeable stackable parts
- Lockable with two fastening catches
- Telescopic carrying handle
- With wide rollers and standing feet for firm standing
- Load capacity up to 75 kg



	L mm	B mm	H mm	kg
850.0340	520,0	320,0	720,0	15,00

**Plastic sheet steel toolboxes**

- Strong hard protective case made from impact resistant plastic and sheet steel
- Multi-functional for various storage possibilities
- Includes a removable tray for small parts
- Lockable with two fastening catches
- With retractable two component handle
- Lockable with padlock
- Capacity up to 30 kg



	L mm	B mm	H mm	kg
850.0345	582,0	298,0	255,0	3,25
850.0350	470,0	238,0	203,0	2,00
850.0355	395,0	180,0	170,0	1,40

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### Plastic sheet steel toolbox set

- Sturdy hard protective case made from impact resistant plastic and sheet steel
- Multi-functional for various storage possibilities
- Includes a removable tray for small parts
- Lockable with two fastening catches
- With retractable two component handle
- Lockable with padlock
- Capacity up to 30 kg



850.0360	3 pcs	Plastic sheet steel toolbox set	6,70

#### consists of:

850.0345	Plastic sheet steel toolboxes	582x298x255mm	3,25
850.0350	Plastic sheet steel toolbox	470x238x203mm	2,00
850.0355	Plastic sheet steel toolbox	395x180x170mm	1,40

## TOOL CHESTS

### Tool chest with 3 drawers - red

- Robust and stable steel construction with 0,8 mm sheet steel - distortion resistant
- High level of stability
- Central locking of all drawers through lid opening and lid closure
- Lid locked by cylinder lock
- With integrated storage compartment in the lid
- upper storage dimension: 515 mm x 250 mm x 55 mm
- Ball bearing drawer runners
- Drawers are 90% extendable
- Drawers with non-slip rubber mat
- Continuous handle with 2,5 mm contrasting chrome plated steel
- Good comprehensive view due to possibility of marking the individual drawers
- Includes interchangeable paper strip in the handle strip



#### Technical data:

Drawer internal dimensions: 445 mm x 220 mm x 40 mm  
 Total load capacity: 50 kg  
 Load capacity of each drawer: 10 kg

	L mm	B mm	H mm	
891.0003	520,0	260,0	302,0	11,68

### Tool chest with 3 drawers - black

- Robust and stable steel construction with 0,8 mm sheet steel - distortion resistant
- High level of stability
- Central locking of all drawers through lid opening and lid closure
- Lid locked by cylinder lock
- With integrated storage compartment in the lid
- upper storage dimension: 515 mm x 250 mm x 55 mm
- Ball bearing drawer runners
- Drawers are 90% extendable
- Drawers with non-slip rubber mat
- Continuous handle with 2,5 mm contrasting chrome plated steel
- Good comprehensive view due to possibility of marking the individual drawers
- Includes interchangeable paper strip in the handle strip



#### Technical data:

Drawer internal dimensions: 445 mm x 220 mm x 40 mm  
 Total load capacity: 50 kg  
 Load capacity of each drawer: 10 kg

	L mm	B mm	H mm	
801.0003	520,0	260,0	302,0	12,27

### Sheet steel tool chest

- Robust and stable steel construction with 0,8 mm sheet steel - distortion resistant
- High level of stability
- Metal clasps simply lockable
- reinforced handles
- Special tool steel



	L mm	B mm	H mm	
999.0150	550,0	300,0	300,0	6,20
999.0160	670,0	350,0	350,0	9,80
999.0170	800,0	350,0	350,0	11,30
999.0180	850,0	350,0	350,0	13,80
999.0190	1000,0	480,0	365,0	18,50

### Sheet steel tool chest with shelf

- Robust and stable steel construction with 0,8 mm sheet steel - distortion resistant
- High level of stability
- Metal clasps simply lockable
- Includes a removable tray for small parts
- reinforced handles
- Special tool steel



	L mm	B mm	H mm	
999.0155	550,0	300,0	300,0	7,30
999.0165	670,0	350,0	350,0	13,50
999.0175	800,0	350,0	350,0	15,80
999.0185	850,0	350,0	350,0	16,00
999.0195	1000,0	480,0	365,0	22,00

### Sheet steel tool chest

- Extremely robust and stable steel construction with 1,5 mm sheet steel - distortion resistant
- multi-point locking system
- recessed safety lock
- Lid unbreakable due to nested construction
- protected, tamper-proof hinges
- Lid with gas pressure dampers
- Rear panel with cable passage that can be closed from the inside
- Foldable handles



	L mm	B mm	H mm	
999.0550	913,0	455,0	470,0	35,00
999.0560	1120,0	650,0	595,0	79,00
999.0570	1780,0	650,0	595,0	120,00



**SERVICE TROLLEYS**

**ECOline Workshop service trolley**

- Made from robust sheet steel construction
- Easy to move, even with heavy loads
- All shelves with high retaining border
- Internal dimension 565 x 395 mm
- With side pull handle
- Two fixed wheels Ø 100 mm
- Two castor wheels Ø 100 mm with rolling and turning brake
- High level of stability



**Technical data:**

Tray internal dimensions: 565 x 395 mm  
 Total load capacity: 150 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	
890.0001	850,0	680,0	425,0	12,60

**Workshop service trolley**

- Extremely substantial plastic construction
- Without screws easily constructed
- Distance between the ground 30 cm
- With two handles
- 2 castor wheels 100 mm
- 2 castor wheels with brake 100 mm
- High level of stability
- Light profile weight
- Columns made out of anodised aluminum



**Technical data:**

Tray internal dimensions: 710 x 440 mm  
 Total load capacity: 200 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	
800.0020	1010,0	860,0	480,0	12,10

**Workshop service trolley with 2 drawers**

- Extremely substantial plastic construction
- Without screws easily constructed
- Two ball bearing drawer runner guides
- With two handles
- 2 castor wheels 100 mm
- 2 castor wheels with brake 100 mm
- High level of stability
- Light profile weight
- Columns made out of anodised aluminum



**Technical data:**

Drawer internal dimensions: 520 x 430 x 85 mm  
 Total load capacity: 200 kg  
 Load capacity of each drawer: 35 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	
800.0030	1010,0	860,0	480,0	14,20

**ECOline Workshop-Service Trolley with Perforated Plate Cover**

- Made from robust sheet steel construction
- Easy to move, even with heavy loads
- All shelves with high retaining border
- Internal dimension 565 x 395 mm
- lateral perforated steel cover for use with extra tools
- lockable at the back
- clearly organised workspace
- With side pull handle
- Two fixed wheels Ø 100 mm
- Two castor wheels Ø 100 mm with rolling and turning brake
- High level of stability



**Technical data:**

Tray internal dimensions: 565 x 395 mm  
 Total load capacity: 150 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	
890.0006	850,0	682,0	426,0	20,00

**Workshop service trolley with lining**

- Extremely substantial plastic construction
- Equipment lining
- Without screws easily constructed
- Distance between the ground 30 cm
- With two handles
- 2 castor wheels 100 mm
- 2 castor wheels with brake 100 mm
- High level of stability
- Light profile weight
- Columns made out of anodised aluminum



**Technical data:**

Tray internal dimensions: 710 x 440 mm  
 Total load capacity: 200 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	
800.0021	1010,0	860,0	480,0	12,10

**Workshop service trolley with 2 drawers and lining**

- Extremely substantial plastic construction
- Without screws easily constructed
- Two ball bearing drawer runner guides
- With two handles
- 2 castor wheels 100 mm
- 2 castor wheels with brake 100 mm
- High level of stability
- Light profile weight
- Columns made out of anodised aluminum



**Technical data:**

Drawer internal dimensions: 520 x 430 x 85 mm  
 Total load capacity: 200 kg  
 Load capacity of each drawer: 35 kg  
 Wheel diameter: 100 mm

	H mm	B mm	T mm	
800.0031	1010,0	860,0	480,0	15,00

### Service trolley

- Ideally suited as mobile PC station, exhaust gas test station or as storage and operation trolley for diagnostic equipment
- Also suitable for customer service entrainment
- Robust and stable steel construction with 1,0 mm sheet steel distortion resistant
- High level of stability
- Lockable door
- With several openings for passing the cord
- Ball bearing drawer runners
- Drawers are extendable
- Front side edges are rounded
- Internal hinges and cylinder lock
- 2 shelves, universal adjustable in height
- Four castor wheels Ø 125 mm with rolling and turning brake
- Electrostatic powder coating



#### Technical data:

Drawer internal dimensions: 300 x 450 x 55 mm  
 Total load capacity: 150 kg  
 Load capacity of each drawer: 25 kg  
 Wheel diameter: 125 mm

	Total depth mm	Width mm	Depth mm	kg
865.0020	1155,0	500,0	500,0	47,00

### TOOLBOX TOOL CABINETS

#### TOOLBOX Tool carriage / assembly trolley, collapsible and lockable

- Very stable steel construction with 1.0 mm sheet steel - distortion resistant
- High level of stability
- With additional, adjustable storage area for the middle shelves (for small parts, vernier calliper etc.)
- With four separating plates to divide the middle shelves
- Spacious lower compartment made of stainless steel
- Can be lowered
- Lockable with in-built cylinder lock
- Telescopic handles and with locking button
- Includes circumferential corner protection (rubber profile)
- Robust ABS work surface with storage recesses
- With two lateral, ergonomic handles
- With two fixed wheels Ø 160 mm
- With two steering wheels Ø 75 mm with rolling and turning brake
- Electrostatic powder coating



#### Technical data:

Tray internal dimensions: 620 x 272 mm  
 Total load capacity: 80,0 kg

	H mm	B mm	T mm	kg
895.0015	1060,0	720,0	330,0	21,00

### TOOLBOX PVC worktop

- ideal as bespoke work surface
- suitable for TOOLBOX only
- joint free
- warp-resistant
- smooth work surface
- PVC



	L mm	B mm	H mm	kg
895.0006	400,0	267,0	17,0	3,40

### TOOLBOX MDF worktop

- ideal as bespoke work surface
- suitable for TOOLBOX only
- joint free
- warp-resistant
- glued plywood
- protective coating
- smooth work surface
- MDF



	L mm	B mm	H mm	kg
895.0004	400,0	267,0	17,0	1,20

### TOOLBOX MDF worktop, stainless steel coated

- ideal as bespoke work surface
- suitable for TOOLBOX only
- joint free
- warp-resistant
- glued plywood
- protective coating
- smooth work surface
- stainless steel-covered MDF



	L mm	B mm	H mm	kg
895.0005	400,0	267,0	17,0	2,04

### ECOline TOOL CABINETS

#### ECOline BLACK/RED tool cabinet with 7 drawers

- Robust and stable steel construction with 0,8 mm sheet steel - distortion resistant
- High level of stability
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Cabinet top has a 5 mm durable foam insert mat
- Full width metal handle
- Two fixed wheels Ø 100 mm
- Two castor wheels Ø 100 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating



#### Technical data:


Total capacity: W 678 x H 990 x D 459 mm  
 Drawer internal dimensions: 565 x 395 mm  
 Total load capacity: 250,0 kg  
 Load capacity of each drawer: 25,0 kg

	no	75 mm	150 mm	kg
896.0007	7	6	1	41,40



**Drawer divider set**

- For use only in drawers with inside dimensions 565 x 395 mm
- options to store various tools
- Suitable for ECOline, BASICline, MASTERline and ULTIMATEline
- Individually adjustable
- Sheet steel



875.9940	23 pcs	Drawer divider set	3,00

consists of:

875.9941	Fix panel	565x50x1,5 mm	258
875.9942	Fix panel	393x50x1,5 mm	252
875.9943	Big panel	188x50x1,5 mm	116
875.9944	Big panel	150x50x1,5 mm	90
875.9945	Middle panel	112x50x1,5 mm	69
875.9946	Small panel	79,4 x 50 x 1,5 mm	46



**BASICline TOOL CABINETS**

**BASICline BLACK/RED tool cabinet with 7 drawers**

- Robust and stable steel construction with 0,8 mm sheet steel - distortion resistant
- High level of stability
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Full width metal handle
- Two fixed wheels Ø 100 mm
- Two castor wheels Ø 100 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating
- Can be combined with a top chest



**Technical data:**

Total capacity:	W 678 x H 990 x D 459 mm
Drawer internal dimensions:	565 x 395 mm
Total load capacity:	350,0 kg
Load capacity of each drawer:	30,0 kg

836.0007	7	5	2	51,29

**BASICline BLACK/RED tool cabinet top chest with 4 drawers**

- Robust and stable steel construction with 0,8 mm sheet steel - distortion resistant
- High level of stability
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Side mounted carry handles
- Side mounted handle
- Combination with tool cabinet



**Technical data:**

Total capacity:	B 678 x H 451 x T 459 mm
Drawer internal dimensions:	565 x 395 mm
Total load capacity:	175,0 kg
Load capacity of each drawer:	30,0 kg

836.0014	4	4	-	36,00

**BASICline BLACK/SILVER tool cabinet with 7 drawers**

- Robust and stable steel construction with 0,8 mm sheet steel - distortion resistant
- High level of stability
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Full width metal handle
- Two fixed wheels Ø 100 mm
- Two castor wheels Ø 100 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating
- Can be combined with a top chest



**Technical data:**

Total capacity:	W 678 x H 990 x D 459 mm
Drawer internal dimensions:	565 x 395 mm
Total load capacity:	350,0 kg
Load capacity of each drawer:	30,0 kg

838.0007	7	5	2	51,29

**BASICline BLACK/SILVER tool cabinet top chest with 4 drawers**

- Robust and stable steel construction with 0,8 mm sheet steel - distortion resistant
- High level of stability
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Side mounted carry handles
- Side mounted handle
- Combination with tool cabinet



**Technical data:**

Total capacity:	B 678 x H 451 x T 459 mm
Drawer internal dimensions:	565 x 395 mm
Total load capacity:	175,0 kg
Load capacity of each drawer:	30,0 kg

838.0014	4	4	-	36,00



## RACINGline TOOL CABINETS

### RACINGline BLACK/RED tool cabinet with 7 drawers

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- With polyurethan corner protection
- Drawers are 90% extendable
- Robust ABS work surface with storage recesses
- Full width metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating



### RACINGline BLACK/RED tool cabinet with 7 drawers and 1 door

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Lockable door
- Ball bearing drawer runners
- With polyurethan corner protection
- Drawers are 90% extendable
- Robust ABS work surface with storage recesses
- Full width metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating



### Drawer divider set

- For use only in drawers with inside dimensions 565 x 395 mm
- options to store various tools
- Suitable for ECOline, BASICline, MASTERline and ULTIMATEline
- Individually adjustable
- Sheet steel




#### Technical data:

Total capacity:	W 788 x H 976 x D 496 mm
Drawer internal dimensions:	565 x 395 mm
Total load capacity:	350,0 kg
Load capacity of each drawer:	30,0 kg

#### Technical data:

Total capacity:	W 1150 x H 945 x D 459 mm
Drawer internal dimensions:	565 x 395 mm
Door dimensions:	H 711 x W 433.5 mm
Total load capacity:	450,0 kg
Load capacity of each drawer:	30,0 kg



	no	75 mm	150 mm	kg
826.0007	7	5	2	52,40

	no	75 mm	150 mm	kg
827.0007	7	5	2	75,00

		kg
875.9940	23 pcs Drawer divider set	3,00

#### consists of:

		kg
875.9941	Fix panel 565x50x1,5 mm	258
875.9942	Fix panel 393x50x1,5 mm	252
875.9943	Big panel 188x50x1,5 mm	116
875.9944	Big panel 150x50x1,5 mm	90
875.9945	Middle panel 112x50x1,5 mm	69
875.9946	Small panel 79,4 x 50 x 1,5 mm	46



**RACINGline+ TOOL CABINETS**

**RACINGline+ BLACK/RED tool cabinet with 7 drawers**

- Stainless steel worktop
- ABS border with compartments for small parts
- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- With polyurethan corner protection
- Drawers are 90% extendable
- Full width metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating



**Technical data:**  
 Total capacity: W 678 x H 945 x D 459 mm  
 Drawer internal dimensions: 565 x 395 mm  
 Total load capacity: 350,0 kg  
 Load capacity of each drawer: 30,0 kg

	no	75 mm	150 mm	kg
826.1007	7	5	2	52,40



**RACINGline+ BLACK/RED tool cabinet with 7 drawers and 1 door**

- Stainless steel worktop
- ABS border with compartments for small parts
- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- With polyurethan corner protection
- Drawers are 90% extendable
- Full width metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating




**Technical data:**  
 Total capacity: W 1150 x H 945 x D 459 mm  
 Drawer internal dimensions: 565 x 395 mm  
 Door dimensions: H 711 x W 433,5 mm  
 Total load capacity: 450,0 kg  
 Load capacity of each drawer: 30,0 kg

	no	75 mm	150 mm	kg
827.1007	7	5	2	75,00

**Drawer divider set**

- can only be used for drawers with internal dimensions 565 x 395mm with handle strip in the inlay area
- Only for RACINGLine
- options to store various tools
- Individually adjustable
- Sheet steel



	kg
875.9950 34 pcs Drawer divider set	3,89

consists of:

X		kg
875.9951	4 Fix panel 566x43,5x1,2 mm	280
875.9952	6 Fix panel 393 x 51 x 1,2 mm	200
875.9953	6 Big panel 193 x 50 x 1,2 mm	90
875.9954	6 Big panel 155 x 50 x 1,2 mm	70
875.9955	6 Middle panel 117 x 50 x 1,2 mm	50
875.9956	6 Small panel 79 x 50 x 1,2 mm	45

**MASTERline TOOL CABINETS**

**MASTERline BLACK/RED tool cabinet with 7 drawers**

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Full width polyurethane coated metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating
- Can be combined with a top chest



**Technical data:**  
 Total capacity: W 727 x H 1005 x D 460 mm  
 Drawer internal dimensions: 565 x 395 mm  
 Total load capacity: 450 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
876.0007	7	5	2	68,00

**MASTERline BLACK/RED tool cabinet top chest with 4 drawers**

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Side mounted handle
- Electrostatic powder coating
- Combination with tool cabinet



**Technical data:**  
 Total capacity: B 727 x H 451 x T 460 mm  
 Drawer internal dimensions: 565 x 395 mm  
 Total load capacity: 250 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
876.0014	4	4	-	38,00

**MASTERline BLACK/SILVER tool cabinet with 7 drawers**

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Full width polyurethane coated metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating
- Can be combined with a top chest



**Technical data:**  
 Total capacity: W 727 x H 1005 x D 460 mm  
 Drawer internal dimensions: 565 x 395 mm  
 Total load capacity: 450 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
878.0007	7	5	2	68,00

**MASTERline BLACK/SILVER tool cabinet top chest with 4 drawers**

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Side mounted handle
- Electrostatic powder coating
- Combination with tool cabinet



**Technical data:**  
 Total capacity: B 727 x H 451 x T 460 mm  
 Drawer internal dimensions: 565 x 395 mm  
 Total load capacity: 250 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
878.0014	4	4	-	38,00

**MASTERline BLACK/SILVER tool cabinet with 2 shelf parts**

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Full width polyurethane coated metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating



**Technical data:**  
 Total capacity: B 993 x H 1000 x T 460 mm  
 Drawer internal dimensions: 565 x 395 mm  
 Total load capacity: 800 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
878.0006	6	3	3	88,00

**MASTERline BLACK/SILVER tool cabinet with 8 drawers**

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Full width polyurethane coated metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating
- Can be combined with a top chest



**Technical data:**  
 Total capacity: W 910 x H 995 x D 460 mm  
 Drawer internal dimensions: 752 x 395 mm  
 Total load capacity: 800 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
878.0008	8	7	1	80,00

**MASTERline BLACK/SILVER tool cabinet top chest with 4 drawers**

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Side mounted handle
- Electrostatic powder coating
- Combination with tool cabinet



**Technical data:**  
 Total capacity: W 910 x H 455 x D 460 mm  
 Drawer internal dimensions: 752 x 395 mm  
 Total load capacity: 250 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
878.1014	4	4	-	41,10

**MASTERline tool cabinet with 11 drawers + 2 shelf parts black/silver**

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Wooden cabinet top 38 mm
- Full width polyurethane coated metal handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating
- Can be combined with a top chest



**Technical data:**  
 Total capacity: W 1158 x H 1005 x D 720 mm  
 Drawer internal dimensions: 565 x 395 mm  
 Total load capacity: 1000 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
878.0012	11	8	3	173,00

### MASTERline tool cabinet with 16 drawers

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Full width polyurethane coated metal handle
- With two fixed wheels Ø 132 mm
- With two castor wheels Ø 132 mm with rolling and turning brake
- Side mounted handle
- Electrostatic powder coating
- Can be combined with a top chest
- 2 stage locking mechanism
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock



#### Technical data:

Total capacity: W 1157,5 x H 1000 x D 481 mm  
 Drawer internal dimensions:  
 7 x 375 x 398 x 75 mm  
 7 x 569 x 398 x 75 mm  
 1 x 375 x 398 x 154 mm  
 1 x 569 x 398 x 154 mm  
 Total load capacity: 800 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
876.0016	16	14	2	124,00
878.0016	16	14	2	124,00

### MASTERline large tool cabinet with 8 drawers

- Very stable steel construction with 0,9 mm sheet steel - distortion resistant
- High level of stability
- Rear and side walls with metal peg board for mounting different accessories
- Ball bearing drawer runners
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Side mounted handle
- Electrostatic powder coating
- Combination with tool cabinet
- two folding carrying handles each
- 2 stage locking mechanism
- Handle locking system prevents unintentional opening
- Central locking system on all drawers through the cylinder lock



#### Technical data:

Total capacity: W 1157,5 x H 454,5 x D 481 mm  
 Drawer internal dimensions:  
 4 x 375 x 398 x 75 mm  
 4 x 569 x 398 x 75 mm  
 Total load capacity: 400 kg  
 Load capacity of each drawer: 40 kg

	no	75 mm	150 mm	kg
876.0018	8	8	-	61,00
878.0018	8	8	-	61,00

### MASTERline ACCESSORIES

#### Rear wall system for tool cabinets

- for additional tools
- clearly organised workspace
- Consisting of 2 square peg board 70 x 45 cm
- steel sheet construction
- for ULIMATE und MASTERline tool cabinets



	Colour code	B mm	H mm	kg
885.9901	●	727,0	90,0	8,00
888.9902	●	727,0	90,0	8,00

#### MASTERline wooden worktop

- Can be used instead of the rubber mat
- Multiplex Beech Plywood
- joint free
- warp-resistant
- glued plywood
- protective coating
- smooth work surface



	L mm	B mm	H mm	kg
875.9915	450,0	710,0	18,0	5,00

#### MASTERline alu grooved top

- Can be used instead of the rubber mat
- Easy to maintain
- Surface is lightly corrugated
- Ideal for use as a work surface



	L mm	B mm	H mm	kg
875.9920	460,0	727,0	2,0	2,50

### MASTERline storage tray insert

- Storage tray for small parts
- Suitable for use in the tool cabinet drawer
- Smooth surface



	Colour code	L mm	B mm	H mm	kg
875.9925	●	570,0	153,0	10,0	0,95
875.9926	●	570,0	153,0	10,0	0,95

### 220 V Cable reel


- Clamping device
- Ideal for heavy use on construction sites, in the workshop and industrial areas
- 10 Meter cable length
- Drum body out of special plastic
- 4 Protected socket outlets
- Overheating protection
- Control lamp for overheating and overload
- 4 x Safety plugs



	B mm	H mm	kg
875.9930	238,0	290,0	1,20

### Drawer divider set

- For use only in drawers with inside dimensions 565 x 395 mm
- options to store various tools
- Suitable for ECOline, BASICline, MASTERline and ULTIMATEline
- Individually adjustable
- Sheet steel



	kg
875.9940 23 pcs Drawer divider set	3,00

#### consists of:

		kg
875.9941	Fix panel 565x50x1,5 mm	258
875.9942	Fix panel 393x50x1,5 mm	252
875.9943	Big panel 188x50x1,5 mm	116
875.9944	Big panel 150x50x1,5 mm	90
875.9945	Middle panel 112x50x1,5 mm	69
875.9946	Small panel 79,4 x 50 x 1,5 mm	46

## ULTIMATE<sup>line</sup> TOOL CABINETS

### ULTIMATE<sup>line</sup> RED/SILVER tool cabinet with 7 drawers

- Extremely robust and stable steel construction with 1,0 mm sheet steel - distortion resistant
- Due to secure steel plate construction highly resilient
- Very high level of stability and safety - as a maximum one drawer can be opened at a time
- Robust corner protection due to the aluminium reinforcement
- Receased rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system with individual drawer locking system
- Independent central locking can be disabled if required
- Ball bearing drawer runners with automatic spring return
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Robust ABS work surface with tool holders and storage recesses
- With side mounted handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Full width aluminium drawer handle
- Electrostatic powder coating
- Can be combined with a top chest



#### Technical data:

Total capacity:	B 739 x H 1013 x T 460 mm
Drawer internal dimensions:	565 x 395 mm
Total load capacity:	600 kg
Load capacity of each drawer:	45 kg

no	75 mm	150 mm	kg
886.0007	7	5	2, 70,70

### ULTIMATE<sup>line</sup> RED/SILVER tool cabinet top chest with 4 drawers

- Extremely robust and stable steel construction with 1,0 mm sheet steel - distortion resistant
- Due to secure steel plate construction highly resilient
- Very high level of stability and safety - as a maximum one drawer can be opened at a time
- Robust corner protection due to the aluminium reinforcement
- Receased rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system with individual drawer locking system
- Independent central locking can be disabled if required
- Ball bearing drawer runners with automatic spring return
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Full width aluminium drawer handle
- Electrostatic powder coating
- Combination with tool cabinet



#### Technical data:

Total capacity:	B 727 x H 451 x T 460 mm
Drawer internal dimensions:	565 x 395 mm
Total load capacity:	300 kg
Load capacity of each drawer:	45 kg

no	75 mm	150 mm	kg
886.0014	4	4	- 38,20

### ULTIMATE<sup>line</sup> BLACK/SILVER tool cabinet with 7 drawers

- Extremely robust and stable steel construction with 1,0 mm sheet steel - distortion resistant
- Due to secure steel plate construction highly resilient
- Very high level of stability and safety - as a maximum one drawer can be opened at a time
- Robust corner protection due to the aluminium reinforcement
- Receased rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system with individual drawer locking system
- Independent central locking can be disabled if required
- Ball bearing drawer runners with automatic spring return
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Robust ABS work surface with tool holders and storage recesses
- With side mounted handle
- Two fixed wheels Ø 125 mm
- Two castor wheels Ø 125 mm with rolling and turning brake
- Full width aluminium drawer handle
- Electrostatic powder coating
- Can be combined with a top chest



#### Technical data:

Total capacity:	B 739 x H 1013 x T 460 mm
Drawer internal dimensions:	565 x 395 mm
Total load capacity:	600 kg
Load capacity of each drawer:	45 kg

no	75 mm	150 mm	kg
888.0007	7	5	2, 70,70

### ULTIMATE<sup>line</sup> BLACK/SILVER tool cabinet top chest with 4 drawers

- Extremely robust and stable steel construction with 1,0 mm sheet steel - distortion resistant
- Due to secure steel plate construction highly resilient
- Very high level of stability and safety - as a maximum one drawer can be opened at a time
- Robust corner protection due to the aluminium reinforcement
- Receased rear and side walls with metal peg board for mounting different accessories
- Handle locking system prevents unintentional opening
- Central locking system with individual drawer locking system
- Independent central locking can be disabled if required
- Ball bearing drawer runners with automatic spring return
- Drawers are 100% extendable
- Drawers with non-slip rubber mat
- Cabinet top has a 10 mm durable foam insert mat
- Full width aluminium drawer handle
- Electrostatic powder coating
- Combination with tool cabinet



#### Technical data:

Total capacity:	B 727 x H 451 x T 460 mm
Drawer internal dimensions:	565 x 395 mm
Total load capacity:	300 kg
Load capacity of each drawer:	45 kg

no	75 mm	150 mm	kg
888.0014	4	4	- 38,20

## ULTIMATE<sup>line</sup> ACCESSORIES

### Rear wall system for tool cabinets

- for additional tools
- clearly organised workspace
- Consisting of 2 square peg board 70 x 45 cm
- steel sheet construction
- for ULIMATE und MASTER<sup>line</sup> tool cabinets



	Colour code	B mm	H mm	kg
885.9901	●	727,0	90,0	8,00
888.9902	●	727,0	90,0	8,00

### ULTIMATE<sup>line</sup> wooden worktop

- Multiplex Beech Plywood
- joint free
- warp-resistant
- glued plywood
- protective coating
- smooth work surface



	L mm	B mm	H mm	kg
885.9915	335,0	625,0	18,0	5,00

### ULTIMATE<sup>line</sup> alu grooved top

- Can be used instead of the ABS plate
- Easy to maintain
- Surface is lightly corrugated
- Ideal for use as a work surface



	L mm	B mm	H mm	kg
885.9920	625,0	335,0	1,6	1,31

**220 V Cable reel**

- Clamping device
- Ideal for heavy use on construction sites, in the workshop and industrial areas
- 10 Meter cable length
- Drum body out of special plastic
- 4 Protected socket outlets
- Overheating protection
- Control lamp for overheating and overload
- 4 x Safety plugs



	B mm	H mm	kg
875.9930	238,0	290,0	1,20

**ULTIMATEline storage tray**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- Enlarges the surface working area
- Working surface: 375 x 308 mm
- When not in use can fold away
- Ideal for documents, laptop, small parts etc.



	Colour code	L mm	B mm	H mm	kg
885.9935	●	420,0	360,0	27,0	3,20
885.9936	●	420,0	360,0	27,0	3,20

**ULTIMATEline universal tray**


- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- Internal measurements: 338 x 180 mm
- Ideal for documents



	Colour code	L mm	B mm	H mm	kg
885.9945	●	340,0	75,0	180,9	0,84
885.9946	●	340,0	75,0	180,9	0,84

**Drawer divider set**

- For use only in drawers with inside dimensions 565 x 395 mm
- options to store various tools
- Suitable for ECOline, BASICline, MASTERline and ULTIMATEline
- Individually adjustable
- Sheet steel



		kg
875.9940	23 pcs Drawer divider set	3,00

consists of:

		kg
875.9941	Fix panel 565x50x1,5 mm	258
875.9942	Fix panel 393x50x1,5 mm	252
875.9943	Big panel 188x50x1,5 mm	116
875.9944	Big panel 150x50x1,5 mm	90
875.9945	Middle panel 112x50x1,5 mm	69
875.9946	Small panel 79,4 x 50 x 1,5 mm	46



**ULTIMATEline paper roll holder**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- for paper rolls to a max. Ø 350 mm and max. 320 mm wide



	Colour code	L mm	B mm	H mm	kg
885.9940	●	368,0	75,0	52,0	0,60
885.9941	●	368,0	75,0	52,0	0,60

**ULTIMATEline small part storage tray**

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- With fixed dividers
- When not in use can fold away
- Ideal for small parts, screws etc.



	Colour code	L mm	B mm	H mm	kg
885.9950	●	368,0	50,0	52,0	0,40
885.9951	●	368,0	50,0	52,0	0,40



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
i

### ULTIMATEline universal can holder

- suitable for hole measurements 10 x 10 mm - hole distance 38 mm
- Without separating strip
- When not in use can fold away
- Ideal for cans, bottles etc.



	Colour code	L mm	B mm	H mm	kg
885.9955	●	368,0	80,8	52,0	0,50
885.9956	●	368,0	80,8	52,0	0,50

### ULTIMATEline carrier truck

- Mobilizes tool cabinet sets
- Handle foam coated
- Extendable handle
- Two fixed wheels Ø 75 mm
- Two castor wheels Ø 75 mm with brake
- steel sheet construction



	Colour code	L mm	B mm	H mm	kg
885.9930	●	780,0	480,0	170,0	7,60
885.9931	●	780,0	480,0	170,0	7,60



### ULTIMATEline storage tray insert

- Storage tray for small parts
- Suitable for use in the tool cabinet drawer
- Smooth surface



	Colour code	L mm	B mm	H mm	kg
885.9925	●	570,0	153,0	10,0	0,95
885.9926	●	570,0	153,0	10,0	0,95



### ULTIMATEline suction pads

- Slide on
- With revolving suction cup with 80 kg of lifting force
- 2 dead centre heads
- Quick-release lever
- With intake mechanics and fast change device
- Suitable for all smooth materials with gas density surfaces



	Colour code	Ø mm	L mm	kg
885.9960	●	120,0	330,0	1,75
885.9961	●	120,0	330,0	1,75

### ULTIMATEline work tray





- Slide on
- Pivoting
- Ideal for documents, laptop etc.



	Colour code	L mm	B mm	H mm	kg
885.9910	●	190,0	188,0	35,0	1,20
885.9911	●	190,0	188,0	35,0	1,20



# The right combination:



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

# SCS - SAFETY CONTROL SYSTEM


## The benefits:

- 3-coloured inserts create a clear structure and protect the quality tools from damage or loss.
- Safety foam inserts with high precision, 3D CNC parts.
- the red signal colour is for completeness checks - a visible red colour means a tool is missing.
- Completely flexible thanks to individual combinations
- no tools confused with each other
- perfect tool organisation
- Tailored inserts in each workshop tool cabinet
- oil resistant
- easy to clean



## MODULAR BUILDING BLOCK SYSTEM

Best flexibility and organisation



create "your own" tool cabinet....

With our unique system inlay configuration you can design your tool cabinet to your exact requirements. Due to our user friendly foam inlays, you can simply configure each drawer by category (tool type) with a neat and tidy presentation. It is ideal when you want to work away from your tool cabinet as you can take each inlay individually, meaning you have the right tool for the job.

COMPLETELY FLEXIBLE


	99 x 94 mm
	198 x 188 mm
	395 x 188 mm
	395 x 283 mm
	395 x 375 mm
	395 x 565 mm

For each individual tool, the 3D CNC computer technology mills a tailored part.



The tailored parts mean a quick glance is all that's needed to know where the corresponding tool belongs. This saves a lot of time.

Thanks to the finely detailed characters, the size of the tool can be seen before removing it.



Three-layer three-colour system: the top layer is black, the middle layer is white and the bottom layer is red.

The foam inserts are oil-resistant, extremely flexible and easy to wash.

**TOOLBOX SYSTEM INLAY SETS**

**TOOLBOX universal system tray set for 2 trays with 175 premium tools**

- System insert
- suitable for TOOLBOX
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality foam



713.0175	175 pcs	TOOLBOX universal system tray set for 2 trays with 175 premium tools	7,90	

713.0155		TOOLBOX socket wrench and combination wrench set, 154 pcs.		
713.4021		TOOLBOX pliers and combination wrench set, 21 pcs.		

**SCS SYSTEM INSERT SETS**

**Set of universal system inserts for 3 drawers with 116 premium tools**

- Ideal set for universal use
- Fits 3 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




715.0116	116 pcs	Set of universal system inserts for 3 drawers with 116 premium tools	14,00	

711.3031		SCS Spanner and hammer set, 31 pcs, 1/1 system insert		
----------	--	---	--	--

712.0057		SCS 1/4"+1/2" socket set, 57 pcs, 2/3 system insert		
713.6004		SCS Pliers set, 4 pcs, 1/3 system insert		
712.0011		SCS ERGOTORQUE-plus screwdriver set, 11 pcs, 2/3 system insert		
713.8013		SCS Pin driving tools and hammer set, 13 pcs, 1/3 system insert		

**Set of universal system inserts for 4 drawers with 131 premium tools**

- Ideal set for universal use
- Suitable for 4 tool trolley drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




715.0131	131 pcs	Set of universal system inserts for 4 drawers with 131 premium tools	20,00	

711.3031		SCS Spanner and hammer set, 31 pcs, 1/1 system insert		
713.0027		SCS 1/4"-1/2" CHROME+ spark plug service set, 27 pcs, 1/3 system insert		
713.0028		SCS Socket set, 28 pcs, 1/3 system insert		

713.0000		SCS Uni inlay, empty, 1/3 system insert		
711.6027		SCS screwdriver and pliers set, 27 pcs, 1/1 system insert		
711.0016		SCS Wheel service inlay, 16 pcs, 1/1 system insert		

**Set of universal system inserts for 3 drawers with 215 premium tools**

- Ideal set for universal use
- Fits 3 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality two-coloured foam




713.0215	215 pcs	Set of universal system inserts for 3 drawers with 215 premium tools	12,64	

711.0013		Screwdriver and pliers set, 12 pcs, 1/1 system insert		
711.0027		Spanner set, 24 pcs, 1/1 system insert		
711.0179		1/4"+3/8"+1/2" socket set, 179 pcs, 1/1 system insert		



**Set of universal system inserts for 4 drawers with 241 premium tools**

- Ideal set for universal use
- Suitable for 4 tool trolley drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




713.7241	241 pcs	Set of universal system inserts for 4 drawers with 241 premium tools	21,86
----------	---------	--	-------

711.0018		SCS File, chisel and hammer set, 18 pcs, 1/1 system insert
711.0180		SCS 1/4"+3/8"+1/2" socket set, 180 pcs, 1/1 system insert
712.0013		SCS ERGOTORQUE-max screwdriver set, 13 pcs, 2/3 system insert
713.9005		SCS ERGOTORQUE-plus screwdriver set, Torx tamperproof, 5 pcs, 1/3 system insert

713.0004		SCS Combination spanner set, 4 pcs, 1/3 system insert
713.0017		SCS Combination spanner set, 17 pcs, 1/3 system insert
713.6004		SCS Pliers set, 4 pcs, 1/3 system insert

**Set of universal system inserts for 4 drawers with 251 premium tools**

- Ideal set for universal use
- Suitable for 4 tool trolley drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




713.0251	251 pcs	Set of universal system inserts for 4 drawers with 251 premium tools	22,22
----------	---------	--	-------

711.0036		SCS wrench set, 36 pcs, 1/1 system insert
711.0180		SCS 1/4"+3/8"+1/2" socket set, 180 pcs, 1/1 system insert
712.0013		SCS ERGOTORQUE-max screwdriver set, 13 pcs, 2/3 system insert
713.2009		SCS Torx T-handle hex key set, 9 pcs, 1/3 system insert
711.9013		SCS Pliers and hammer set, 13 pcs, 1/1 system insert


**Set of universal system inserts for 5 drawers with 251 premium tools**

- Ideal set for universal use
- Fits 5 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



715.0251	251 pcs	Set of universal system inserts for 5 drawers with 251 premium tools	20,61
----------	---------	--	-------

711.3031		SCS Spanner and hammer set, 31 pcs, 1/1 system insert
712.0057		SCS 1/4"+1/2" socket set, 57 pcs, 2/3 system insert
713.0101		SCS 1/4" Bit set, 101 pcs, 1/3 system insert
711.6027		SCS screwdriver and pliers set, 27 pcs, 1/1 system insert
713.2008		SCS Measuring tool insert, 8 pcs, 1/3 system insert
713.5006		SCS Circlip pliers set, 6 pcs, 1/3 system insert
713.1003		SCS Grip pliers set, 3 pcs, 1/3 system insert



711.0018

SCS File, chisel and hammer set, 18 pcs, 1/1 system insert

**Set of universal system inserts for 7 drawers with 269 premium tools**

- Ideal set for universal use
- Fits 8 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



713.0269	269 pcs	Set of universal system inserts for 7 drawers with 269 premium tools	30,78
----------	---------	--	-------



712.0021

SCS chisel and measuring instrument set, 21 pcs, 2/3 system insert



713.0015

SCS 1/2" Bit socket set, 15 pcs, 1/3 system insert




713.0008

SCS ERGOTORQUE+ T-handle hex key set, 9 pcs, 1/3 system insert



713.2009

SCS Torx T-handle hex key set, 9 pcs, 1/3 system insert




713.5004

SCS T-handle hex key set, 4 pcs, 1/3 system insert

**Set of universal system inserts for 6 drawers with 291 premium tools**

- Ideal set for universal use
- Fits 6 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




713.0291	291 pcs	Set of universal system inserts for 6 drawers with 291 premium tools	52,74
----------	---------	--	-------




711.1048

SCS wrench set, 48 pcs, 1/1 system insert



711.0071

SCS 1/2" socket set, 71 pcs, 1/1 system insert



711.0106

Chisels-, Spanners-, Bit socket set, 106-tlg., 1/1 system insert



711.5031

3/4" SCS impact socket wrench set, 31 pcs, 1/1 system insert



711.1023

SCS pliers and screwdriver set, 23 pcs, 1/1 system insert




711.0012

Circclip pliers and t-grip set, 12 pcs., 1/1 system insert

**Set of universal system inserts for 3 drawers with 296 premium tools**

- Ideal set for universal use
- Fits 3 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



713.0296	296 pcs	Set of universal system inserts for 3 drawers with 296 premium tools	12,28
----------	---------	--	-------




711.0163

SCS 1/4"+1/2" socket set, 163 pcs, 1/1 system insert



711.0112

SCS screwdriver and pliers set, 112 pcs. in 1/1 system insert




711.3021

SCS wrench set, 21 pcs. in 1/1 system insert


**Set of universal system inserts for 5 drawers with 299 premium tools**

- Ideal set for universal use
- Fits 5 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



**Set of universal system inserts for 3 drawers with 310 premium tools**

- Ideal set for universal use
- Fits 3 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



**Set of universal system inserts for 6 drawers with 310 premium tools**

- Ideal set for universal use
- Fits 6 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




715.0299	299 pcs	Set of universal system inserts for 5 drawers with 299 premium tools	29,00
----------	---------	--	-------

713.0310	310 pcs	Set of universal system inserts for 3 drawers with 310 premium tools	18,69
----------	---------	--	-------

715.0310	310 pcs	Set of universal system inserts for 6 drawers with 310 premium tools	43,00
----------	---------	--	-------

781.4031		SCS Spanner and hammer set, 31 pcs, 1/1 system insert
711.0080		SCS 1/4*+3/8*+1/2* socket set, 80 pcs, 1/1 system insert
713.2047		SCS 1/4* socket set, 47 pcs, 1/3 system insert
713.0101		SCS 1/4* Bit set, 101 pcs, 1/3 system insert
713.0006		SCS ERGOTORQUE-plus screwdriver set, 6 pcs, 1/3 system insert
711.1016		SCS Universal tool set, 16 pcs, 1/1 system insert
711.0018		SCS File, chisel and hammer set, 18 pcs, 1/1 system insert


711.0151		SCS 1/4*+3/8*+1/2* socket set, 151 pcs, 1/1 system insert
711.0124		SCS Hammer, chisel, plier- and bit-set, 124 pcs, 1/1 system insert
711.0035		SCS wrench set, 35 pcs, 1/1 system insert



711.0041		SCS wrench set, 41 pcs, 1/1 system insert
711.0180		SCS 1/4*+3/8*+1/2* socket set, 180 pcs, 1/1 system insert
711.1031		SCS 3/4* socket set, 31 pcs, 1/1 system insert
711.1012		SCS Pliers set, 12 pcs, 1/1 system insert
711.0025		SCS ERGOTORQUE-plus screwdriver set, 25 pcs, 1/1 system insert
711.1021		SCS Chisel and hammer set, 21 pcs, 1/1 system insert

**Set of universal system inserts for 7 drawers with 316 premium tools**

- Ideal set for universal use
- Fits 8 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




715.0316	316 pcs	Set of universal system inserts for 7 drawers with 316 premium tools	46,00
----------	---------	--	-------

711.0035		SCS wrench set, 35 pcs, 1/1 system insert
711.0180		SCS 1/4"+3/8"+1/2" socket set, 180 pcs, 1/1 system insert
711.1031		SCS 3/4" socket set, 31 pcs, 1/1 system insert
713.2004		SCS Ring spanner set, offset, 4 pcs, 1/3 system insert
713.2008		SCS Measuring tool insert, 8 pcs, 1/3 system insert
713.0019		SCS Impact socket wrench and bit set, 19 pcs, 1/3 system insert

711.1012		SCS Pliers set, 12 pcs, 1/1 system insert
712.0012		SCS ERGOTORQUE-plus screwdriver set, 12 pcs, 2/3 system insert
713.0000		SCS Uni inlay, empty, 1/3 system insert
711.0018		SCS File, chisel and hammer set, 18 pcs, 1/1 system insert

**Set of universal system inserts for 3 drawers with 341 premium tools**

- Ideal set for universal use
- Fits 3 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




713.0341	341 pcs	Set of universal system inserts for 3 drawers with 341 premium tools	20,00
----------	---------	--	-------

711.0035		SCS wrench set, 35 pcs, 1/1 system insert
711.0151		SCS 1/4"+3/8"+1/2" socket set, 151 pcs, 1/1 system insert

711.0124		SCS Hammer, chisel-, plier- and bit-set, 124 pcs, 1/1 system insert
918.3050		1/4" + 11 mm Go through socket and bit set, 31 pcs.

**Set of universal system inserts for 7 drawers with 378 premium tools**

- Ideal set for universal use
- Fits 8 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



715.0378	378 pcs	Set of universal system inserts for 7 drawers with 378 premium tools	37,00
----------	---------	--	-------

711.0035		SCS wrench set, 35 pcs, 1/1 system insert
711.0180		SCS 1/4"+3/8"+1/2" socket set, 180 pcs, 1/1 system insert
711.0073		3/8"+1/2" SCS Impact socket wrench set, 73 pcs, 1/1 system insert
713.2004		SCS Ring spanner set, offset, 4 pcs, 1/3 system insert

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

713.0019		SCS Impact socket wrench and bit set, 19 pcs, 1/3 system insert
713.2008		SCS Measuring tool insert, 8 pcs, 1/3 system insert
711.1029		SCS Screwdriver set, 29 pcs, 1/1 system insert
711.1012		SCS Pliers set, 12 pcs, 1/1 system insert
711.0018		SCS File, chisel and hammer set, 18 pcs, 1/1 system insert

**Set of universal system inserts for 6 drawers with 404 premium tools**

- Ideal set for universal use
- Fits 6 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



715.0404	404 pcs	Set of universal system inserts for 6 drawers with 404 premium tools	32,00
----------	---------	--	-------


711.0035		SCS wrench set, 35 pcs, 1/1 system insert
711.0180		SCS 1/4"+3/8"+1/2" socket set, 180 pcs, 1/1 system insert

713.2004		SCS Ring spanner set, offset, 4 pcs, 1/3 system insert
713.0101		SCS 1/4" Bit set, 101 pcs, 1/3 system insert
713.0019		SCS Impact socket wrench and bit set, 19 pcs, 1/3 system insert
711.1033		SCS ERGOTORQUE VDE pliers and screwdriver set, 33 pcs, 1/1 system insert
711.0018		SCS File, chisel and hammer set, 18 pcs, 1/1 system insert
713.5006		SCS Circlip pliers set, 6 pcs, 1/3 system insert
713.1003		SCS Grip pliers set, 3 pcs, 1/3 system insert
713.3005		SCS Measuring tool insert, 5 pcs, 1/3 system insert



**Set of universal system inserts for 8 drawers with 418 premium tools**

- Ideal set for universal use
- Fits 8 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



713.9418	418 pcs	Set of universal system inserts for 8 drawers with 418 premium tools	41,98
----------	---------	--	-------


711.0035		SCS wrench set, 35 pcs, 1/1 system insert
711.0180		SCS 1/4"+3/8"+1/2" socket set, 180 pcs, 1/1 system insert
711.5018		SCS Pliers and file set, 18 pcs, 1/1 system insert
711.0023		SCS hammer and wrench set, 23 pcs, 1/1 system insert
712.0013		SCS ERGOTORQUE-max screwdriver set, 13 pcs, 2/3 system insert
713.9005		SCS ERGOTORQUE-plus screwdriver set, Torx tamperproof, 5 pcs, 1/3 system insert

713.3009		SCS Torx T-handle key wrench set, 9 pcs, 1/3 system insert
713.5004		SCS T-handle hex key set, 4 pcs, 1/3 system insert
713.0014		SCS GEARplus ratchet combination spanner set, 14 pcs, 1/3 system insert
783.2005		SCS CHROMEplus halfmoon spanner set, 5 pcs, 1/3 system insert
713.0021		SCS 3/8" Bit socket set, 21 pcs, 1/3 system insert
713.0032		SCS 1/2" Bit socket set, 32 pcs, 1/3 system insert
713.0027		SCS 1/4"-1/2" CHROME+ spark plug service set, 27 pcs, 1/3 system insert
713.0012		SCS Impact socket set, 1/2", 12 pcs, 1/3 system insert
713.0019		SCS Impact socket wrench and bit set, 19 pcs, 1/3 system insert



**Set of universal system inserts for 8 drawers with 484 premium tools**

- Ideal set for universal use
- Fits 8 tool cabinet drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



715.0484	484 pcs	Set of universal system inserts for 8 drawers with 484 premium tools	90,54
----------	---------	--	-------

711.1036		SCS wrench set, 36 pcs 1/1 system insert
711.0102		1/4"+3/8"+1/2" SCS impact socket wrench set, 102 pcs, 1/1 system insert
711.1035		3/4" SCS impact socket wrench set, 35 pcs, 1/1 system insert
711.0118		1/4"+3/8" SCS Socket set, 118 pcs 1/1 system insert
711.0029		3/4" SCS Socket set, 29 pcs 1/1 system insert
711.2021		SCS File, chisel and pliers set, 21 pcs, 1/1 system insert

711.0048		SCS wrench set, 48 pcs 1/1 system inset
711.0095		1/2" SCS Socket set, 95 pcs 1/1 system inset

**Set of universal system inserts for 4 drawers with 515 premium tools**

- Ideal set for universal use
- Suitable for 4 tool trolley drawers
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality two-coloured foam



713.0515	515 pcs	Set of universal system inserts for 4 drawers with 515 premium tools	21,79
----------	---------	--	-------

711.0195		1/4"+3/8"+1/2" socket set, 102 pcs, 1/1 system insert
711.3035		Wrench set, 35 pcs, 1/1 system insert
711.1059		Pliers and screwdriver set, 59 pcs, 1/1 system insert
711.1018		File, chisel and hammer set, 18 pcs, 1/1 system insert
911.2008		1/4" Bit set, 208 pcs

## TOOLBOX MODULE INSERTS

### TOOLBOX Socket and combination wrench set

- System insert
- suitable for TOOLBOX
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality foam



	L mm	B mm	H mm	kg
<b>713.0155</b> 154 pcs	272,0	620,0	35,0	5,00
13 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
17 x	1/2": 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm			
1 x	50 mm			
2 x	30 - 50 mm			
1 x	1/4"			
1 x	1/4"			
9 x	3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm			
8 x	PH0 - PH1 - 5 x PH2 - PH3			
8 x	PZ0 - PZ1 - 5 x PZ2 - PZ3			
9 x	1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm			
10 x	1/16" - 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"			
6 x	2 - 2,5 - 3 - 4 - 5 - 6 mm			
6 x	5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32"			
9 x	T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45			
9 x	TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40			
3 x	M5 - M6 - M8			
3 x	#1 - #2 - #3			
4 x	#1 - #2 - #3 - #4			
4 x	4 - 6 - 8 - 10 mm			
3 x	6 - 8 - 10 mm			
4 x	#0 - #1 - #2 - #3			
2 x	1/4": 50 - 100 mm			
2 x	1/2": 125 - 250 mm			
1 x	3/8"Fx1/2"M			
2 x	1/4" + 1/2"			
2 x	1/4" + 1/2"			
14 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm			
1 x	3 m			



## TOOLBOX pliers and screwdriver set

- System insert
- suitable for TOOLBOX
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality foam



	L mm	B mm	H mm	kg
<b>713.4021</b> 21 pcs	272,0	620,0	35,0	2,90
1 x	500 g			
1 x	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm			
5 x	3 - 4 - 5 - 6,5 - 8 mm			
3 x	PH1 - PH2 - PH3			
1 x	1/4"			
1 x	160 mm			
1 x	180 mm			
1 x	240 mm			

## 1/3 SCS - SPANNER - METRIC

### SCS Combination spanner set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>713.0017</b> 17 pcs	390,0	188,0	35,0	1,80
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm			

### SCS CHROMEplus® combination spanner set


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>783.0017</b> 17 pcs	390,0	188,0	35,0	2,40
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm			

## SCS Combination spanner set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>713.0004</b> 4 pcs	390,0	188,0	35,0	1,65
4 x	24 - 27 - 30 - 32 mm			

## SCS CHROMEplus® combination spanner set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>783.0004</b> 4 pcs	390,0	188,0	35,0	1,78
4 x	24 - 27 - 30 - 32 mm			

## SCS GEARplus® ratchet combination spanner set, including adaptors

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>713.0014</b> 14 pcs	390,0	188,0	35,0	1,50
10 x	8 - 10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm			
1 x	1/4"			
3 x	1/4" - 3/8" - 1/2"			

**SCS GEAR<sup>plus</sup> reversing ratchet combination spanner set, including adaptors**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>713.1014</b> 14 pcs	390,0	188,0	35,0	1,56
10 x	8 - 10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19			
1 x	1/4"			
3 x	1/4" - 3/8" - 1/2"			

**SCS Double open ended spanner set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>713.0011</b> 11 pcs	390,0	188,0	35,0	1,75
11 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 30x32 mm			

**SCS CHROME<sup>plus</sup> double open ended spanner set**


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>783.0011</b> 11 pcs	390,0	188,0	35,0	1,75
11 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x18 - 17x19 - 20x22 - 21x23 - 24x27 - 30x32			

**SCS Open double ring spanner set, offset**


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>713.0005</b> 5 pcs	390,0	188,0	35,0	0,56
5 x	8x10 - 10x11 - 12x13 - 14x15 - 17x19 mm			

**SCS CHROME<sup>plus</sup> Open double ring spanner set, offset**


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>783.0005</b> 5 pcs	390,0	188,0	35,0	0,56
5 x	8x10 - 10x11 - 12x13 - 14x15 - 17x19 mm			

**SCS double ring spanner set, 75° offset**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>713.0007</b> 7 pcs	390,0	188,0	35,0	1,00
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm			

**CHROME<sup>plus</sup> double ring spanner set, 75° offset**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>783.0007</b> 7 pcs	390,0	188,0	35,0	1,00
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm			

**SCS Double ring spanner set, 75° offset**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>713.2004</b> 4 pcs	390,0	188,0	35,0	1,74
4 x	20 x 22 - 21 x 23 - 24 x 27 - 30 x 32 mm			

**SCS CHROME<sup>plus</sup> double ring spanner set, 75° offset**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>783.2004</b> 4 pcs	390,0	188,0	35,0	1,74
4 x	20 x 22 - 21 x 23 - 24 x 27 - 30 x 32 mm			





### SCS Double swivel wrench set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.1005 5 pcs	390,0	188,0	35,0	920
5 x	8 x 9 - 10 x 11 - 12 x 13 - 14 x 15 - 16 x 17 mm			

### SCS Pipe head box wrench set


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.2011 11 pcs	390,0	188,0	35,0	2,70
11 x	8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm			

### SCS pipe head box wrench set


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.4004 4 pcs	390,0	188,0	35,0	3,00
4 x	21 - 22 - 24 - 27 mm			

### SCS CHROMEplus® half moon- and manifold spanner set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
783.2005 5 pcs	390,0	188,0	35,0	0,90
5 x	10 x 12 - 11 x 13 - 14 x 17 - 16 x 18 - 19 x 22 mm			

### 1/3 SCS - SOCKET WRENCH 1/4" - METRIC

#### SCS Socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.4030 30 pcs	390,0	188,0	35,0	0,90
12 x	4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm			
3 x	4 - 5,5 - 8 mm			
2 x	PH1 - PH2			
2 x	PZ1 - PZ2			
5 x	3 - 4 - 5 - 6 - 8 mm			
2 x	50 - 150 mm			
1 x	150 mm			
1 x	1/4"			
1 x	110 mm			
1 x	140 mm			



### SCS CHROMEplus® socket set


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
783.4030 30 pcs	390,0	188,0	35,0	0,95
12 x	4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm			
3 x	4 - 5,5 - 8 mm			
2 x	PH1 - PH2			
2 x	PZ1 - PZ2			
5 x	3 - 4 - 5 - 6 - 8 mm			
2 x	50 - 150 mm			
1 x	150 mm			
1 x	1/4"			
1 x	110 mm			
1 x	140 mm			

#### SCS Socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.4037 37 pcs	390,0	188,0	35,0	0,95
12 x	4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm			
6 x	E4 - E5 - E6 - E7 - E8 - E10			
5 x	3 - 4 - 5 - 6 - 8 mm			
9 x	T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40			
1 x	100 mm			
1 x	150 mm			
1 x	1/4"			
1 x	110 mm			
1 x	140 mm			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg	
<b>783.4037</b>	37 pcs	390,0	188,0	35,0	1,05
12 x		4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 - 14 mm			
6 x		E4 - E5 - E6 - E7 - E8 - E10			
5 x		3 - 4 - 5 - 6 - 8 mm			
9 x		T8 - T9 - T10 - T15 - T20 - T25 - T27 T30 - T40			
1 x		100 mm			
1 x		150 mm			
1 x		1/4"			
1 x		110 mm			
1 x		140 mm			

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg	
<b>713.0040</b>	40 pcs	390,0	188,0	35,0	0,94
10 x		1/4": 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 - 14 mm			
3 x		1/4": 8 - 10 - 13 mm			
3 x		1/4": 4,5 - 6,5 - 8 mm			
3 x		1/4": PH1 - PH2 - PH3			
3 x		1/4": PZ1 - PZ2 - PZ3			
5 x		1/4": 3 - 4 - 5 - 6 - 7 mm			
7 x		1/4": TB10 - TB15 - TB20 TB25 TB27 - TB30 - TB40			
2 x		1/4": 50 - 150 mm			
1 x		1/4"			
1 x		1/4"			
1 x		1/4"			
1 x		1/4"			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4"

	L mm	B mm	H mm	kg	
<b>783.0040</b>	40 pcs	390,0	188,0	35,0	0,98
10 x		1/4": 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 - 14 mm			
3 x		1/4": 8 - 10 - 13 mm			
3 x		1/4": 4,5 - 6,5 - 8 mm			
3 x		1/4": PH1 - PH2 - PH3			
3 x		1/4": PZ1 - PZ2 - PZ3			
5 x		1/4": 3 - 4 - 5 - 6 - 7 mm			
7 x		1/4": TB10 - TB15 - TB20 TB25 TB27 - TB30 - TB40			
2 x		1/4": 50 - 150 mm			
1 x		1/4"			
1 x		1/4"			
1 x		1/4"			
1 x		1/4"			

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg	
<b>713.0042</b>	42 pcs	390,0	188,0	35,0	1,30
12 x		4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 - 14 mm			
11 x		4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 mm			
3 x		4 - 4,5 - 8 mm			
5 x		3 - 4 - 5 - 6 - 8 mm			
2 x		PH1 - PH2			
2 x		PZ1 - PZ2			
1 x		1/4"Fx3/8"M			
2 x		50 - 100 mm			
1 x		150 mm			
1 x		1/4"			
1 x		110 mm			
1 x		140 mm			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg	
<b>783.0042</b>	42 pcs	390,0	188,0	35,0	1,30
12 x		4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 - 14 mm			
11 x		4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 mm			
3 x		4 - 5 - 8 mm			
5 x		3 - 4 - 5 - 6 - 8 mm			
1 x		PH2			
3 x		PZ1 - PZ2 - PZ4			
1 x		1/4"Fx3/8"M			
2 x		50 - 150 mm			
1 x		150 mm			
1 x		1/4"			
1 x		110 mm			
1 x		140 mm			

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg	
<b>713.0045</b>	45 pcs	390,0	188,0	35,0	1,01
12 x		1/4": 4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm			
7 x		1/4": E4 - E5 - E6 - E7 - E8 - E10 E11			
3 x		1/4": 4 - 5,5 - 8 mm			
2 x		1/4": PH1 - PH2			
2 x		1/4": PZ1 - PZ2			
5 x		1/4": 3 - 4 - 5 - 6 - 8 mm			
9 x		1/4": T8 - T9 - T10 - T15 - T20 - T25 T27 - T30 - T40			
2 x		1/4": 50 - 150 mm			
1 x		1/4"			
1 x		1/4"			
1 x		1/4"			

### SCS CHROMEplus® socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg
<b>783.0045</b> 45 pcs	390,0	188,0	35,0	1,18
12 x	1/4": 4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm			
7 x	1/4": E4 - E5 - E6 - E7 - E8 - E10 E11			
3 x	1/4": 4 - 5,5 - 8 mm			
2 x	1/4": PH1 - PH2			
2 x	1/4": PZ1 - PZ2			
5 x	1/4": 3 - 4 - 5 - 6 - 8 mm			
9 x	1/4": T8 - T9 - T10 - T15 - T20 - T25 T27 - T30 - T40			
2 x	1/4": 50 - 150 mm			
1 x	1/4"			
1 x	1/4"			
1 x	1/4"			



### SCS Socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg
<b>713.2046</b> 46 pcs	390,0	188,0	35,0	1,10
13 x	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm			
3 x	4 - 5,5 - 7 mm			
3 x	PH1 - PH2 - PH3			
2 x	PZ1 - PZ2			
6 x	3 - 4 - 5 - 6 - 7 - 8 mm			
7 x	T10 - T15 - T20 - T25 - T27 - T30 T40			
2 x	50 - 100 mm			
1 x	150 mm			
1 x	1/4"			
1 x	1/4"			
1 x	1/4"			
4 x	1 - 1,5 - 2 - 2,5 mm			
1 x	1/4" x 1/4"			
1 x	1/4"			

### SCS CHROMEplus® socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg
<b>783.2046</b> 46 pcs	390,0	188,0	35,0	1,13
13 x	4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm			
3 x	4 - 5,5 - 7 mm			
3 x	PH1 - PH2 - PH3			
2 x	PZ1 - PZ2			
6 x	3 - 4 - 5 - 6 - 7 - 8 mm			
7 x	T10 - T15 - T20 - T25 - T27 - T30 T40			
2 x	50 - 100 mm			

1 x	150 mm
1 x	1/4"
1 x	1/4"
1 x	1/4"
4 x	1 - 1,5 - 2 - 2,5 mm
1 x	1/4" x 1/4"
1 x	1/4"

### SCS Universal bit set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg
<b>713.0101</b> 101 pcs	390,0	188,0	35,0	1,30
1 x	1/4"			
1 x	100 mm			
1 x	60 mm			
1 x	190 mm			
1 x	30 mm			
1 x	1/4"			
3 x	75 mm x (4 - 5 - 6 mm)			
3 x	75 mm x (TB15 - TB20 - TB30)			
4 x	75 mm x (#1 - #2 - #3 - #4)			
3 x	75 mm x (6 - 8 - 10 mm)			
4 x	75 mm x (4 - 6 - 8 - 10 mm)			
9 x	25 mm x (3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm)			
9 x	25 mm x (1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm)			
12 x	25 mm x (2 - 2,5 - 3 - 4 - 5 - 6 mm - 5/32" - 9/64" - 1/8" - 7/64" - 3/32" 5/64")			
4 x	25 mm x (#1 - #2 - #3 - #4)			
4 x	25 mm x (#0 - #1 - #2 - #3)			
4 x	25 mm x (4 - 6 - 8 - 10 mm)			
9 x	25 mm x (T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45)			
3 x	25 mm x (T8 - T10 - T15 - T20 - T25 - T27 - T30 - T35 - T40)			
9 x	25 mm x (6 - 8 - 10 mm)			
3 x	25 mm x (M5 - M6 - M8)			
3 x	25 mm x (#1 - #2 - #3)			
5 x	25 mm x (PH0 - PH1 - 2 x PH2 - PH3)			
5 x	25 mm x (PZ0 - PZ1 - 2 x PZ2 - PZ3)			

**1/3 SCS - SOCKET WRENCH 1/4" - IMPERIAL**

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg
<b>713.2047</b> 47 pcs	390,0	188,0	35,0	1,26
10 x	5/32" - 3/16" - 7/32" - 1/4" - 9/32" 5/16" - 11/32" - 3/8" - 7/16" - 1/2"			
10 x	5/32" - 3/16" - 7/32" - 1/4" - 9/32" 5/16" - 11/32" - 3/8" - 7/16" - 1/2"			
3 x	4 - 5 - 7 mm			
2 x	PH1 - PH2			
5 x	1/8" - 5/32" - 3/16" - 7/32" - 1/4"			
6 x	T10 - T15 - T20 - T25 - T30 - T40			
4 x	M4 - M5 - M6 - M8			
2 x	50 - 100 mm			
1 x	150 mm			
1 x	1/4"			
1 x	1/4"			
1 x	110 mm			
1 x	1/4"			

2 x	50 - 100 mm
1 x	150 mm
1 x	1/4"
1 x	1/4"
1 x	110 mm
1 x	1/4"

**1/3 SCS - SOCKET WRENCH 3/8" - METRIC**

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg
<b>713.1017</b> 17 pcs	390,0	188,0	35,0	1,38
12 x	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 mm			
3 x	75 - 150 - 250 mm			
1 x	3/8"			
1 x	190 mm			

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg
<b>713.2024</b> 24 pcs	390,0	188,0	35,0	1,54
14 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 mm			
5 x	4 - 5 - 6 - 8 - 10 mm			
1 x	3/8"			
1 x	160 mm			
2 x	150 - 250 mm			
1 x	3/8"			

**SCS CHROMEplus® Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg
<b>783.2024</b> 24 pcs	390,0	188,0	35,0	1,62
14 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 mm			
5 x	4 - 5 - 6 - 8 - 10 mm			
1 x	3/8"			
1 x	160 mm			
2 x	150 - 250 mm			
1 x	3/8"			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4"

	L mm	B mm	H mm	kg
<b>783.2047</b> 47 pcs	390,0	188,0	35,0	1,26
10 x	5/32" - 3/16" - 7/32" - 1/4" - 9/32" 5/16" - 11/32" - 3/8" - 7/16" - 1/2"			
10 x	5/32" - 3/16" - 7/32" - 1/4" - 9/32" 5/16" - 11/32" - 3/8" - 7/16" - 1/2"			
3 x	4 - 5 - 7 mm			
2 x	PH1 - PH2			
5 x	1/8" - 5/32" - 3/16" - 7/32" - 1/4"			
6 x	T10 - T15 - T20 - T25 - T30 - T40			
4 x	M4 - M5 - M6 - M8			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg
<b>783.1017</b> 17 pcs	390,0	188,0	35,0	1,60
12 x	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 mm			
3 x	75 - 150 - 250 mm			
1 x	3/8"			
1 x	190 mm			



### SCS Socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg
<b>713.3025</b> 25 pcs	390,0	188,0	35,0	2,06
18 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 mm			
2 x	16 - 21 mm			
2 x	75 - 250 mm			
1 x	3/8"			
1 x	3/8"			
1 x	1/2" x 3/8"			

### SCS CHROMEplus® socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




3/8"

	L mm	B mm	H mm	kg
<b>783.3025</b> 25 pcs	390,0	188,0	35,0	2,06
18 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 mm			
2 x	16 - 21 mm			
2 x	75 - 250 mm			
1 x	3/8"			
1 x	3/8"			
1 x	1/2" x 3/8"			



### SCS Socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg
<b>713.0036</b> 36 pcs	390,0	188,0	35,0	1,67
13 x	3/8": 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm			
6 x	3/8": E6 - E7 - E8 - E10 - E12 - E14			
2 x	1/4": PH1 - PH2			
4 x	1/4": 5 - 6 - 7 - 8 mm			
6 x	1/4": T10 - T15 - T20 - T25 - T30 - T40			
2 x	3/8": 150 - 250 mm			
1 x	3/8"			
1 x	3/8"			
1 x	3/8"			

### SCS CHROMEplus® socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




3/8"

	L mm	B mm	H mm	kg
<b>783.0036</b> 36 pcs	390,0	188,0	35,0	1,84
13 x	3/8": 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 21 - 22 mm			
6 x	3/8": E6 - E7 - E8 - E10 - E12 - E14			
2 x	1/4": PH1 - PH2			
4 x	1/4": 5 - 6 - 7 - 8 mm			
6 x	1/4": T10 - T15 - T20 - T25 - T30 - T40			
2 x	3/8": 150 - 250 mm			
1 x	3/8"			
1 x	3/8"			
1 x	3/8"			

### SCS Bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




3/8"

	L mm	B mm	H mm	kg
<b>713.0021</b> 21 pcs	390,0	188,0	35,0	1,06
8 x	3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 mm			
2 x	8 - 10 mm			
8 x	T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50			
3 x	M5 - M6 - M10			

### SCS CHROMEplus® bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg
<b>783.0021</b> 21 pcs	390,0	188,0	35,0	1,03
8 x	3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 mm			
2 x	8 - 10 mm			
8 x	T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50			
3 x	M5 - M6 - M10			

### SCS Bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




3/8"

	L mm	B mm	H mm	kg
<b>713.0039</b> 39 pcs	390,0	188,0	35,0	1,83
8 x	3/8": E5 - E6 - E7 - E8 - E10 - E11 E12 - E14			
5 x	3/8": 5,5 - 6,5 - 8 - 10 - 12 mm			
3 x	3/8": PH1 - PH2 - PH3			
3 x	3/8": PZ1 - PZ2 - PZ3			
7 x	3/8": T20 - T25 - T27 - T30 - T40 T45 - T50			
6 x	3/8": 4 - 5 - 6 - 7 - 8 - 10 mm			
7 x	3/8": T20 - T25 - T27 - T30 - T40 T45 - T50			

**SCS CHROMEplus® bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg
<b>783.0039</b> 39 pcs	390,0	188,0	35,0	1,84
8 x	3/8": E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14			
5 x	3/8": 5,5 - 6,5 - 8 - 10 - 12 mm			
3 x	3/8": PH1 - PH2 - PH3			
3 x	3/8": PZ1 - PZ2 - PZ3			
7 x	3/8": T20 - T25 - T27 - T30 - T40 - T45 - T50			
6 x	3/8": 4 - 5 - 6 - 7 - 8 - 10 mm			
7 x	3/8": T20 - T25 - T27 - T30 - T40 - T45 - T50			

**1/3 SCS - SOCKET WRENCH 3/8" - IMPERIAL**

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg
<b>713.4046</b> 46 pcs	390,0	188,0	35,0	2,74
11 x	1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8"			
6 x	3/8" - 7/16" - 1/2" - 9/16" - 11/16" - 3/4"			
2 x	5/8" - 13/16"			
7 x	1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"			
10 x	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55			
5 x	M4 - M5 - M6 - M8 - M10			
2 x	75 - 150 mm			
1 x	3/8"			
1 x	160 mm			
1 x	3/8"			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Made from high quality foam
- Mirror polished



3/8"

	L mm	B mm	H mm	kg
<b>783.4046</b> 46 pcs	390,0	188,0	35,0	3,00
11 x	1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8"			
6 x	3/8" - 7/16" - 1/2" - 9/16" - 11/16" - 3/4"			
2 x	5/8" - 13/16"			
7 x	1/8" - 5/32" - 3/16" - 7/32" - 1/4" - 5/16" - 3/8"			
10 x	T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55			
5 x	M4 - M5 - M6 - M8 - M10			
2 x	75 - 150 mm			
1 x	3/8"			
1 x	160 mm			
1 x	3/8"			



**1/3 SCS - SOCKET WRENCH 1/2"**

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

	L mm	B mm	H mm	kg
<b>713.5005</b> 5 pcs	390,0	188,0	35,0	1,85
1 x	1/2"			
2 x	125 - 250 mm			
1 x	250 mm			
1 x	250 mm			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
<b>783.5005</b> 5 pcs	390,0	188,0	35,0	1,60
1 x	1/2"			
2 x	125 - 250 mm			
1 x	250 mm			
1 x	250 mm			

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
<b>713.3018</b> 18 pcs	390,0	188,0	35,0	2,14
14 x	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 mm			
1 x	1/2"			
2 x	125 - 250 mm			
1 x	1/2"			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
<b>783.3018</b> 18 pcs	390,0	188,0	35,0	2,25
14 x	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 mm			
1 x	1/2"			
2 x	125 - 250 mm			
1 x	1/2"			

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### SCS Socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
713.4024	24 pcs	390,0	188,0	35,0	3,60
17 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm			
2 x		16 - 21 mm			
2 x		125 - 250 mm			
1 x		1/2"			
1 x		3/8" x 1/2"			
1 x		1/2"			

### SCS CHROMEplus® socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
783.4024	24 pcs	390,0	188,0	35,0	3,16
17 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm			
2 x		16 - 21 mm			
2 x		125 - 250 mm			
1 x		1/2"			
1 x		3/8" x 1/2"			
1 x		1/2"			



### SCS Socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
713.4025	25 pcs	390,0	375,0	35,0	2,87
16 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm			
5 x		E10 - E12 - E14 - E16 - E18			
2 x		125 - 250 mm			
1 x		1/2"			
1 x		245 mm			

### SCS CHROMEplus® socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
783.4025	25 pcs	390,0	375,0	35,0	2,95
16 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 mm			
5 x		E10 - E12 - E14 - E16 - E18			
2 x		125 - 250 mm			
1 x		1/2"			
1 x		245 mm			



### SCS Socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
713.0028	28 pcs	390,0	188,0	35,0	3,24
11 x		12 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm			
13 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 30 mm			
2 x		125 - 250 mm			
1 x		1/2"			
1 x		245 mm			

### SCS CHROMEplus® socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
783.0028	28 pcs	390,0	188,0	35,0	3,31
11 x		12 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm			
13 x		8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 30 mm			
2 x		125 - 250 mm			
1 x		1/2"			
1 x		245 mm			

### SCS Hexagonal socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
713.0026	26 pcs	390,0	188,0	35,0	2,59
19 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm			
7 x		6 - 7 - 8 - 9 - 10 - 12 - 14 mm			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
<b>783.0026</b>	26 pcs	390,0	188,0	35,0	2,51
19 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm			
7 x		6 - 7 - 8 - 9 - 10 - 12 - 14 mm			

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
<b>713.4026</b>	26 pcs	390,0	375,0	35,0	2,61
19 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm			
7 x		6 - 7 - 8 - 9 - 10 - 12 - 14 mm			

**SCS CHROMEplus® socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

		L mm	B mm	H mm	kg
<b>783.4026</b>	26 pcs	390,0	375,0	35,0	2,60
19 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm			
7 x		6 - 7 - 8 - 9 - 10 - 12 - 14 mm			

**SCS Bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
<b>713.2010</b>	10 pcs	390,0	188,0	35,0	1,09
5 x		5 - 6 - 7 - 8 - 10 mm			
5 x		4 - 6 - 7 - 8 - 10 mm			

**SCS CHROMEplus® bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

		L mm	B mm	H mm	kg
<b>783.2010</b>	10 pcs	390,0	188,0	35,0	1,01
5 x		5 - 6 - 7 - 8 - 10 mm			
5 x		4 - 6 - 7 - 8 - 10 mm			

**SCS Bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

		L mm	B mm	H mm	kg
<b>713.0013</b>	13 pcs	390,0	188,0	35,0	1,54
9 x		5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm			
4 x		6 - 7 - 8 - 10 mm			

**SCS CHROMEplus® bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
<b>783.0013</b>	13 pcs	390,0	188,0	35,0	1,50
9 x		5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm			
4 x		6 - 7 - 8 - 10 mm			

**SCS Bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
<b>713.0015</b>	15 pcs	390,0	188,0	35,0	1,75
9 x		5 - 6 - 7 - 8 - 9 - 10 - 12 - 14 - 17 mm			
6 x		5 - 6 - 8 - 10 - 12 - 14 mm			

**SCS CHROMEplus® bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	kg
<b>783.0015</b>	15 pcs	390,0	188,0	35,0	1,61
9 x		5 - 6 - 7 - 8 - 9 - 10 - 12 - 14 - 17 mm			
6 x		5 - 6 - 8 - 10 - 12 - 14 mm			

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
i

### SCS Bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
<b>713.4010</b> 10 pcs	390,0	188,0	35,0	1,24
6 x	M5 - M8 - M10 - M12 - M14 - M16			
4 x	M8 - M9 - M12 - M14			

### SCS CHROMEplus® Bit socket set for Torx screws

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

	L mm	B mm	H mm	kg
<b>783.4019</b> 19 pcs	390,0	188,0	35,0	1,88
9 x	T20 - T25 - T27 - T30 - T40 - T45 T50 - T55 - T60			
9 x	T20 - T25 - T27 - T30 - T40 - T45 T50 - T55 - T60			
1 x	E1 x T5 - E30 x T70			

### SCS Bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
<b>713.2013</b> 13 pcs	390,0	188,0	35,0	1,36
4 x	5 - 6 - 7 - 8 mm			
1 x	10 mm			
5 x	M5 - M6 - M8 - M10 - M12			
3 x	M8 - M10 - M12			

### SCS CHROMEplus® Bit socket set for spline (XZN®) screws

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
<b>783.4010</b> 10 pcs	390,0	188,0	35,0	1,18
6 x	M5 - M8 - M10 - M12 - M14 - M16			
4 x	M8 - M10 - M12 - M14			

### SCS Bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

	L mm	B mm	H mm	kg
<b>713.9011</b> 11 pcs	390,0	188,0	35,0	1,40
5 x	5 - 6 - 7 - 8 - 10 mm			
1 x	T70 x 110 mm			
2 x	T45 - T55 x 140 mm			
3 x	M8 - M10 - M12			

### SCS CHROMEplus® bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
<b>783.2013</b> 13 pcs	390,0	188,0	35,0	1,23
4 x	5 - 6 - 7 - 8 mm			
1 x	10 mm			
5 x	M5 - M6 - M8 - M10 - M12			
3 x	M8 - M10 - M12			

### SCS Bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
<b>713.4019</b> 19 pcs	390,0	188,0	35,0	1,88
9 x	T20 - T25 - T27 - T30 - T40 - T45 T50 - T55 - T60			
9 x	T20 - T25 - T27 - T30 - T40 - T45 T50 - T55 - T60			
1 x	E1 x T5 - E30 x T70			

### SCS CHROMEplus® bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

	L mm	B mm	H mm	kg
<b>783.9011</b> 11 pcs	390,0	188,0	35,0	1,40
5 x	5 - 6 - 7 - 8 - 10 mm			
1 x	T70 x 110 mm			
2 x	T45 - T55 x 140 mm			
3 x	M8 - M10 - M14			

### SCS Bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
<b>713.4013</b> 13 pcs	390,0	188,0	35,0	2,69
5 x	T30 - T40 - T45 - T50 - T55			
4 x	M6 - M8 - M9 - M12			
4 x	M6 - M8 - M10 - M12			

**SCS CHROMEplus® bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	M	
<b>783.4013</b>	13 pcs	390,0	188,0	35,0	2,75
5 x		T30 - T40 - T45 - T50 - T55			
4 x		M6 - M8 - M9 - M12			
4 x		M6 - M8 - M10 - M12			



**SCS Bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	M	
<b>713.0032</b>	32 pcs	390,0	188,0	35,0	3,50
8 x		5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 mm			
4 x		6 - 8 - 10 - 12 mm			
8 x		T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60			
4 x		T30 - T40 - T50 - T60			
4 x		M5 - M6 - M8 - M10			
4 x		M6 - M8 - M10 - M12			

**SCS CHROMEplus® Bit socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	M	
<b>783.0032</b>	32 pcs	390,0	188,0	35,0	6,30
8 x		5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 mm			
4 x		6 - 8 - 10 - 12 mm			
8 x		T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60			
4 x		T30 - T40 - T50 - T60			
4 x		M5 - M6 - M8 - M10			
4 x		M6 - M8 - M10 - M12			

**1/3 SCS - SOCKET WRENCH 1/4" + 1/2" - METRIC**

**SCS Torx E-Profile tool set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	M	
<b>713.2025</b>	25 pcs	390,0	188,0	35,0	1,20
9 x		1/4": E4 - E5 - E6 - E8, 1/2": E10 - E12 - E14 - E18 - E20			
5 x		1/2": T40 - T45 - T50 - T55 - T60			
7 x		1/4": TB8 - TB10 - TB15 - TB20 TB25 - TB27 - TB30			
4 x		E6 x E8 - E10 x E12 - E14 x E18 E20 x E24			



**SCS CHROMEplus® Torx-E-profile tool set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	M	
<b>783.2025</b>	25 pcs	390,0	188,0	35,0	1,20
9 x		1/4": E4 - E5 - E6 - E8, 1/2": E10 - E12 - E14 - E18 - E20			
5 x		1/2": T40 - T45 - T50 - T55 - T60			
7 x		1/4": TB8 - TB10 - TB15 - TB20 TB25 - TB27 - TB30			
4 x		E6 x E8 - E10 x E12 - E14 x E18 E20 x E24			

**SCS Socket set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	M	
<b>713.3047</b>	47 pcs	390,0	188,0	35,0	2,14
8 x		1/4": 5 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
3 x		1/4": 4 - 4,5 - 5,5 mm			
5 x		1/4": 2 - 3 - 4 - 5 - 6 mm			
2 x		1/4": PH1 - PH2			
2 x		1/4": PZ1 - PZ2			
5 x		1/4": T10 - T15 - T20 - T25 - T30			
1 x		1/4"			
1 x		1/4"			
1 x		1/4": 100 mm			
1 x		1/4"			
1 x		1/4"			
14 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 mm			
2 x		1/2": 125 - 250 mm			
1 x		1/2"			

### SCS CHROME<sup>plus</sup> socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	kg
783.3047 47 pcs	390,0	188,0	35,0	2,60
8 x		1/4": 5 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm		
3 x		1/4": 4 - 4,5 - 5,5 mm		
5 x		1/4": 2 - 3 - 4 - 5 - 6 mm		
2 x		1/4": PH1 - PH2		
2 x		1/4": PZ1 - PZ2		
5 x		1/4": T10 - T15 - T20 - T25 - T30		
1 x		1/4"		
1 x		1/4"		
1 x		1/4": 100 mm		
1 x		1/4"		
1 x		1/4"		
14 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 mm		
2 x		1/2": 125 - 250 mm		
1 x		1/2"		

### SCS Bit socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	kg
713.0031 31 pcs	390,0	188,0	35,0	1,20
7 x		1/4": T10 - T15 - T20 - T25 - T27 T30 - T40		
5 x		1/2": T30 - T40 - T45 - T50 - T55		
5 x		1/4": E5 - E6 - E7 - E8 - E10		
6 x		1/2": E10 - E12 - E14 - E16 - E18 - E20		
1 x		TB10 - TB15 - TB20 - TB25 - TB30 TB40 - TB45 - TB50		



### SCS CHROME<sup>plus</sup> Bit socket set for Torx screws

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	kg
783.0031 31 pcs	390,0	188,0	35,0	1,15
7 x		1/4": T10 - T15 - T20 - T25 - T27 T30 - T40		
5 x		1/2": T30 - T40 - T45 - T50 - T55		
5 x		1/4": E5 - E6 - E7 - E8 - E10		
6 x		1/2": E10 - E12 - E14 - E16 - E18 - E20		
1 x		TB10 - TB15 - TB20 - TB25 - TB30 TB40 - TB45 - TB50		

### 1/3 SCS - SOCKET WRENCH 1/4" + 3/8" + 1/2" - METRIC

### SCS Spark plug service set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg
713.0027 27 pcs	390,0	188,0	35,0	3,35
20 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm 1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm		
1 x		3/8"		
1 x		3/8" - 150 mm		
1 x		3/8" - 150 mm		
4 x		14 - 16 - 18 - 21 mm		

### SCS CHROME<sup>plus</sup> spark plug service set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg
783.0027 27 pcs	390,0	188,0	35,0	3,35
20 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm 1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm		
1 x		3/8"		
1 x		3/8" - 150 mm		
1 x		3/8" - 150 mm		
4 x		14 - 16 - 18 - 21 mm		

### 1/3 SCS - IMPACT SOCKET WRENCH - METRIC

### SCS Impact socket set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg
713.0012 12 pcs	390,0	188,0	35,0	3,05
12 x		10 - 13 - 14 - 16 - 17 - 18 - 19 - 21 22 - 23 - 24 - 27 mm		



**SCS impact socket wrench and bit set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



5/16" 1/2"

		L mm	B mm	H mm	kg
<b>713.0019</b>	19 pcs	390,0	188,0	35,0	2,11
5 x		1/2": 10 - 13 - 14 - 17 - 19 mm			
4 x		5/16": 4 - 5 - 6 - 7 mm			
4 x		5/16": PH1 - PH2 - PH3 - PH4			
4 x		5/16": 5 - 8 - 10 - 14 m			
1 x		1/2" x 5/16"			
1 x		1/2": 135 mm			

**SCS impact socket and bit set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



5/16" 1/2"


		L mm	B mm	H mm	kg
<b>713.2023</b>	23 pcs	390,0	188,0	35,0	3,10
5 x		1/2": 10 - 13 - 14 - 17 - 19 mm			
4 x		1/2": 17 - 19 - 21 - 22 mm			
1 x		1/2": 38 mm			
1 x		1/2": 135 mm			
4 x		5/16": 5 - 8 - 10 - 14 mm			
4 x		5/16": PH1 - PH2 - PH3 - PH4			
4 x		5/16": 5 - 6 - 7 - 10 mm			



**1/3 SCS - SCREWDRIVER**

**SCS ERGOTORQUEplus® screwdriver set**


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
<b>713.0006</b>	6 pcs	390,0	188,0	35,0	0,43
4 x		4 - 5,5 - 6,5 - 8 mm			
2 x		PH1 - PH2			

**SCS ERGOTORQUEplus® screwdriver set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
<b>713.1006</b>	6 pcs	390,0	188,0	35,0	0,84
4 x		4,0 - 5,5 - 6,5 - 8,0 mm			
2 x		PZ1 - PZ2			

**SCS T-handle Torx-key wrench set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




		L mm	B mm	H mm	kg
<b>713.2009</b>	9 pcs	390,0	188,0	35,0	1,35
9 x		(T10 - T15 - T20 - T25 - T27 - T30) x 100, T40 x 200 (T45 - T50) x 250 mm			



**SCS ERGOTORQUEplus® screwdriver set**


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
<b>713.9005</b>	5 pcs	390,0	188,0	35,0	0,25
5 x		TB10 - TB15 - TB20 - TB25 - TB27			

**SCS ERGOTORQUEplus® socket screwdriver set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
<b>713.3006</b>	6 pcs	390,0	188,0	35,0	0,65
6 x		5,5 - 6 - 7 - 8 - 9 - 10 mm			

**SCS CHROMEplus® T-handle hex key wrench set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




		L mm	B mm	H mm	kg
<b>713.0008</b>	8 pcs	390,0	188,0	35,0	1,10
8 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm			

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### SCS Torx T-handle key wrench-set


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.3009	390,0	188,0	35,0	1,39
9 x	TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50			

### SCS T-handle hex key wrench set


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.4006	390,0	188,0	35,0	0,41
6 x	2 - 2,5 - 3 - 4 - 5 - 6 mm			

### SCS ERGOTORQUEplus® T-handle key wrench set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.5004	390,0	188,0	35,0	0,64
4 x	7 - 8 - 10 - 13 mm			



### 1/3 SCS - PLIERS

#### SCS Pliers set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.6004	390,0	188,0	35,0	1,18
1 x	160 mm			
1 x	180 mm			
1 x	200 mm			
1 x	240 mm			

#### SCS Circlip pliers set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.5006	390,0	188,0	35,0	0,80
2 x	10 - 25 mm, 19 - 60 mm			
1 x	19 - 60 mm			
2 x	12 - 25 mm, 19 - 60 mm			
1 x	19 - 60 mm			

#### SCS automatic grip pliers set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.1003	390,0	188,0	35,0	1,08
2 x	175 - 250 mm			
1 x	150 mm			

### SCS grip pliers set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.8004	390,0	188,0	35,0	1,86
2 x	175 - 250 mm			
1 x	150 mm			
1 x	285 mm			

#### SCS Pliers set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.9004	390,0	188,0	35,0	1,25
1 x	180 mm			
1 x	160 mm			
1 x	160 mm			
1 x	250 mm			

#### SCS pliers and scraper set


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
713.1004	390,0	188,0	35,0	0,66
1 x	160 mm			
1 x	160 mm			
2 x	25x200 - 12,5x300 mm			

**SCS hammer and grip pliers set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.2003	3 pcs	390,0	188,0	35,0	1,11
2 x		175 - 250 mm			
1 x		200 g			

**1/3 SCS - VDE**

**SCS VDE socket wrench set**


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.2018	18 pcs	390,0	188,0	35,0	1,47
15 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 16 17 - 18 - 19 - 20 - 22 mm			
2 x		125 - 250 mm			
1 x		205 mm			

**SCS VDE screwdriver set**


- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.2007	7 pcs	390,0	188,0	35,0	0,68
4 x		2,5 - 3,0 - 3,5 - 4,0 mm			
3 x		PH1 - PH2 - PH3			

**SCS VDE screwdriver set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.2006	6 pcs	390,0	188,0	35,0	0,58
4 x		4,0 - 5,5 - 6,5 - 8,0 mm			
2 x		PZ1 - PZ2			

**SCS Insulated pliers set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.0003	3 pcs	390,0	188,0	35,0	1,00
1 x		160 mm			
1 x		200 mm			
1 x		208 mm			

**SCS VDE pliers set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.7004	4 pcs	390,0	188,0	35,0	1,11
1 x		156 mm			
1 x		175 mm			
1 x		165 mm			
1 x		240 mm			

**1/3 SCS - MEASURING AND CHECKING TOOL**

**SCS Measuring tool set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




		L mm	B mm	H mm	kg
713.3005	5 pcs	390,0	188,0	35,0	0,58
1 x		230 mm			
1 x		190 mm			
1 x		E1 x T5 - E30 x T70			
1 x		0 - 150 mm			
1 x		5 m x 19 mm			

**SCS Measuring tool set**

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.2008	8 pcs	390,0	188,0	35,0	1,19
1 x		0 - 10 mm			
1 x		0 - 150 mm			
1 x		300 x 13 x 0,5 mm			
1 x		3 m x 16 mm			
1 x					
1 x					
1 x		100 mm			
1 x					



### 1/3 SCS - PULLER

#### SCS Puller set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




		L mm	B mm	H mm	kg
713.2005	5 pcs	390,0	188,0	35,0	1,63
3 x					
1 x					
1 x					

### 1/3 SCS - WORKSHOP SUPPLIES

#### SCS Workshop file set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.3004	4 pcs	390,0	188,0	35,0	0,86
1 x		200 mm			
1 x		200 mm			
1 x		200 mm			
1 x		200 mm			

#### SCS chisel and hammer set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.0009	9 pcs	390,0	188,0	35,0	1,04
1 x		130 mm			
1 x		130 mm			
1 x		2 - 3 - 4 - 5 - 6 - 8 mm			
1 x		300 g			

### SCS Universal tool set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.2014	14 pcs	390,0	188,0	35,0	0,75
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			
1 x		200 g			
1 x		12,5 x 300 mm			
1 x		0,1 - 1,0 mm			
1 x		3 m x 16 mm			

#### SCS Drive punch and hammer set

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.8013	13 pcs	390,0	188,0	35,0	1,75
1 x					
1 x		2 - 3 - 4 - 5 - 6 - 8			
1 x		500 g			
1 x		160 mm			

### 1/3 SCS - EMPTY INSERTS

#### SCS Universal system insert for tools or small parts (empty)

- 1/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
713.0000		390,0	188,0	35,0	0,10

### Anti slip mat

- Thickness 10 mm
- Uncut for self modelling



	L mm	B mm	kg
800.0920	10000,0	600,0	2,50

### 2/3 SCS - SPANNER - METRIC

#### SCS Combination spanners set, offset

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.2017	17 pcs	390,0	375,0	35,0	1,90
17 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 21 - 22 - 24 mm			

#### SCS Combination spanners set, offset

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
782.2017	17 pcs	390,0	375,0	35,0	2,40
17 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 21 - 22 - 24 mm			

**SCS Combination spanners set, offset**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
712.3005 5 pcs	390,0	375,0	35,0	2,19
5 x	23 - 24 - 27 - 30 - 32 mm			

**SCS CHROMEplus Combination spanners set, offset**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
782.3005 5 pcs	390,0	375,0	35,0	2,95
5 x	23 - 24 - 27 - 30 - 32 mm			

**SCS Combination spanners set, offset**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
712.0027 27 pcs	390,0	375,0	35,0	2,37
1 x	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm			

**SCS CHROMEplus Combination spanners set, offset**


- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
782.0027 27 pcs	390,0	375,0	35,0	2,85
1 x	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm			

**SCS GEARplus ratchet combination spanner set, including adaptors**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
712.1016 16 pcs	390,0	188,0	35,0	1,80
1 x	1/4" x 10 mm			
3 x	1/4" x 10 mm - 3/8" x 13 mm 1/2" x 19 mm			
12 x	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm			

**SCS GEARplus reversing ratchet combination spanner set, including adaptors**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
712.0016 16 pcs	390,0	188,0	35,0	1,68
1 x	1/4" x 10 mm			
3 x	1/4" x 10 mm - 3/8" x 13 mm 1/2" x 19 mm			
12 x	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm			

**SCS Double open ended spanner set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
712.3011 11 pcs	390,0	375,0	35,0	2,81
11 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 24x27 - 30x32 - 36x41 mm			

**SCS CHROMEplus double open ended spanner set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
782.3011 11 pcs	390,0	375,0	35,0	4,40
11 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 24x27 - 30x32 - 36x41 mm			

**SCS Double ring spanner set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
712.5011 11 pcs	390,0	375,0	35,0	1,30
11 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 22x24 - 24x27 - 30x32 mm			

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### SCS double ring spanner set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.0009	9 pcs	390,0	375,0	35,0	1,73
9 x		6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 mm			

### SCS CHROMEplus double ring spanner set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
782.0009	9 pcs	390,0	375,0	35,0	1,95
9 x		6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 mm			

### SCS Double revolving head spanner set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.0014	14 pcs	390,0	375,0	35,0	2,45
2 x		10 x 11 - 12 x 13 mm			
5 x		T15 x T20 - T25 x T27 - T30 x T40 T45 x T50 - T55 x T60			
4 x		E6 x E8 - E10 x E12 - E14 x E16 E22 x E24			
3 x		3 x 4 - 5 x 6 - 8 x 10 mm			

### SCS Pipe head box wrench set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.7011	11 pcs	390,0	375,0	35,0	5,26
11 x		8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm			

### 2/3 SCS - SOCKET WRENCH 3/8" - METRIC

#### SCS Socket set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.0034	34 pcs	390,0	375,0	35,0	3,00
13 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm			
7 x		1/2" - 9/16" - 19/32" - 5/8" - 11/16" - 3/4" - 7/8"			
5 x		10 - 13 - 17 - 19 - 22 mm			
3 x		16 - 18 - 21 mm			
3 x		75 - 150 - 250 mm			
1 x		3/8"			
1 x		260 mm			
1 x		3/8"			



### SCS CHROMEplus® socket set


- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
782.0034	34 pcs	390,0	375,0	35,0	3,00
13 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm			
7 x		1/2" - 9/16" - 19/32" - 5/8" - 11/16" - 3/4" - 7/8"			
5 x		10 - 13 - 17 - 19 - 22 mm			
3 x		16 - 18 - 21 mm			
3 x		75 - 150 - 250 mm			
1 x		3/8"			
1 x		260 mm			
1 x		3/8"			

#### SCS Socket set


- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.1052	52 pcs	390,0	375,0	35,0	2,30
8 x		3/8": E5 - E6 - E7 - E8 - E10 - E11 E12 - E14			
6 x		3/8": 4 - 5 - 6 - 7 - 8 - 10 mm			
5 x		3/8": 4 - 5 - 6 - 8 - 10 mm			
7 x		3/8": T20 - T25 - T27 - T30 - T40 T45 - T50			
7 x		3/8": TB20 - TB25 - TB27 - TB30 TB40 TB45 - TB50			
3 x		3/8": M5 - M6 - M8			
6 x		3/8": 4 - 5 - 6 - 7 - 8 - 10 mm			
7 x		3/8": T20 - T25 - T27 - T30 - T40 T45 - T50			
3 x		3/8": M5 - M6 - M8			

**SCS CHROMEplus® socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8"

	L mm	B mm	H mm	kg	
<b>782.1052</b>	52 pcs	390,0	375,0	35,0	2,45
8 x		3/8": E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14			
6 x		3/8": 4 - 5 - 6 - 7 - 8 - 10 mm			
5 x		3/8": 4 - 5 - 6 - 8 - 10 mm			
7 x		3/8": T20 - T25 - T27 - T30 - T40 - T45 - T50			
7 x		3/8": TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50			
4 x		3/8": M5 - M6 - M8 - M10			
6 x		3/8": 4 - 5 - 6 - 7 - 8 - 10 mm			
7 x		3/8": T20 - T25 - T27 - T30 - T40 - T45 - T50			



**2/3 SCS - SOCKET WRENCH 1/2" - METRIC**

**SCS Socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>712.0026</b>	26 pcs	390,0	375,0	35,0	3,93
21 x		1/2": 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32-34 mm			
2 x		1/2": 125 - 250 mm			

1 x		1/2": 250 mm
1 x		1/2"
1 x		1/2"

**SCS CHROMEplus® socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>782.0026</b>	26 pcs	390,0	375,0	35,0	3,92
21 x		1/2": 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32-34 mm			
2 x		1/2": 125 - 250 mm			
1 x		1/2": 250 mm			
1 x		1/2"			
1 x		1/2"			

**SCS Socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>712.1029</b>	29 pcs	390,0	375,0	35,0	6,18
24 x		10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32-34-36 mm			
1 x		1/2"			
2 x		150 - 250 mm			
1 x		380 mm			
1 x		1/2"			

**CHROMEplus® socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

	L mm	B mm	H mm	kg	
<b>782.1029</b>	29 pcs	390,0	375,0	35,0	4,80
24 x		10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32-34-36 mm			
1 x		1/2"			
2 x		150 - 250 mm			
1 x		380 mm			
1 x		1/2"			

**SCS Bit socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"


	L mm	B mm	H mm	kg	
<b>712.0023</b>	23 pcs	390,0	375,0	35,0	2,90
9 x		5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm			
6 x		M5 - M8 - M10 - M12 - M14 - M16			
4 x		M8 - M10 - M12 - M14			
4 x		6 - 7 - 8 - 9 mm			



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
i

### SCS CHROMEplus® Bit socket set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

	L mm	B mm	H mm	kg	
<b>782.0023</b>	23 pcs	390,0	375,0	35,0	2,70
9 x		5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm			
6 x		M5 - M8 - M10 - M12 - M14 - M16			
4 x		M8 - M10 - M12 - M14			
4 x		6 - 7 - 8 - 9 mm			

### SCS Bit socket set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/2"

	L mm	B mm	H mm	kg	
<b>712.0029</b>	29 pcs	390,0	375,0	35,0	3,50
9 x		5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm			
8 x		M5 - M6 - M8 - M9 - M10 - M12 - M14 - M16			
2 x		M8 - M12 x 110 mm			
1 x		M12 x 140 mm			
5 x		6 - 7 - 8 - 9 - 10 mm			
1 x		50 mm			
3 x		50 - 125 - 250 mm			



### SCS CHROMEplus® socket set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>782.0029</b>	29 pcs	390,0	375,0	35,0	3,53
9 x		5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 - 19 mm			
8 x		M5 - M6 - M8 - M9 - M10 - M12 - M14 - M16			
2 x		M8 - M12 x 110 mm			
1 x		M12 x 140 mm			
5 x		6 - 7 - 8 - 9 - 10 mm			
1 x		50 mm			
3 x		50 - 125 - 250 mm			

### SCS Socket set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>712.0039</b>	39 pcs	390,0	375,0	35,0	3,60
9 x		TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60			
5 x		M6 - M8 - M9 - M12 - M14			
9 x		M5 - M6 - M7 - M8 - M9 - M10 - M12 - M13 - M14			
1 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10			
1 x		T10 - T15 - T20 - T25 - T30 - T40 - T45 - T50			

### SCS CHROMEplus® socket set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>782.0039</b>	39 pcs	390,0	375,0	35,0	3,50
9 x		TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60			
5 x		M6 - M8 - M9 - M12 - M14			
9 x		M5 - M6 - M7 - M8 - M9 - M10 - M12 - M13 - M14			
1 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10			
1 x		T10 - T15 - T20 - T25 - T30 - T40 - T45 - T50			

### SCS Socket set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>712.4040</b>	40 pcs	390,0	375,0	35,0	6,18
4 x		E16 - E18 - E20 - E24			
16 x		10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 - 34 mm			
5 x		10 - 12 - 14 - 17 - 19 mm			
2 x		12 - 14 mm			
2 x		10 - 12 mm			
2 x		T55 - T60			
2 x		T55 - T60			
3 x		TB50 - TB55 - TB60			
2 x		M12 - M14			
2 x		M12 - M14			

**SCS CHROMEplus® socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>782.4040</b>	40 pcs	390,0	375,0	35,0	1,55
4 x		E16 - E18 - E20 - E24			
16 x		10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 - 30 - 32 - 34 mm			
5 x		10 - 12 - 14 - 17 - 19 mm			
2 x		12 - 14 mm			
2 x		10 - 12 mm			
2 x		T55 - T60			
2 x		T55 - T60			
3 x		TB50 - TB55 - TB60			
2 x		M12 - M14			
2 x		M12 - M14			

**2/3 SCS - SOCKET WRENCH 1/2" - IMPERIAL**

**SCS Socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>712.6030</b>	30 pcs	390,0	375,0	35,0	5,30
15 x		3/8" - 7/16" - 1/2" - 9/16" - 19/32" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1" - 1.1/16" - 1.1/8" - 1.1/4"			
7 x		1/2" - 9/16" - 11/16" - 3/4" - 7/8" - 15/16" - 1"			
2 x		5/8" - 13/16"			
2 x		125 - 250 mm			
1 x		1/2"			
1 x		3/8" F x 1/2" M			
1 x		380 mm			
1 x		1/2"			

**SCS CHROMEplus® Socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>782.6030</b>	30 pcs	390,0	375,0	35,0	5,30
15 x		3/8" - 7/16" - 1/2" - 9/16" - 19/32" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16" - 1" - 1.1/16" - 1.1/8" - 1.1/4"			
7 x		1/2" - 9/16" - 11/16" - 3/4" - 7/8" - 15/16" - 1"			
2 x		5/8" - 13/16"			
2 x		125 - 250 mm			
1 x		1/2"			
1 x		3/8" F x 1/2" M			
1 x		380 mm			
1 x		1/2"			

**2/3 SCS - SOCKET WRENCH 1/4" + 1/2" - METRIC**

**SCS Socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	kg	
<b>712.0057</b>	57 pcs	390,0	375,0	35,0	4,31
9 x		1/4": 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
20 x		1/2": 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm			
3 x		1/4": 4,5 - 6 - 6,5 mm			
2 x		1/4": PH1 - PH3			
2 x		1/4": PZ1 - PZ2			
5 x		1/4": 3 - 4 - 5 - 6 - 8 mm			
4 x		1/4": T15 - T20 - T25 - T30			

2 x		1/4": 50 - 150 mm
2 x		1/2": 125 - 250 mm
1 x		1/2"
1 x		1/4"
1 x		1/4"
1 x		1/4"
2 x		1/4" - 1/2"
2 x		1/4" - 1/2"

**SCS CHROMEplus® socket set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	kg	
<b>782.0057</b>	57 pcs	390,0	375,0	35,0	4,30
9 x		1/4": 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
20 x		1/2": 10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm			
3 x		1/4": 4,5 - 6 - 6,5 mm			
2 x		1/4": PH1 - PH3			
2 x		1/4": PZ1 - PZ2			
5 x		1/4": 3 - 4 - 5 - 6 - 8 mm			
4 x		1/4": T15 - T20 - T25 - T30			
2 x		1/4": 50 - 150 mm			
2 x		1/2": 125 - 250 mm			
1 x		1/2"			
1 x		1/4"			
1 x		1/4"			
2 x		1/4" - 1/2"			
2 x		1/4" - 1/2"			



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### 2/3 SCS - SOCKET WRENCH 1/4" + 3/8" + 1/2" - METRIC

#### SCS Torx socket wrench set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

		L mm	B mm	H mm	kg
712.1057	57 pcs	390,0	375,0	35,0	2,31
7 x		1/4": E4 - E5 - E6 - E7 - E8 - E10 - E11			
2 x		3/8": E12 - E14			
4 x		1/2": E16 - E18 - E20 - E24			
2 x		3/8": T40 - T45			
3 x		1/2": T50 - T55 - T60			
1 x		1/4": T20			
10 x		1/4": TB7 - TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40			
1 x		1/4" x 1/4"			
1 x		3/8" x 10 mm			
1 x		1/4"			
8 x		T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30			
2 x		T6 - T7			
11 x		T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40			
4 x		E6xE8 - E10xE12 - E14xE18 - E20xE24			

### 2/3 SCS - SCREWDRIVER

#### SCS ERGOTORQUEplus® screwdriver set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.0011	11 pcs	390,0	375,0	35,0	1,00

1 x		6 mm
6 x		3 - 4 - 5,5 - 6,5 - 8 - 10 mm
1 x		PH2
3 x		PH1 - PH2 - PH3

#### SCS ERGOTORQUEplus® screwdriver set


- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.0012	12 pcs	390,0	375,0	35,0	1,02
5 x		3 - 4 - 6,5 - 8 - 10 mm			
3 x		PH1 - PH2 - PH3			
1 x		PZ1			
1 x		6 mm			
1 x		PH2			
1 x		2,4 mm			

#### SCS ERGOTORQUEmax® screwdriver set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.0013	13 pcs	390,0	375,0	35,0	3,94
5 x		3,5 - 5,5 - 7 - 8 - 10 mm			
5 x		PH0 - PH1 - PH2 - PH3 - PH4			
1 x		6 mm			
1 x		PH2			
1 x		1/4"			

#### SCS ERGOTORQUEplus® screwdriver set


- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
712.0020	20 pcs	390,0	375,0	35,0	1,30
1 x		6 mm			
3 x		3 - 5,5 - 8 mm			
1 x		PH2			
3 x		PH1 - PH2 - PH3			
1 x		PZ2			
3 x		PZ1 - PZ2 - PZ3			
1 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm			

#### SCS ERGOTORQUEplus® T-handle Torx tamperproof key wrench set

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




		L mm	B mm	H mm	kg
712.3007	7 pcs	390,0	375,0	35,0	0,84
7 x		TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40			



**SCS ERGOTORQUEplus® T-handle socket screwdriver set**


- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




	L mm	B mm	H mm	kg
712.1008	390,0	375,0	35,0	1,50
8 x	7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm			

**SCS ERGOTORQUEplus® T-handle hexagon socket key wrench set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
712.4009	390,0	375,0	35,0	1,55
9 x	2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			



**2/3 SCS - WORKSHOP SUPPLIES**

**SCS chisel and measuring instrument set**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
712.0021	21 pcs	390,0	375,0	35,0	1,91
5 x	Ø 3 - 4 - 5 - 6 - 8 mm				
3 x	Ø 4 - 5 - 6 mm				
4 x	Ø 3 - 4 - 5 - 6 mm				
1 x	Ø 5 mm				
1 x	250 mm				
1 x	150 mm				
1 x	320 mm				
1 x	0 - 150 mm				
1 x	0,05 - 1,00 mm				
1 x	E1xT5 - E30xT70				
1 x	0,4 - 6,0 mm				
1 x	3 - 48 V				

**2/3 SCS - EMPTY INSERTS**

**SCS Universal system insert for tool or small parts (empty)**

- 2/3 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
712.0001	390,0	375,0	35,0	0,10

**Anti slip mat**

- Thickness 10 mm
- Uncut for self modelling



	L mm	B mm	kg
800.0920	10000,0	600,0	2,50




1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
i

### 1/1 SCS - SPANNER - METRIC

#### SCS combination wrench set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
711.0026	26 pcs	390,0	564,0	35,0	5,50
26 x	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm				

#### SCS CHROMEplus® combination spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
781.0026	26 pcs	390,0	564,0	35,0	5,50
26 x	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32 mm				

#### SCS spanner set


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
711.1036	36 pcs	390,0	564,0	35,0	8,46
28 x	6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-29-30-32-34-36-38 mm				
8 x	10-11-12-13-14-15-16-17 mm				

### SCS spanner set


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
711.2030	30 pcs	390,0	564,0	35,0	4,82
12 x	8-9-10-11-12-13-14-15-16-17-18-19 mm				
7 x	6x7-8x9-10x11-12x13-14x15-16x17-18x19				
4 x	E6xE8-E10xE12-E14xE16-E22xE24				
7 x	8x10-12x13-13x14-14x15-17x19-19x22-24x27				

#### SCS CHROMEplus® spanner set


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
781.2030	30 pcs	390,0	564,0	35,0	5,20
12 x	8-9-10-11-12-13-14-15-16-17-18-19 mm				
7 x	6x7-8x9-10x11-12x13-14x15-16x17-18x19				
4 x	E6xE8-E10xE12-E14xE16-E22xE24				
7 x	8x10-12x13-13x14-14x15-17x19-19x22-24x27				

#### SCS Spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




	L mm	B mm	H mm	kg	
711.3021	21 pcs	390,0	564,0	35,0	2,14

14 x	6-7-8-9-10-11-12-13-14-15-16-17-18-19			
7 x	6x7-8x9-10x11-12x13-14x15-16x17-18x19			

#### Spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality two-coloured foam



	L mm	B mm	H mm	kg	
711.0027	24 pcs	390,0	564,0	35,0	2,76
16 x	6-7-8-9-10-11-12-13-14-15-16-17-18-19-21-22 mm				
8 x	10x11-12x13-14x15-16x17-18x19-20x22 mm				

#### SCS Spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
711.0024	24 pcs	390,0	564,0	35,0	4,70
12 x	6x7-8x9-10x11-12x13-14x15-16x17-18x19-20x22-21x23-24x27-27x30-30x32 mm				
12 x	8-9-10-11-12-13-14-15-16-17-18-19 mm				

#### SCS CHROMEplus® spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
781.0024	24 pcs	390,0	564,0	35,0	4,67
12 x	6x7-8x9-10x11-12x13-14x15-16x17-17x19-18x19-20x22-21x23-24x27-30x32 mm				
12 x	8-9-10-11-12-13-14-15-16-17-18-19 mm				

**SCS spanner set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0033</b>	33 pcs	390,0	564,0	35,0	4,05
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm				
8 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 21x23 mm				
8 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18 x19 - 21x23 mm				

**SCS CHROMEplus® spanner set**


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>781.0033</b>	33 pcs	390,0	564,0	35,0	4,72
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm				
8 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 21x23 mm				
8 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18 x19 - 21x23 mm				

**Spanner set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality two-coloured foam




	L mm	B mm	H mm	kg	
<b>711.3035</b>	35 pcs	390,0	564,0	35,0	5,08

21 x		6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm
7 x		6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19
7 x		6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19

**SCS spanner set**


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0035</b>	35 pcs	390,0	564,0	35,0	4,05
21 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm				
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm				
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18 x19 mm				

**SCS CHROMEplus® spanner set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




	L mm	B mm	H mm	kg	
<b>781.0035</b>	35 pcs	390,0	564,0	35,0	6,34
21 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm				
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 mm				
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18 x19 mm				



**SCS Wrench set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0036</b>	36 pcs	390,0	564,0	35,0	4,86
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm				
10 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 24x27 - 30x32 mm				
8 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18 x19 - 21x23 mm				
1x	11 mm				

**SCS CHROMEplus® wrench set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>781.0036</b>	36 pcs	390,0	564,0	35,0	5,80
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm				
10 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 24x27 - 30x32 mm				
8 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18 x19 - 21x23 mm				
1x	11 mm				

**SCS Wrench set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0041</b>	41 pcs	390,0	564,0	35,0	6,80

20 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 22 - 24 - 27 - 30 - 32 mm
10 x		6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x27 mm
2 x		8x10 - 10x11 mm
9x		6x7 - 8x9 - 10x11 - 12x13 - 14x15 16x17 - 18x19 - 20x22 - 21x23 mm


### SCS CHROMEplus® wrench set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



### SCS spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



### SCS spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>781.0041</b>	41 pcs	390,0	564,0	35,0	7,81
20 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 22 - 24 - 27 - 30 - 32 mm				
10 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 18x19 - 20x22 - 21x23 - 24x27 mm				
2 x	8x10 - 10x11 mm				
9x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 16x17 - 18x19 - 20x22 - 21x23 mm				

	L mm	B mm	H mm	kg	
<b>711.0042</b>	42 pcs	390,0	564,0	35,0	8,50
18 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 21 - 22 - 24 - 27 mm				
12 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 21x23 - 24x27 - 30x32 - 36x41 - 46x50 mm				
5 x	8x10 - 10x11 - 12x13 - 14x15 - 17x19 mm				
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 16x17 - 18x19 mm				

	L mm	B mm	H mm	kg	
<b>711.0048</b>	48 pcs	390,0	564,0	35,0	7,52
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19				
11 x	8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19				
8 x	8x10 - 10x12 - 12x13 - 14x15 - 17x19 - 19x21 - 24x27 - 30x32				
3 x	10x12 - 11x13 - 14x17				
12 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 22x24 - 24x27 - 30x32				
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19				

### SCS Spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




### SCS spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



### SCS Spanner and pliers set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.1048</b>	48 pcs	390,0	564,0	35,0	7,42
23 x	6-7-8-9-10-11-12-13-14-15-16-17-18 19-20-21-22-23-24-25-27-30-32 mm				
10 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 mm				
10 x	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 18 - 19 mm				
5 x	E6xE8 - E10xE12 - E14xE18 E16xE22 - E20xE24				

	L mm	B mm	H mm	kg	
<b>711.0047</b>	47 pcs	390,0	564,0	35,0	8,53
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 16x17 - 18x19 mm				
12 x	8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 18 - 19 mm				
10 x	10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 18 - 19 mm				
8 x	8x10 - 10x11 - 12x13 - 14x15 - 17x19 - 19x21 - 24x27 - 30x32 mm				
7 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 16x17 - 18x19 mm				
3 x	10x12 - 11x13 - 14x17 mm				

	L mm	B mm	H mm	kg	
<b>711.2012</b>	12 pcs	390,0	564,0	35,0	2,33
9 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 16x17 - 18x19 - 20x22 - 21x23				
1 x	160 mm				
1 x	160 mm				
1 x	240 mm				

**SCS double ring spanner and pliers set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.4015</b>	15 pcs	390,0	564,0	35,0	2,22
11 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 - 21x23 - 24x27 - 30x32 mm				
1 x	160 mm				
1 x	160 mm				
1 x	160 mm				
1 x	160 mm				

**SCS double spanner and file set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.3015</b>	15 pcs	390,0	564,0	35,0	3,73
11 x	6 x 7 - 8 x 9 - 10 x 11 - 12 x 13 - 14 x 15 - 16 x 17 - 18 x 19 - 20 x 22 - 24 x 27 - 30 x 32 - 36 x 41				
1 x	200 mm				
1 x	200 mm				
1 x	200 mm				
1 x	200 mm				



**SCS combination wrench and screwdriver set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.5027</b>	27 pcs	390,0	564,0	35,0	2,66
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 - 24 mm				
5 x	3 - 4 - 6,5 - 8 - 10 mm				
2 x	PH1 - PH2				
1 x	6 mm				
1 x	PH2				
1 x	2,4 mm				

**SCS CHROMEplus® combination wrench and screwdriver set**


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>781.2029</b>	29 pcs	390,0	564,0	35,0	4,11
21 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm				
6 x	3x155 - 4x155 - 4x180 - 5,5x230 - 6,5x230 - 8x265 mm				
2 x	PH1 - PH2				

**SCS Spanner and hammer set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.3031</b>	31 pcs	390,0	564,0	35,0	3,71
17 x	6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm				
8 x	6x7 - 8x9 - 10x11 - 12x13 - 14x15 - 16x17 - 18x19 - 20x22 mm				
1 x					
1 x	500 g				



1/1 SCS - SPANNER - IMPERIAL

**SCS CHROMEplus® wrench set inch**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>781.0031</b>	31 pcs	390,0	564,0	35,0	5,56
4 x	1/4" x 5/16" - 3/8" x 7/16" - 1/2" x 9/16" - 5/8" x 11/16"				
12 x	1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 15/16"				
7 x	1/4"x5/16" - 3/8"x7/16" - 1/2"x9/16" - 9/16"x5/8" - 11/16"x3/4" - 13/16"x7/8" - 15/16"x1"				
8 x	1/4"x5/16" - 3/8"x7/16" - 1/2"x9/16" - 9/16"x5/8" - 5/8"x11/16" - 11/16"x3/4" - 15/16"x1" - 1.1/8"x1.1/4"				

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
i

### SCS spanner and hammer set, imperial


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>781.4031</b>	31 pcs	390,0	564,0	35,0	7,40
16 x		1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8" - 5/16" - 1" - 1.1/16" - 1.1/8" - 1.1/4"			
9 x		1/4" x 5/16" - 3/8" x 7/16" - 1/2" x 9/16" - 5/8" x 11/16" - 3/4" x 7/8" - 15/16" x 1" - 1.1/8" x 1.1/4"			
1 x					
1 x		500 g			

### SCS combination wrench set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.3033</b>	33 pcs	390,0	564,0	35,0	5,77
8 x		5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4"			
25 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 30 mm			

### SCS CHROMEplus® combination spanner set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>781.3033</b>	33 pcs	390,0	564,0	35,0	7,24

8 x		5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4"
25 x		6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 30 mm



### 1/1 SCS - SOCKET WRENCH 1/4" - METRIC

#### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.1095</b>	95 pcs	390,0	564,0	35,0	3,72
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
6 x		1/4": E4 - E5 - E6 - E7 - E8 - E10			
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm			
8 x		1/4": T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40			
8 x		1/4": TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40			
6 x		1/4": M4 - M5 - M6 - M7 - M8 - M10			
3 x		1/4": 50 - 100 - 150 mm			
1 x		3,0 - 5,5 - PH1 - PH2			
1 x		1/4"			
1 x		1/4"			
1 x		1/4"			
1 x		1/4"			
5 x		3 - 4 - 5,5 - 6,5 - 8 mm			
4 x		PH0 - PH1 - PH2 - PH3			
1 x		TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50			
1 x		1/4": 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			
1 x		11 x 115 mm			

### SCS CHROMEplus® socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>781.1095</b>	95 pcs	390,0	564,0	35,0	3,90
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
6 x		1/4": E4 - E5 - E6 - E7 - E8 - E10			
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm			
8 x		1/4": T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40			
8 x		1/4": TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40			
6 x		1/4": M4 - M5 - M6 - M7 - M8 - M10			
3 x		1/4": 50 - 100 - 150 mm			
1 x		3,0 - 5,5 - PH1 - PH2			
1 x		1/4"			
1 x		1/4"			
1 x		1/4"			
1 x		1/4"			
5 x		3 - 4 - 5,5 - 6,5 - 8 mm			
4 x		PH0 - PH1 - PH2 - PH3			
1 x		TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50			
1 x		1/4": 1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			
1 x		11 x 115 mm			



**1/1 SCS - SOCKET WRENCH 1/2" - METRIC**

**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	
<b>711.0061</b>	61 pcs	390,0	564,0	35,0	8,52
19 x		1/2": 10-11-12-13-14-15-16-17-18-19 20-21-22-24-26-27-28-30-32 mm			
1 x		3/4": 32 mm			
2 x		1/2": 10 - 13 mm			
2 x		1/2": 17 - 19 mm			
4 x		1/2": 5 - 6 - 8 - 10 mm			
6 x		1/2": 5 - 6 - 7 - 8 - 9 - 10 mm			
5 x		1/2": T25 - T45 - T50 - T55 - T60			
1 x		1/2": T45			
5 x		1/2": M6 - M8 - M10 - M12 - M14			
4 x		1/2": M8 - M10 - M12 - M14			
1 x		1/2": M16			
1 x		1/2": M9			
1 x		3/4": M18			
2 x		1/2": 125 - 250 mm			
3 x		1/2": 50 - 125 - 250 mm			
1 x		1/2": 250 mm			
1 x		3/8"F x 1/2"M			
1 x		1/2"			
1 x		1/2"			



**SCS CHROMEplus® socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	
<b>781.0061</b>	61 pcs	390,0	564,0	35,0	8,40
19 x		1/2": 10-11-12-13-14-15-16-17-18-19 20-21-22-24-26-27-28-30-32 mm			
1 x		3/4": 32 mm			
2 x		1/2": 10 - 13 mm			
2 x		1/2": 17 - 19 mm			
4 x		1/2": 5 - 6 - 8 - 10 mm			
6 x		1/2": 5 - 6 - 7 - 8 - 9 - 10 mm			
5 x		1/2": T25 - T45 - T50 - T55 - T60			
1 x		1/2": T45			
5 x		1/2": M6 - M8 - M10 - M12 - M14			
4 x		1/2": M8 - M10 - M12 - M14			
1 x		1/2": M16			
1 x		1/2": M9			
1 x		3/4": M18			
2 x		1/2": 125 - 250 mm			
3 x		1/2": 50 - 125 - 250 mm			
1 x		1/2": 250 mm			
1 x		3/8"F x 1/2"M			
1 x		1/2"			
1 x		1/2"			

**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

		L mm	B mm	H mm	
<b>711.0066</b>	66 pcs	390,0	564,0	35,0	8,73

19 x		1/2": 10-11-12-13-14-15-16-17-18-19 20-21-22-23-26-27-28-30-32 mm
9 x		1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24
2 x		1/2": 17 - 19 mm
9 x		1/2": 6 - 7 - 8 - 9 - 10 - 12 - 14 - 17 19 mm
9 x		1/2": T20 - T25 - T27 - T30 - T40 - T45 T50 - T55 - T60
4 x		1/2": TB30 - TB40 - TB45 - TB50
2 x		1/2": 125 - 250 mm
2 x		1/2": 50 - 250 mm
1 x		1/2": 250 mm
2 x		3/8"F x 1/2"M - 1/2"F x 3/8"M
1 x		1/2"
1 x		1/2"
1 x		1/2": 380 mm
4 x		E6xE8 - E10xE12 - E14xE16 E22xE24

**SCS CHROMEplus® socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"


		L mm	B mm	H mm	
<b>781.0066</b>	66 pcs	390,0	564,0	35,0	8,70
19 x		1/2": 10-11-12-13-14-15-16-17-18-19 20-21-22-23-26-27-28-30-32 mm			
9 x		1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24			
2 x		1/2": 17 - 19 mm			
9 x		1/2": 6 - 7 - 8 - 9 - 10 - 12 - 14 - 17 19 mm			
9 x		1/2": T20 - T25 - T27 - T30 - T40 - T45 T50 - T55 - T60			
4 x		1/2": TB30 - TB40 - TB45 - TB50			
2 x		1/2": 125 - 250 mm			
2 x		1/2": 50 - 250 mm			
1 x		1/2": 250 mm			
2 x		3/8"F x 1/2"M - 1/2"F x 3/8"M			
1 x		1/2"			
1 x		1/2"			
1 x		1/2": 380 mm			
4 x		E6xE8 - E10xE12 - E14xE16 E22xE24			

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

i

### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>711.0071</b>	71 pcs	390,0	564,0	35,0	10,90
25 x		8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32-34mm			
17 x		10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm			
9 x		E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24			
8 x		E10 - E12 - E14 - E16 - E18 - E20 - E22 - E24			
4 x		1/2": 75 - 125 - 250 - 305 mm			
1 x		1/2": 250 mm			
1 x		1/2"			
1 x		1/2": 380 - 500 mm			
5 x		10x12 - 11x13 - 14x17 - 16x18 - 19x22 mm			

### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>711.0095</b>	95 pcs	390,0	564,0	35,0	12,94
24 x		1/2": 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32			
24 x		1/2": 8-9-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-32			
2 x		1/2": 16 - 21			
9 x		1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24			
7 x		1/2": 6 - 7 - 8 - 10 - 12 - 14 - 17 mm			
7 x		1/2": T30 - T40 - T45 - T50 - T55 - T60 - T70			
7 x		1/2": TB30 - TB40 - TB45 - TB50 - TB55 - TB60 - TB70			
2 x		1/2": 8 - 10 mm			

5 x		1/2": M5 - M6 - M8 - M10 - M12
1 x		1/2"
1 x		1/2" 370 mm
2 x		1/2": 125 - 250 mm
1 x		1/2"
1 x		1/2"
1 x		1/2"
1 x		1/2"F x 3/8"M
1 x		1/2"F x 3/4"M

### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>711.0053</b>	53 pcs	390,0	564,0	35,0	6,75
1 x		2,0 - 2,5 - 3,0 - 4,0 - 5,0 - 6,0 - 8,0 - 10,0 mm			
1 x		T10 - T15 - T20 - T25 - T30 - T40 - T45 - T50			
2 x		10 x 11 - 12 x 13 mm			
5 x		T15 x T20 - T25 x T27 - T30 x T40 - T45 x T50 - T55 x T60			
4 x		E6 x E8 - E10 x E12 - E14 x E16 - E22 x E24			
3 x		3 x 4 - 5 x 6 - 8 x 10 mm			
5 x		M6 - M8 - M9 - M12 - M14			
9 x		TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55 - TB60			
9 x		M5 - M6 - M7 - M8 - M9 - M10 - M12 - M13 - M14			

### SCS Chisels, spanners, bit socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/2"

	L mm	B mm	H mm	kg	
<b>711.0106</b>	106 pcs	390,0	564,0	35,0	7,98

4 x		3/8": T10 - T15 - T20 - T30
12 x		1/2": T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55 - T60 - T70
8 x		1/2": 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 mm
7 x		1/2": M5 - M6 - M7 - M8 - M10 - M12 - M14
6 x		10x11 - 12x14 - 13x15 - 16x18 - 17x19 - 22x24 mm
10 x		8 - 10 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
1 x		1/4"
1 x		1/4"
3 x		18x100 - 18x125 - 24x175 mm
4 x		Ø 3 - 4 - 5 - 6 mm
5 x		1/4": PH0 - PH1 - 2xPH2 - PH3
5 x		1/4": PZ0 - PZ1 - 2xPZ2 - PZ3
9 x		1/4": T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
9 x		1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40
7 x		1/4": 2 - 3 - 4 - 5 - 6 - 7 - 8 mm
4 x		1/4": 4 - 5 - 6 - 8 mm
6 x		1/4": 3 - 4 - 4,5 - 5,5 - 6 - 6,5 mm
4 x		1/4": #0 - #1 - #2 - #3
1 x		1/4" x 1/4"

### 1/1 SCS - SOCKET WRENCH 3/4" - METRIC

### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/4"

	L mm	B mm	H mm	kg	
<b>711.0029</b>	29 pcs	390,0	564,0	35,0	19,00
17 x		3/4": 17 - 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 33 - 34 - 35 - 36 - 38 - 41 - 46 - 50			
3 x		3/4": 100 - 200 - 400 mm			
1 x		3/4": 450 mm			
1 x		3/4": 500 mm			
1 x		3/4": 500 mm			
2 x		3/4": 320 - 480 mm			
1 x		3/4"			
1 x		3/4"			
1 x		3/4"F x 1/2"M			
1 x		3/4"F x 1"M			

**SCS socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/4"

	L mm	B mm	H mm	kg	
<b>711.1031</b>	31 pcs	390,0	564,0	35,0	15,93
14 x		3/4": 19 - 21 - 22 - 23 - 24 - 26 - 27 - 30 - 32 - 36 - 38 - 41 - 46 - 50 mm			
14 x		3/4": 3/4" - 7/8" - 15/16" - 1" - 1.1/16" - 1.1/8" - 1.3/16" - 1.1/4" - 1.3/8" - 1.7/16" - 1.1/2" - 1.5/8" - 1.3/4" - 2"			
1 x		3/4": 400 mm			
1 x		3/4": 450 mm			
1 x		3/4": 500 mm			

**SCS impact socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/4"

	L mm	B mm	H mm	kg	
<b>711.2033</b>	33 pcs	390,0	564,0	35,0	18,95
15 x		19 - 21 - 22 - 23 - 24 - 27 - 28 - 30 - 32 - 33 - 34 - 36 - 38 - 41 - 46 mm			
14 x		19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 33 - 34 - 36 - 38 - 41 - 46 mm			
2 x		3/4"F x 1/2"M - 3/4"F x 1"M			
1 x		1/2"			
1 x		150 mm			



**1/1 SCS - SOCKET WRENCH 1/4" + 3/8" - METRIC**

**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8"

	L mm	B mm	H mm	kg	
<b>711.0118</b>	118 pcs	390,0	564,0	35,0	6,16
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
17 x		3/8": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm			
6 x		1/4": E4 - E5 - E6 - E7 - E8 - E10			
8 x		3/8": E8 - E10 - E11 - E12 - E14 - E16 - E18 - E20			
7 x		1/4": 2 - 3 - 4 - 5 - 6 - 7 - 8 mm			
8 x		1/4": T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40			
8 x		1/4": TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40			
7 x		1/4": TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40			
2 x		1/4": 50 - 100 mm			
2 x		3/8": 75 - 150 mm			
1 x		1/4"			
1 x		3/8"			
1 x		1/4": 145 mm			
1 x		3/8": 210 mm			
1 x		60 mm			
1 x		150 mm			
1 x		1/4" x 150 mm			
2 x		1/4" - 3/8"			
1 x		1/4"F x 3/8"M			
1 x		3/8"F x 1/4"M			
1 x		150 - 670 mm			
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10			
1 x		TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50			
4 x		3,5 - 5,5 - 7 - 8 mm			
5 x		PH0 - PH1 - PH2 - PH3 - PH4			

**SCS impact socket wrench set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/4"

	L mm	B mm	H mm	kg	
<b>711.5031</b>	31 pcs	390,0	564,0	35,0	18,76
15 x		17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 30 - 32 mm			
10 x		17 - 18 - 19 - 21 - 22 - 24 - 27 - 28 - 30 - 32 mm			
1 x		3/4"			
4 x		100 - 150 - 200 - 250 mm			
1 x		3/4": 450 mm			



**SCS impact socket wrench set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/4"


	L mm	B mm	H mm	kg	
<b>711.1035</b>	35 pcs	390,0	564,0	35,0	19,42
16 x		3/4": 17 - 19 - 21 - 22 - 23 - 24 - 27 - 28 - 30 - 32 - 33 - 34 - 36 - 38 - 41 - 46 mm			
14 x		3/4": 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 33 - 34 - 36 - 38 - 41 - 46 mm			
3 x		3/4": 100 - 200 mm			
1 x		3/4"			
1 x		3/4"F x 1/2"M			
1 x		3/4"F x 1"M			



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8"

	L mm	B mm	H mm	kg
<b>711.0136</b>	136 pcs	390,0	564,0	35,0
12 x		1/4": 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm		
17 x		3/8": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm		
9 x		3/8": E4 - E5 - E6 - E7 - E8 - E10 E11 - E12 - E14		
3 x		3/8": 16 - 18 - 21 mm		
2 x		1/4": 4 - 5,5 mm		
5 x		1/4": PH0 - PH1 - PH2 - PH3 - PH4		
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm		
9 x		1/4": T7 - T8 - T10 - T15 - T20 - T25 T27 - T30 - T40		
8 x		1/4": TB9 - TB10 - TB15 - TB20 TB25 - TB27 - TB30 - TB40		
6 x		1/4": M4 - M5 - M6 - M7 - M8 - M10		
8 x		3/8": 3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 mm		
9 x		3/8": T15 - T20 - T25 - T27 - T30 - T40 T45 - T50 - T55		
9 x		3/8": TB15 - TB20 - TB25 - TB27 TB30 - TB40 - TB45 - TB50 - TB55		
5 x		3/8": M4 - M5 - M6 - M8 - M10		
2 x		1/4": 50 - 150 mm		
4 x		3/8": 50 - 75 - 150 - 250 mm		
1 x		1/4"		
1 x		1/4"		
1 x		1/4"		
2 x		1/4" - 3/8"		
2 x		1/4" - 3/8"		
2 x		1/4" - 3/8"		
4 x		E6xE8 - E10xE12 - E14xE16 E22xE24		
1 x		TS10 - TS15 - TS20 - TS25 - TS27 TS30 - TS40 - TS45 - TS50		



**SCS CHROMEplus® socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8"

	L mm	B mm	H mm	kg
<b>781.0136</b>	136 pcs	390,0	564,0	35,0
12 x		1/4": 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm		
17 x		3/8": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm		
9 x		3/8": E4 - E5 - E6 - E7 - E8 - E10 E11 - E12 - E14		
3 x		3/8": 16 - 18 - 21 mm		
2 x		1/4": 4 - 5,5 mm		
5 x		1/4": PH0 - PH1 - PH2 - PH3 - PH4		
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm		
9 x		1/4": T7 - T8 - T10 - T15 - T20 - T25 T27 - T30 - T40		
8 x		1/4": TB9 - TB10 - TB15 - TB20 TB25 - TB27 - TB30 - TB40		
6 x		1/4": M4 - M5 - M6 - M7 - M8 - M10		
8 x		3/8": 3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 mm		
9 x		3/8": T15 - T20 - T25 - T27 - T30 - T40 T45 - T50 - T55		
9 x		3/8": TB15 - TB20 - TB25 - TB27 TB30 - TB40 - TB45 - TB50 - TB55		
5 x		3/8": M4 - M5 - M6 - M8 - M10		
2 x		1/4": 50 - 150 mm		
4 x		3/8": 50 - 75 - 150 - 250 mm		
1 x		1/4"		
1 x		1/4"		
1 x		1/4"		
2 x		1/4" - 3/8"		
2 x		1/4" - 3/8"		
2 x		1/4" - 3/8"		
4 x		E6xE8 - E10xE12 - E14xE16 E22xE24		
1 x		TS10 - TS15 - TS20 - TS25 - TS27 TS30 - TS40 - TS45 - TS50		

**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8"

	L mm	B mm	H mm	kg
<b>711.1136</b>	136 pcs	390,0	564,0	35,0
12 x		1/4": 4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm		
16 x		3/8": 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 - 20 - 21 - 22 mm		
12 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 mm		
14 x		3/8": 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 - 20 - 21 mm		
6 x		1/4": E4 - E5 - E6 - E7 - E8 - E10		
8 x		3/8": E5 - E6 - E7 - E8 - E10 - E11 E12 - E14		
3 x		3/8": 16 - 18 - 21 mm		
7 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 mm		
3 x		1/4": 4 - 5,5 - 6,5 mm		
3 x		1/4": PH1 - PH2 - PH3		
5 x		1/4": 3 - 4 - 5 - 6 - 8 mm		
7 x		1/4": T10 - T15 - T20 - T25 - T27 - T30 - T40		
7 x		3/8": 3 - 4 - 5 - 6 - 7 - 8 - 10 mm		
9 x		3/8": T15 - T20 - T25 - T27 - T30 - T40 T45 - T50 - T55		
1 x		3/8": T25		
5 x		3/8": M4 - M5 - M6 - M8 - M10		
3 x		1/4": 50 - 100 - 150 mm		
3 x		3/8": 75 - 150 - 250 mm		
1 x		1/4": 150 mm		
1 x		1/4"		
1 x		1/4"		
1 x		1/4"		
1 x		1/4" - 3/8"		
1 x		1/4" - 3/8"		
1 x		3/8"		



**SCS CHROMEplus® socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam

**SCS CHROMEplus® socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam

1/4" 3/8"

	L mm	B mm	H mm	M
<b>781.1136</b> 136 pcs	390,0	564,0	35,0	7,63
12 x	1/4": 4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm			
16 x	3/8": 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm			
12 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
14 x	3/8": 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 mm			
6 x	1/4": E4 - E5 - E6 - E7 - E8 - E10			
8 x	3/8": E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14			
3 x	3/8": 16 - 18 - 21 mm			
7 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 mm			
3 x	1/4": 4 - 5,5 - 6,5 mm			
3 x	1/4": PH1 - PH2 - PH3			
5 x	1/4": 3 - 4 - 5 - 6 - 8 mm			
7 x	1/4": T10 - T15 - T20 - T25 - T27 - T30 - T40			
7 x	3/8": 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			
9 x	3/8": T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55			
1 x	3/8": T25			
5 x	3/8": M4 - M5 - M6 - M8 - M10			
3 x	1/4": 50 - 100 - 150 mm			
3 x	3/8": 75 - 150 - 250 mm			
1 x	1/4": 150 mm			
1 x	1/4"			
1 x	1/4"			
3 x	1/4"Fx3/8"M - 3/8"Fx1/4"M - 1/2"Fx3/8"M			
2 x	1/4" - 3/8"			
2 x	1/4" - 3/8"			
1 x	3/8"			



1/4" 3/8"

	L mm	B mm	H mm	M
<b>711.0144</b> 144 pcs	390,0	564,0	35,0	5,82
12 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
17 x	3/8": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm			
12 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
6 x	1/4": E4 - E5 - E6 - E7 - E8 - E10			
9 x	3/8": E4 - E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14			
3 x	3/8": 16 - 18 - 21 mm			
6 x	1/4": 3 - 4 - 5 - 6 - 7 - 8 mm			
7 x	1/4": T7 - T8 - T9 - T10 - T15 - T20 - T25			
8 x	1/4": TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40			
6 x	1/4": M4 - M5 - M6 - M7 - M8 - M10			
8 x	3/8": 3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 mm			
9 x	3/8": T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55			
9 x	3/8": TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55			
3 x	1/4": 50 - 100 - 150 mm			
3 x	3/8": 75 - 150 - 250 mm			
1 x	1/4"			
1 x	1/2"Fx3/8"M			
2 x	1/4" - 3/8"			
2 x	1/4" - 3/8"			
1 x	1/4"			
1 x	TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50			
1 x	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			



1/4" 3/8"

	L mm	B mm	H mm	M
<b>781.0144</b> 144 pcs	390,0	564,0	35,0	6,50
12 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
17 x	3/8": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 mm			
12 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
6 x	1/4": E4 - E5 - E6 - E7 - E8 - E10			
9 x	3/8": E4 - E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14			
3 x	3/8": 16 - 18 - 21 mm			
6 x	1/4": 3 - 4 - 5 - 6 - 7 - 8 mm			
7 x	1/4": T7 - T8 - T9 - T10 - T15 - T20 - T25			
8 x	1/4": TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40			
6 x	1/4": M4 - M5 - M6 - M7 - M8 - M10			
8 x	3/8": 3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 mm			
9 x	3/8": T15 - T20 - T25 - T27 - T30 - T40 - T45 - T50 - T55			
9 x	3/8": TB15 - TB20 - TB25 - TB27 - TB30 - TB40 - TB45 - TB50 - TB55			
3 x	1/4": 50 - 100 - 150 mm			
3 x	3/8": 75 - 150 - 250 mm			
1 x	1/4"			
1 x	1/2"Fx3/8"M			
2 x	1/4" - 3/8"			
2 x	1/4" - 3/8"			
1 x	1/4"			
1 x	TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50			
1 x	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			


Visit our homepage:  
[www.kstools.com](http://www.kstools.com)

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### 1/1 SCS - SOCKET WRENCH 1/4" + 1/2" - METRIC

#### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4" 1/2"

	L mm	B mm	H mm	kg	
<b>711.0058</b>	58 pcs	390,0	564,0	35,0	4,45
11 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 - 14 mm			
20 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm			
5 x		1/4": 3 - 4 - 5 - 6 - 8 mm			
4 x		1/4": 4 - 5,5 - 6,5 - 8 mm			
4 x		1/4": PH1 - PH2 - PH3 - PH4			
3 x		1/4": PZ1 - PZ2 - PZ3			
2 x		1/4" - 1/2"			
2 x		1/4": 50 - 150 mm			
2 x		1/2": 125 - 250 mm			
2 x		1/4" x 110 mm - 1/2" x 250 mm			
1 x		1/4" x 150 mm			
2 x		1/4" - 1/2"			

#### SCS CHROMEplus® socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	kg	
<b>781.0058</b>	58 pcs	390,0	564,0	35,0	4,41
11 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 - 14 mm			
20 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm			
5 x		1/4": 3 - 4 - 5 - 6 - 8 mm			
4 x		1/4": 4 - 5,5 - 6,5 - 8 mm			
4 x		1/4": PH1 - PH2 - PH3 - PH4			
3 x		1/4": PZ1 - PZ2 - PZ3			

2 x		1/4" - 1/2"
2 x		1/4": 50 - 150 mm
2 x		1/2": 125 - 250 mm
2 x		1/4" x 110 mm - 1/2" x 250 mm
1 x		1/4" x 150 mm
2 x		1/4" - 1/2"

#### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	kg	
<b>711.0135</b>	135 pcs	390,0	564,0	35,0	9,27
12 x		1/4": 4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm			
21 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 30 - 32 mm			
5 x		1/4": E4 - E5 - E6 - E7 - E8			
8 x		1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E24			
2 x		1/2": 17 - 19 mm			
1 x		3/4": 36 mm			
3 x		1/4": 4 - 5,5 - 6,5 mm			
3 x		1/4": PH1 - PH2 - PH3			
2 x		1/4": PZ1 - PZ2			
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm			
10 x		1/4": T7 - T8 - T9 - T10 - T15 - T20 T25 - T27 - T30 - T40			
9 x		1/4": TB8 - TB9 - TB10 - TB15 - TB20 TB25 - TB27 - TB30 - TB40			
9 x		1/2": 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 19 mm			
5 x		1/2": T40 - T45 - T50 - T55 - T60			
3 x		1/2": M6 - M8 - M10			
1 x		1/2": T25			
2 x		1/4": 50 - 150 mm			
2 x		1/2": 125 - 250 mm			
2 x		1/4" - 1/2"			
1 x		1/4"			
1 x		1/2" F x 3/4" M			
2 x		1/4" - 1/2"			
2 x		1/4" - 1/2"			
4 x		T6 - T7 - T8 - T9			
1 x		TS10 - TS15 - TS20 - TS25 - TS27 TS30 - TS40 - TS45 - TS50			
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			

2 x		1/4" - 1/2"
4 x		T6 - T7 - T8 - T9
1 x		TS10 - TS15 - TS20 - TS25 - TS27 TS30 - TS40 - TS45 - TS50
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm

#### SCS CHROMEplus® socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	kg	
<b>781.0135</b>	135 pcs	390,0	564,0	35,0	9,50
12 x		1/4": 4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 - 14 mm			
21 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 30 - 32 mm			
5 x		1/4": E4 - E5 - E6 - E7 - E8			
8 x		1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E24			
2 x		1/2": 17 - 19 mm			
1 x		3/4": 36 mm			
3 x		1/4": 4 - 5,5 - 6,5 mm			
3 x		1/4": PH1 - PH2 - PH3			
2 x		1/4": PZ1 - PZ2			
6 x		1/4": 3 - 4 - 5 - 6 - 7 - 8 mm			
10 x		1/4": T7 - T8 - T9 - T10 - T15 - T20 T25 - T27 - T30 - T40			
9 x		1/4": TB8 - TB9 - TB10 - TB15 - TB20 TB25 - TB27 - TB30 - TB40			
9 x		1/2": 5 - 6 - 7 - 8 - 10 - 12 - 14 - 17 19 mm			
5 x		1/2": T40 - T45 - T50 - T55 - T60			
3 x		1/2": M6 - M8 - M10			
1 x		1/2": T25			
2 x		1/4": 50 - 150 mm			
2 x		1/2": 125 - 250 mm			
2 x		1/4" - 1/2"			
1 x		1/4"			
1 x		1/2" F x 3/4" M			
2 x		1/4" - 1/2"			
2 x		1/4" - 1/2"			
4 x		T6 - T7 - T8 - T9			
1 x		TS10 - TS15 - TS20 - TS25 - TS27 TS30 - TS40 - TS45 - TS50			
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			

**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 1/2"

	L mm	B mm	H mm	kg	
<b>711.0163</b>	163 pcs	390,0	564,0	35,0	7,24
13 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm				
17 x	1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 21 - 22 - 24 - 27 - 27 - 30 - 32 mm				
7 x	1/4": 6 - 7 - 8 - 9 - 10 - 12 - 13 mm				
5 x	1/2": 14 - 15 - 17 - 19 - 22 mm				
5 x	1/4": E4 - E5 - E6 - E7 - E8				
8 x	1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E24				
2 x	1/2": 16 - 21 mm				
4 x	1/4": 4 - 5,5 - 6,5 - 7 mm				
3 x	1/4": PH0 - PH1 - PH2				
3 x	1/4": PZ0 - PZ1 - PZ2				
4 x	1/4": 3 - 4 - 5 - 6 mm				
8 x	1/4": T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30				
8 x	1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30				
11 x	1/4": T5 - T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30				
1 x	1/4": TB7				
3 x	1/4": M5 - M6 - M8				
5 x	1/4": M5 - M6 - M7 - M8 - M9				
8 x	1/4": TS10 - TS15 - TS20 - TS25 - TS25 - TS27 - TS30 - TS40 - TS45				
3 x	5/16": 8 - 10 - 12 mm				
2 x	5/16": PH3 - PH4				
2 x	5/16": PZ3 - PZ4				
5 x	5/16": 7 - 8 - 10 - 12 - 14 mm				
6 x	5/16": T40 - T45 - T50 - T55 - T60 - T70				
6 x	5/16": TB40 - TB45 - TB50 - TB55 - TB60 - TB70				
3 x	1/4" - 5/16" - 1/2"				
2 x	1/4" - 1/2"				
1 x	3/8" F x 1/2" M				
2 x	1/4": 50 - 100 mm				
2 x	1/2": 125 - 250 mm				
1 x	1/4"				

1 x		1/4"
2 x		1/4" - 1/2"
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm
1 x		500 g

**1/1 SCS - SOCKET WRENCH 3/8" + 1/2" - METRIC**

**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8" 1/2"

	L mm	B mm	H mm	kg	
<b>711.0098</b>	98 pcs	390,0	564,0	35,0	7,50
17 x	3/8": 6-7-8-9-10-11-12-13-14-15-16-17- 18-19-20-21-22mm				
24 x	1/2": 8-9-10-11-12-13-14-15-16-17-18-19 - 20-21-22-23-24-25-26-27-28-29-30-32mm				
9 x	3/8": E4 - E5 - E6 - E7 - E8 - E10 - E11 E12 - E14				
9 x	1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24				
3 x	3/8": 16 - 18 - 21 mm				
7 x	3/8": 3 - 4 - 5 - 6 - 7 - 8 - 10 mm				
9 x	3/8": T15 - T20 - T25 - T27 - T30 - T40 T45 - T50 - T55				
9 x	3/8": TB15 - TB20 - TB25 - TB27 TB30 - TB40 - TB45 - TB50 - TB55				
3 x	3/8": 75 - 150 - 250 mm				
2 x	1/2": 125 - 250 mm				
2 x	1/2 Fx 3/8" M - 3/8" Fx 1/2" M				
2 x	3/8" - 1/2"				
2 x	3/8" - 1/2"				



**SCS CHROMEplus® socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




3/8" 1/2"

	L mm	B mm	H mm	kg	
<b>781.0098</b>	98 pcs	390,0	564,0	35,0	7,25
17 x	3/8": 6-7-8-9-10-11-12-13-14-15-16-17- 18-19-20-21-22mm				
24 x	1/2": 8-9-10-11-12-13-14-15-16-17-18-19 - 20-21-22-23-24-25-26-27-28-29-30-32mm				
9 x	3/8": E4 - E5 - E6 - E7 - E8 - E10 - E11 E12 - E14				
9 x	1/2": E10 - E11 - E12 - E14 - E16 - E18 - E20 - E22 - E24				
3 x	3/8": 16 - 18 - 21 mm				
7 x	3/8": 3 - 4 - 5 - 6 - 7 - 8 - 10 mm				
9 x	3/8": T15 - T20 - T25 - T27 - T30 - T40 T45 - T50 - T55				
9 x	3/8": TB15 - TB20 - TB25 - TB27 TB30 - TB40 - TB45 - TB50 - TB55				
3 x	3/8": 75 - 150 - 250 mm				
2 x	1/2": 125 - 250 mm				
2 x	1/2 Fx 3/8" M - 3/8" Fx 1/2" M				
2 x	3/8" - 1/2"				
2 x	3/8" - 1/2"				

**1/1 SCS - SOCKET WRENCH 1/4" + 3/8" + 1/2" - METRIC**

**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg	
<b>711.0075</b>	75 pcs	390,0	564,0	35,0	1,15
12 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 21 - 22 mm				
5 x	1/4": E4 - E5 - E6 - E7 - E8				
4 x	3/8": E10 - E11 - E12 - E14				

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

4 x		1/2": E16 - E18 - E20 - E24
2 x		3/8": T40 - T45
3 x		1/2": T50 - T55 - T60
2 x		1/4": T6 - T25
10 x		1/4": TB7 - TB8 - TB9 - TB10 - TB15 TB20 - TB25 - TB27 - TB30 - TB40
3 x		3/8": 75 - 150 - 250 mm
2 x		3/8"x10mm - 1/4"x1/4"
1 x		3/8"
1 x		1/4"
1 x		3/8"
11 x		T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40
8 x		T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30
2 x		T6 - T7
4 x		E6xE8 - E10xE12 - E14xE18 E20xE24

### SCS CHROMEplus® socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg
<b>781.0075</b> 75 pcs	390,0	564,0	35,0	3,80
12 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 18 - 19 - 21 - 22 mm			
5 x	1/4": E4 - E5 - E6 - E7 - E8			
4 x	3/8": E10 - E11 - E12 - E14			
4 x	1/2": E16 - E18 - E20 - E24			
2 x	3/8": T40 - T45			
3 x	1/2": T50 - T55 - T60			
2 x	1/4": T6 - T25			
10 x	1/4": TB7 - TB8 - TB9 - TB10 - TB15 TB20 - TB25 - TB27 - TB30 - TB40			
3 x	3/8": 75 - 150 - 250 mm			
2 x	3/8"x10mm - 1/4"x1/4"			
1 x	3/8"			
1 x	1/4"			
1 x	3/8"			
11 x	T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40			
8 x	T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30			
2 x	T6 - T7			
4 x	E6xE8 - E10xE12 - E14xE18 E20xE24			

### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg
<b>711.0090</b> 90 pcs	390,0	564,0	35,0	5,26
15 x	3/8": 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 15 - 16 - 17 - 18 - 19 - 21 - 22 mm			
4 x	3/8": 10 - 11 - 12 - 13 mm			
5 x	1/4": E4 - E5 - E6 - E7 - E8			
4 x	3/8": E10 - E11 - E12 - E14			
4 x	1/2": E16 - E18 - E20 - E24			
7 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 mm			
3 x	1/2": 33 mm - 5/16" - 11/32"			
3 x	1/4": PH1 - PH2 - PH3			
2 x	1/4": T8 - T10			
1 x	3/8": 8 mm			
2 x	3/8": T40 - T45			
3 x	3/8": M6 - M8 - M10			
2 x	1/4": T6 - T25			
9 x	1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - T27 - TB30 - TB40			
3 x	3/8": 75 - 150 - 250 mm			
2 x	3/8" - 1/4"			
2 x	3/8"Fx1/4"M - 3/8"Fx1/2"M			
1 x	3/8"			
1 x	3/8"			
2 x	1/4" - 3/8"			
11 x	T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 T27 - T30 - T40			
4 x	E6xE8 - E10xE12 - E14xE18 E20xE24			



### SCS CHROMEplus® socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg
<b>781.0090</b> 90 pcs	390,0	564,0	35,0	5,07
15 x	3/8": 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 15 - 16 - 17 - 18 - 19 - 21 - 22 mm			
4 x	3/8": 10 - 11 - 12 - 13 mm			
5 x	1/4": E4 - E5 - E6 - E7 - E8			
4 x	3/8": E10 - E11 - E12 - E14			
4 x	1/2": E16 - E18 - E20 - E24			
7 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 mm			
3 x	1/2": 33 mm - 5/16" - 11/32"			
3 x	1/4": PH1 - PH2 - PH3			
2 x	1/4": T8 - T10			
1 x	3/8": 8 mm			
2 x	3/8": T40 - T45			
3 x	3/8": M6 - M8 - M10			
2 x	1/4": T6 - T25			
9 x	1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - T27 - TB30 - TB40			
3 x	3/8": 75 - 150 - 250 mm			
2 x	3/8" - 1/4"			
2 x	3/8"Fx1/4"M - 3/8"Fx1/2"M			
1 x	3/8"			
1 x	3/8"			
2 x	1/4" - 3/8"			
11 x	T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 T27 - T30 - T40			
4 x	E6xE8 - E10xE12 - E14xE18 E20xE24			



**SCS socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg
<b>711.0128</b> 128 pcs	390,0	564,0	35,0	8,51
10 x	1/4": 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 mm			
10 x	1/4": 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 mm			
12 x	3/8": 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 mm			
20 x	1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm			
3 x	3/8": 16 - 18 - 21 mm			
5 x	1/4": 3 - 4 - 5 - 6 - 7 mm			
5 x	1/4": T7 - T8 - T9 - T10 - T15			
7 x	1/4": TB10 - TB15 - TB20 - TB25 TB27 - TB30 - TB40			
1 x	3/8": PH2			
6 x	3/8": 5 - 6 - 7 - 8 - 10 - 12 mm			
8 x	3/8": T15 - T20 - T25 - T27 - T30 - T40 T45 - T50			
8 x	3/8": TB15 - TB20 - TB25 - TB27 TB30 - TB40 - TB45 - TB50			
5 x	3/8": M4 - M5 - M6 - M8 - M10			
4 x	1/2": 10 - 12 - 14 - 17 mm			
3 x	1/2": T55 - T60 - T70			
3 x	1/2": TB55 - TB60 - TB70			
4 x	1/2": M10 - M12 - M14 - M16			
1 x	1/2": M16			
2 x	1/4": 50 - 150 mm			
2 x	3/8": 75 - 150 mm			
2 x	1/2": 125 - 250 mm			
1 x	1/4"			
3 x	1/4" - 3/8" - 1/2"			
3 x	1/4" - 3/8" - 1/2"			



**SCS CHROMEplus® socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg
<b>781.0128</b> 128 pcs	390,0	564,0	35,0	8,58
10 x	1/4": 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 mm			
10 x	1/4": 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 12 - 13 mm			
12 x	3/8": 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 18 - 19 mm			
20 x	1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 30 - 32 mm			
3 x	3/8": 16 - 18 - 21 mm			
5 x	1/4": 3 - 4 - 5 - 6 - 7 mm			
5 x	1/4": T7 - T8 - T9 - T10 - T15			
7 x	1/4": TB10 - TB15 - TB20 - TB25 TB27 - TB30 - TB40			
1 x	3/8": PH2			
6 x	3/8": 5 - 6 - 7 - 8 - 10 - 12 mm			
8 x	3/8": T15 - T20 - T25 - T27 - T30 - T40 T45 - T50			
8 x	3/8": TB15 - TB20 - TB25 - TB27 TB30 - TB40 - TB45 - TB50			
5 x	3/8": M4 - M5 - M6 - M8 - M10			
4 x	1/2": 10 - 12 - 14 - 17 mm			
3 x	1/2": T55 - T60 - T70			
3 x	1/2": TB55 - TB60 - TB70			
4 x	1/2": M10 - M12 - M14 - M16			
1 x	1/2": M16			
2 x	1/4": 50 - 150 mm			
2 x	3/8": 75 - 150 mm			
2 x	1/2": 125 - 250 mm			
1 x	1/4"			
3 x	1/4" - 3/8" - 1/2"			
3 x	1/4" - 3/8" - 1/2"			



**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.0151</b> 151 pcs	390,0	564,0	35,0	9,60
13 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 11 - 12 - 13 - 14 mm			
10 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 17 - 18 - 19 mm			
17 x	1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm			
5 x	1/4": E4 - E5 - E6 - E7 - E8			
6 x	3/8": E10 - E11 - E12 - E14 - E16 E18			
2 x	1/2": E20 - E24			
7 x	1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 mm			
6 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 mm			
5 x	1/2": 16 - 17 - 18 - 19 - 22			
1 x	3/8": 18 mm			
2 x	1/2": 16 - 21 mm			
4 x	1/4": 3 - 4 - 5 - 6 mm			
4 x	1/4": 4 - 5,5 - 6,5 - 7 mm			
3 x	1/4": PH0 - PH1 - PH2			
3 x	1/4": PZ0 - PZ1 - PZ2			
8 x	1/4": T8 - T9 - T10 - T15 - T20 - T25 T27 - T30			
8 x	1/4": TB8 - TB9 - TB10 - TB15 - TB20 TB25 - TB27 - TB30			
5 x	7 - 8 - 10 - 12 - 14 mm			
3 x	8 - 10 - 12 mm			
2 x	PH 3 - PH 4			
2 x	PZ 3 - PZ 4			
6 x	T40 - T45 - T50 - T55 - T60 - T70			
6 x	TB40 - TB45 - TB50 - TB55 - TB60 TB70			
2 x	1/4": 50 - 100 mm			
1 x	3/8": 150 mm			
2 x	1/2": 125 - 250 mm			
1 x	1/4"			
1 x	1/4"			
3 x	1/4"x1/4" - 3/8"x5/16" - 1/2"x5/16"			
1 x	3/8"F x 1/2"M			
3 x	1/4" - 3/8" - 1/2"			

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

3 x		1/4" - 3/8" - 1/2"
7 x		1,3 - 1,5 - 2 - 2,5 - 3 - 4 - 5 mm

### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg
<b>711.0160</b> 160 pcs	390,0	564,0	35,0	9,37
13 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm			
9 x	1/4": 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
16 x	3/8": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 mm			
21 x	1/2": 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm			
2 x	3/8": 16 - 21 mm			
2 x	1/4": PH1 - PH2			
8 x	1/4": 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 mm			
8 x	1/4": T8 - T10 - T15 - T20 - T25 - T27 T30 - T40			
5 x	1/4": M4 - M5 - M6 - M8 - M10			
7 x	10 mm: 4 - 5 - 6 - 7 - 8 - 10 - 12 mm			
8 x	10 mm: T20 - T25 - T30 - T40 - T45 T50 - T55 - T60			
5 x	10 mm: M5 - M6 - M8 - M10 - M12			
7 x	10 mm: 4 - 5 - 6 - 7 - 8 - 10 - 12 mm			
8 x	10 mm: T20 - T25 - T30 - T40 - T45 T50 - T55 - T60			
5 x	10 mm: M5 - M6 - M8 - M10 - M12			
2 x	1/4": 50 - 150 mm			
2 x	3/8": 75 - 150 mm			
2 x	1/2": 125 - 250 mm			
1 x	1/2"			
1 x	1/4"			
2 x	3/8"x10mm - 1/2"x10mm			
3 x	1/4" - 3/8" - 1/2"			
3 x	1/4" - 3/8" - 1/2"			
1 x	TS10 - TS15 - TS20 - TS25 - TS27 TS30 - TS40 - TS45 - TS50			
1 x	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			



### SCS CHROMEplus® socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg
<b>781.0160</b> 160 pcs	390,0	564,0	35,0	8,95
13 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm			
9 x	1/4": 5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm			
16 x	3/8": 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 mm			
21 x	1/2": 8-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-26-27-28-30-32 mm			
2 x	3/8": 16 - 21 mm			
2 x	1/4": PH1 - PH2			
8 x	1/4": 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 mm			
8 x	1/4": T8 - T10 - T15 - T20 - T25 - T27 T30 - T40			
5 x	1/4": M4 - M5 - M6 - M8 - M10			
7 x	10 mm: 4 - 5 - 6 - 7 - 8 - 10 - 12 mm			
8 x	10 mm: T20 - T25 - T30 - T40 - T45 T50 - T55 - T60			
5 x	10 mm: M5 - M6 - M8 - M10 - M12			
7 x	10 mm: 4 - 5 - 6 - 7 - 8 - 10 - 12 mm			
8 x	10 mm: T20 - T25 - T30 - T40 - T45 T50 - T55 - T60			
5 x	10 mm: M5 - M6 - M8 - M10 - M12			
2 x	1/4": 50 - 150 mm			
2 x	3/8": 75 - 150 mm			
2 x	1/2": 125 - 250 mm			
1 x	1/2"			
1 x	1/4"			
2 x	3/8"x10mm - 1/2"x10mm			
3 x	1/4" - 3/8" - 1/2"			
3 x	1/4" - 3/8" - 1/2"			
1 x	TS10 - TS15 - TS20 - TS25 - TS27 TS30 - TS40 - TS45 - TS50			
1 x	1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			



### Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality two-coloured foam




	L mm	B mm	H mm	kg
<b>711.0179</b> 179 pcs	390,0	564,0	35,0	8,10
13 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm			
10 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm			
17 x	1/2": 10-11-12-13-14-15-16-17-18-19-20-21-22-24-27-30-32 mm			
7 x	1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 mm			
6 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 mm			
5 x	1/2": 16 - 17 - 18 - 19 - 22 mm			
5 x	1/4": E4 - E5 - E6 - E7 - E8			
6 x	3/8": E10 - E11 - E12 - E14 - E16 - E18			
2 x	1/2": E20 - E24			
1 x	3/8": 18 mm			
2 x	1/2": 16 - 21 mm			
3 x	1/4" - 3/8" - 1/2"			
1 x	1/4" x 1/4"			
2 x	3/8" x 5/16" - 1/2" x 5/16"			
1 x	3/8"F - 1/2"M			
2 x	1/4": 50 - 100 mm			
1 x	3/8": 150 mm			
2 x	1/2": 125 - 250 mm			
1 x	150 mm			
3 x	1/4" - 3/8" - 1/2"			
1 x	150 mm			
3 x	1/4": PH0 - PH1 - PH2			
3 x	1/4": PZ0 - PZ1 - PZ2			
8 x	1/4": T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30			
8 x	1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30			
4 x	1/4": 4 - 5,5 - 6,5 - 7 mm			
4 x	1/4": 3 - 4 - 5 - 6 mm			
7 x	1,3 - 1,5 - 2 - 2,5 - 3 - 4 - 5 mm			
11 x	1/4": T5 - T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30			
1 x	1/4": TB7			

3 x		1/4": M5 - M6 - M8
7 x		1/4": TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40
5 x		1/4": M5 - M6 - M7 - M8 - M9
2 x		5/16": PH3 - PH4
2 x		5/16": PZ3 - PZ4
6 x		5/16": T40 - T45 - T50 - T55 - T60 - T70
6 x		5/16": TB40 - TB45 - TB50 - TB55 - TB60 - TB70
5 x		5/16": 7 - 8 - 10 - 12 - 14 mm
3 x		5/16": 8 - 10 - 12 mm

**SCS Socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg	
<b>711.0180</b>	180 pcs	390,0	564,0	35,0	8,24

13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
7 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
5 x		1/4": E4 - E5 - E6 - E7 - E8
10 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
6 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 mm
6 x		3/8": E10 - E11 - E12 - E14 - E16 - E18
1 x		3/8": 18 mm
17 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
5 x		1/2": 16 - 17 - 18 - 19 - 22 mm
2 x		1/2": E20 - E24
2 x		1/2": 16 - 21 mm
4 x		1/4": 3 - 4 - 5 - 6 mm
3 x		1/4": 4 - 5 - 6,5 mm
3 x		1/4": PH0 - PH1 - PH2
3 x		1/4": PZ0 - PZ1 - PZ2
8 x		1/4": T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30
8 x		1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30
11 x		1/4": T5 - T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30
1 x		1/4": TB7
3 x		1/4": M5 - M6 - M8
8 x		1/4": TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45
5 x		1/4": M5 - M6 - M7 - M8 - M9

3 x		5/16": 8 - 10 - 12 mm
5 x		5/16": 7 - 8 - 10 - 12 - 14 mm
2 x		5/16": PH3 - PH4
2 x		5/16": PZ3 - PZ4
6 x		5/16": T40 - T45 - T50 - T55 - T60 - T70
6 x		5/16": TB40 - TB45 - TB50 - TB55 - TB60 - TB70
1 x		1/4": T8
3 x		1/4" - 3/8" - 1/2"
2 x		1/2": 125 - 250 mm
2 x		1/4": 50 - 100 mm
1 x		3/8": 150 mm
1 x		1/4"
1 x		1/2"Fx3/8"M
3 x		1/4" - 3/8" - 1/2"
1 x		1/4"
3 x		1/4" - 3/8" - 1/2"
7 x		1,3 - 1,5 - 2 - 2,5 - 3 - 4 - 5 mm

**SCS CHROMEplus® socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg	
<b>781.0180</b>	180 pcs	390,0	564,0	35,0	8,24

13 x		1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm
7 x		1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 mm
5 x		1/4": E4 - E5 - E6 - E7 - E8
10 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm
6 x		3/8": 10 - 11 - 12 - 13 - 14 - 15 mm
6 x		3/8": E10 - E11 - E12 - E14 - E16 - E18
1 x		3/8": 18 mm
17 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm
5 x		1/2": 16 - 17 - 18 - 19 - 22 mm
2 x		1/2": E20 - E24
2 x		1/2": 16 - 21 mm
4 x		1/4": 3 - 4 - 5 - 6 mm
3 x		1/4": 4 - 5 - 6,5 mm
3 x		1/4": PH0 - PH1 - PH2


3 x		1/4": PZ0 - PZ1 - PZ2
8 x		1/4": T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30
8 x		1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30
11 x		1/4": T5 - T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30
1 x		1/4": TB7
3 x		1/4": M5 - M6 - M8
8 x		1/4": TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45
5 x		1/4": M5 - M6 - M7 - M8 - M9
3 x		5/16": 8 - 10 - 12 mm
5 x		5/16": 7 - 8 - 10 - 12 - 14 mm
2 x		5/16": PH3 - PH4
2 x		5/16": PZ3 - PZ4
6 x		5/16": T40 - T45 - T50 - T55 - T60 - T70
6 x		5/16": TB40 - TB45 - TB50 - TB55 - TB60 - TB70
1 x		1/4": T8
3 x		1/4" - 3/8" - 1/2"
2 x		1/2": 125 - 250 mm
2 x		1/4": 50 - 100 mm
1 x		3/8": 150 mm
1 x		1/4"
1 x		1/2"Fx3/8"M
3 x		1/4" - 3/8" - 1/2"
1 x		1/4"
3 x		1/4" - 3/8" - 1/2"
7 x		1,3 - 1,5 - 2 - 2,5 - 3 - 4 - 5 mm



1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality two-coloured foam



1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg	
711.0195	195 pcs	390,0	564,0	35,0	7,82
13 x	1/4": 4 - 4,5 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm				
10 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 mm				
17 x	1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 24 - 27 - 30 - 32 mm				
7 x	1/4": 4 - 5 - 6 - 7 - 8 - 9 - 10 mm				
6 x	3/8": 10 - 11 - 12 - 13 - 14 - 15 mm				
5 x	1/2": 16 - 17 - 18 - 19 - 22 mm				
5 x	1/4": E4 - E5 - E6 - E7 - E8				
6 x	3/8": E10 - E11 - E12 - E14 - E16 - E18				
2 x	1/2": E20 - E24				
1 x	3/8": 18 mm				
2 x	1/2": 16 - 21 mm				
3 x	1/4" - 3/8" - 1/2"				
1 x	1/4" x 1/4"				
2 x	3/8" x 5/16" - 1/2" x 5/16"				
1 x	3/8"F - 1/2"M				
2 x	1/4": 50 - 100 mm				
1 x	3/8": 150 mm				
2 x	1/2": 125 - 250 mm				
1 x	1/4" 110 mm				
3 x	1/4" - 3/8" - 1/2"				
1 x	150 mm				
3 x	1/4": PH0 - PH1 - PH2				
3 x	1/4": PZ0 - PZ1 - PZ2				
8 x	1/4": T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30				
8 x	1/4": TB8 - TB9 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30				
4 x	1/4": 4 - 5,5 - 6,5 - 7 mm				
4 x	1/4": 3 - 4 - 5 - 6 mm				
7 x	1,3 - 1,5 - 2 - 2,5 - 3 - 4 - 5 mm				
3 x	1/4": 4 - 5 - 6 mm				
3 x	1/4": PH1 - PH2 - PH3				

2 x	1/4": PZ1 - PZ2
11 x	1/4": T5 - T6 - T7 - T8 - T9 - T10 - T15 - T20 - T25 - T27 - T30
8 x	1/4": TB7 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40
3 x	1/4": M5 - M6 - M8
8 x	1/4": TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45
5 x	1/4": M5 - M6 - M7 - M8 - M9
5 x	5/16": 6 - 7 - 8 - 10 - 12 mm
2 x	5/16": PH3 - PH4
2 x	5/16": PZ3 - PZ4
3 x	5/16": 8 - 10 - 12 mm
6 x	5/16": T30 - T40 - T45 - T50 - T55 - T60
6 x	5/16": TB30 - TB40 - TB45 - TB50 - TB55 - TB60

### 1/1 SCS - SOCKET WRENCH 1/4" + 3/8" + 1/2" - IMPERIAL

#### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg	
711.0080	80 pcs	390,0	564,0	35,0	7,35
9 x	1/4": 3/16"-7/32"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-1/2"				
5 x	3/8": 1/2"-9/16"-5/8"-11/16"-3/4"				
8 x	1/2": 13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"				
9 x	1/4": 3/16"-7/32"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-1/2"				
7 x	3/8": 3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"				
3 x	1/2": 13/16"- 7/8"-15/16"				
4 x	1/4": 1/8"-5/32"-3/16"-7/32"				
7 x	3/8": 1/8"-5/32"-3/16"-7/32"-1/4"-5/16"-3/8"				
4 x	1/2": 3/8"-1/2" 9/16"-5/8"				
3 x	1/4": 50 - 100 - 150 mm				
4 x	3/8": 50 - 75 - 150 - 250 mm				
2 x	1/2": 125 - 250 mm				
2 x	3/8" - 1/2"				
3 x	1/4" - 3/8" - 1/2"				
1 x	5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 7/16" - 1/2" - 9/16"				

### SCS CHROMEplus® socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg	
781.0080	80 pcs	390,0	564,0	35,0	6,25
9 x	1/4": 3/16"-7/32"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-1/2"				
5 x	3/8": 1/2"-9/16"-5/8"-11/16"-3/4"				
8 x	1/2": 13/16"-7/8"-15/16"-1"-1.1/16"-1.1/8"-1.3/16"-1.1/4"				
9 x	1/4": 3/16"-7/32"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-1/2"				
7 x	3/8": 3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4"				
3 x	1/2": 13/16"- 7/8"-15/16"				
4 x	1/4": 1/8"-5/32"-3/16"-7/32"				
7 x	3/8": 1/8"-5/32"-3/16"-7/32"-1/4"-5/16"-3/8"				
4 x	1/2": 3/8"-1/2" 9/16"-5/8"				
3 x	1/4": 50 - 100 - 150 mm				
4 x	3/8": 50 - 75 - 150 - 250 mm				
2 x	1/2": 125 - 250 mm				
2 x	3/8" - 1/2"				
3 x	1/4" - 3/8" - 1/2"				
1 x	5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 7/16" - 1/2" - 9/16"				

#### SCS Socket set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




1/4" 3/8" 1/2"

	L mm	B mm	H mm	kg	
711.1075	75 pcs	390,0	564,0	35,0	5,85
9 x	1/4": 3/16"-7/32"-1/4"-9/32"-5/16"-11/32"-3/8"-7/16"-1/2"				
6 x	3/8": 1/2"-9/16"-5/8"-11/16"-3/4"-7/8"				
15 x	1/2": 3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-1.1/8"-1.3/16"-1.1/4"				

9 x		1/4": 3/16"-7/32"-1/4"-9/32"-5/16" 11/32"-3/8"-7/16"-1/2"
8 x		3/8": 3/8"-7/16"-1/2"-9/16"-5/8"-11/16" 3/4"-13/16"
8 x		1/2": 1/2"-9/16"-5/8"-11/16"-3/4"-13/16" 7/8"-15/16"
5 x		1/4": 1/8"-5/32"-3/16"-7/32"-1/4"
7 x		3/8": 1/8"-5/32"-3/16"-7/32"-1/4" 5/16"-3/8"
8 x		1/2": 3/16"-1/4"-9/32"-5/16"-3/8"-1/2" 9/16"-5/8"

**SCS CHROMEplus® socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

		L mm	B mm	H mm	kg
<b>781.1075</b>	75 pcs	390,0	564,0	35,0	5,75
9 x		1/4": 3/16"-7/32"-1/4"-9/32"-5/16" 11/32"-3/8"-7/16"-1/2"			
6 x		3/8": 1/2"-9/16"-5/8"-11/16"-3/4"-7/8"			
15 x		1/2": 3/8"-7/16"-1/2"-9/16"-5/8"-11/16"-3/4" 13/16"-7/8"-15/16"-1-1.1/16"-1.1/8"-1.3/16"-1.1/4"			
9 x		1/4": 3/16"-7/32"-1/4"-9/32"-5/16" 11/32"-3/8"-7/16"-1/2"			
8 x		3/8": 3/8"-7/16"-1/2"-9/16"-5/8"-11/16" 3/4"-13/16"			
8 x		1/2": 1/2"-9/16"-5/8"-11/16"-3/4"-13/16" 7/8"-15/16"			
5 x		1/4": 1/8"-5/32"-3/16"-7/32"-1/4"			
7 x		3/8": 1/8"-5/32"-3/16"-7/32"-1/4" 5/16"-3/8"			
8 x		1/2": 3/16"-1/4"-9/32"-5/16"-3/8"-1/2" 9/16"-5/8"			

**1/1 SCS - IMPACT SOCKET WRENCH**

**SCS impact socket wrench set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/8" 1/2"

		L mm	B mm	H mm	kg
<b>711.0073</b>	73 pcs	390,0	564,0	35,0	14,74
10 x		3/8": 8 - 10 - 11 - 12 - 13 - 14 - 15 16 - 17 - 19 mm			

9 x		3/8": 8 - 10 - 11 - 12 - 13 - 14 - 16 17 - 19 mm
1 x		1/4" F x 3/8" M
1 x		3/8" F x 1/4" M
1 x		3/8" F x 1/2" M
1 x		3/8"
1 x		3/8": 75 mm
23 x		1/2": 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 21 - 22 - 23 - 24 - 25 - 26 - 27 - 28 - 29 - 30 - 32 mm
20 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 23 - 24 - 27 - 28 - 29 - 30 - 32 mm
1 x		1/2"
3 x		1/2": 75 - 125 - 250 mm
1 x		1/2" F x 3/8" M
1 x		1/2" F x 3/4" M

**SCS impact socket wrench set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



1/4" 3/8" 1/2"

		L mm	B mm	H mm	kg
<b>711.0102</b>	102 pcs	390,0	564,0	35,0	11,44
10 x		3/8": 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 19 mm			
9 x		3/8": 8 - 10 - 11 - 12 - 13 - 14 - 16 - 17 - 19 mm			
22 x		1/2": 8 - 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 20 - 21 - 22 - 23 - 24 - 26 - 27 - 28 - 29 - 30 - 32 mm			
18 x		1/2": 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 - 27 - 30 - 32 mm			
8 x		1/4": E4 - E5 - E6 - E7 - E8 - E10 - E11 - E12			
9 x		3/8": E5 - E6 - E7 - E8 - E10 - E11 - E12 - E14 - E16			
8 x		1/2": E10 - E12 - E14 - E16 - E18 - E20 - E22 - E24			
4 x		1/2": 6 - 8 - 10 - 12 mm			
4 x		1/2": T30 - T40 - T45 - T50			
1 x		1/4": 50 mm			
1 x		3/8": 75 mm			
3 x		1/2": 75 - 125 - 250 mm			
1 x		1/2"			
1 x		3/8" F x 1/4" M			
1 x		1/2" F x 3/8" M			
1 x		3/8" F x 1/2" M			
1 x		1/2" F x 3/4" M			


**SCS impact socket set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/4" 3/8" 1/2"

		L mm	B mm	H mm	kg
<b>711.2033</b>	33 pcs	390,0	564,0	35,0	18,95
15 x		19 - 21 - 22 - 23 - 24 - 27 - 28 - 30 - 32 33 - 34 - 36 - 38 - 41 - 46 mm			
14 x		19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 33 34 - 36 - 38 - 41 - 46 mm			
2 x		3/4" F x 1/2" M - 3/4" F x 1" M			
1 x		1/2"			
1 x		150 mm			



**SCS impact socket wrench set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



3/4" 3/8" 1/2"


		L mm	B mm	H mm	kg
<b>711.1035</b>	35 pcs	390,0	564,0	35,0	19,42
16 x		3/4": 17 - 19 - 21 - 22 - 23 - 24 - 27 - 28 - 30 - 32 - 33 - 34 - 36 - 38 - 41 - 46 mm			
14 x		3/4": 19 - 21 - 22 - 23 - 24 - 27 - 30 - 32 - 33 - 34 - 36 - 38 - 41 - 46 mm			
3 x		3/4": 100 - 200 mm			
1 x		3/4"			
1 x		3/4" F x 1/2" M			
1 x		3/4" F x 1" M			

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30

### 1/1 SCS - SCREWDRIVER

#### SCS ERGOTORQUEplus® screwdriver set


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.0025</b> 25 pcs	390,0	375,0	35,0	2,96
1 x	PH2			
3 x	PH1 - PH2 - PH3			
1 x	PZ2			
3 x	PZ1 - PZ2 - PZ3			
1 x	6 mm			
5 x	3 - 4 - 5,5 - 6,5 - 8 mm			
9 x	T8 - T9 - T10 - T15 - T20 - T25 - T27 T30 - T40			
2 x	6 - 7 mm			

#### SCS ERGOTORQUEplus® screwdriver set


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.1024</b> 24 pcs	390,0	375,0	35,0	2,80
1 x	6 mm			
7 x	(2,5 - 3 - 4) x 155 mm, 4 x 180 mm, (5,5 - 6,5) x 230 mm, 8 x 265 mm			
1 x	PH2			
4 x	PH0 - PH1 - PH2 - PH3			
9 x	T8 - T9 - T10 - T15 - T20 - T25 - T27 T30 - T40			
2 x	7 - 8 mm			

#### SCS Screwdriver set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.8024</b> 24 pcs	390,0	564,0	35,0	1,83
6 x	3x155 - 4x155 - 4x180 - 5,5x230 - 6,5x230 - 8x315 mm			
4 x	PH0 - PH1 - PH2 - PH3			
9 x	T8 - T9 - T10 - T15 - T20 - T25 - T27 T30 - T40			
3 x	T5 - T6 - T7			
2 x	11x115 - 15x185 mm			

#### SCS screwdriver set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.1029</b> 29 pcs	390,0	564,0	35,0	2,81
1 x	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm			
1 x	6 mm			
7 x	3 - 4 - 5,5 - 6,5 - 8 - 10 - 10			
1 x	PH2			
3 x	PH1 - PH2 - PH3			
9 x	TB8 - TB9 - TB10 - TB15 - TB20 TB25 - TB27 - T30 - T40			



#### SCS ERGOTORQUEplus® screwdriver set


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.0034</b> 34 pcs	390,0	375,0	35,0	2,20
1 x	1,5 - 2,0 - 2,5 - 3,0 - 4,0 - 5,0 - 6,0 - 7,0 - 8,0 - 10,0 mm			
3 x	5 - 6 - 8 mm			
1 x	6 mm			
5 x	(3 - 4) x 155 mm, 5,5 x 205 mm, 6,5 x 230 mm, 8 x 265 mm			
1 x	PH2			
3 x	PH1 - PH2 - PH3			
9 x	PZ2			
2 x	T8 - T9 - T10 - T15 - T20 - T25 - T27 T30 - T40			
1 x	2 mm			

#### SCS ERGOTORQUEplus® screwdriver and T-handle set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.0021</b> 21 pcs	390,0	564,0	35,0	3,30
10 x	2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 - 12 mm			
11 x	4 - 5 - 5,5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 13 mm			



**SCS screwdriver and hook set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0022</b>	22 pcs	390,0	564,0	35,0	1,65
1 x	6 mm				
4 x	4 x 155 mm, 5,5 x 205 mm - 6,5 x 230 mm, 8 x 265 mm				
1 x	PH2				
3 x	PH1 - PH2 - PH3				
8 x	T9 - T10 - T15 - T20 - T25 - T27 - T30 - T40				
1 x	90°				
1 x	185 mm				
2 x	11 x 115 - 15 x 185 mm				
1 x	25 x 200 mm				

**Screwdriver and pliers set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0013</b>	12 pcs	390,0	564,0	35,0	1,78
1 x	180 mm				
1 x	180 mm				
1 x	200 mm				
1 x	240 mm				
3 x	PH1 - PH2 - PH3				
5 x	3 - 4 - 5,5 - 6,5 - 8 mm				

**SCS ERGOTORQUE® pliers and screwdriver set**


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.1023</b>	23 pcs	390,0	564,0	35,0	4,90
1 x	180 mm				
1 x	210 mm				
1 x	180 mm				
1 x	200 mm				
2 x	175 - 220 mm				
4 x	3,5 x 185 - 5,5 x 205 - 7 x 230 - 8 x 230 mm				
4 x	PH0 x 165 - PH1 x 185 - PH2 x 185 - PH3 x 255 mm				
1 x	235 mm				
1 x	0,05 - 1 mm				
7 x	8x10 - 10x12 - 12x13 - 14x15 - 14x17 - 17x19 - 19x21 mm				

**SCS Screwdriver and pliers set**


- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.6027</b>	27 pcs	390,0	564,0	35,0	3,85
1 x	160 mm				
1 x	180 mm				
1 x	200 mm				
1 x	250 mm				
1 x	240 mm				
4 x	5,5 - 6,5 x 100 - 6 x 38 - 8 x 150 mm				
3 x	PH1 x 75 - PH2 x 38 - PH2 x 100 mm				
7 x	TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40				
1 x	2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm				

**SCS Screwdriver and pliers set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.1027</b>	27 pcs	390,0	564,0	35,0	3,85
1 x	160 mm				
1 x	180 mm				
1 x	200 mm				
1 x	250 mm				
1 x	240 mm				
4 x	5,5 x 100 - 6 x 38 - 6,5 x 125 - 8 x 150 mm				
3 x	PH1 x 75 - PH2 x 38 - PH2 x 100 mm				
7 x	TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40				
8 x	5/64" - 3/32" - 1/8" - 5/32" - 3/16" - 1/4" - 5/16" - 3/8"				

**Pliers and screwdriver set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality two-coloured foam



	L mm	B mm	H mm	kg	
<b>711.1059</b>	59 pcs	390,0	564,0	35,0	3,84
1 x	160 mm				
1 x	180 mm				
1 x	200 mm				
1 x	240 mm				
1 x	6 mm				
6 x	3 - 4 - 5,5 - 6,5 - 8 - 10 mm				
1 x	PH2				
4 x	PH0 - PH1 - PH2 - PH3				
4 x	PZ0 - PZ1 - PZ2 - PZ3				
1 x	1/4"				

1 x		1/4"
1 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
1 x		T10 - T15 - T20 - T25 - T30 - T40 - T45 - T50
7 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 mm
7 x		TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB40
7 x		T10 - T15 - T20 - T25 - T27 - T30 - T40

### SCS Screwdriver and pliers set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0112</b>	112 pcs	390,0	564,0	35,0	2,90
5 x		3x155 - 4x180 - 5,5x230 - 6,5x255 - 8x315 mm			
3 x		PH1 - PH2 - PH3			
1 x		1/4"			
1 x		180 mm			
1 x		180 mm			
1 x		200 mm			
1 x		240 mm			
1 x		60 mm			
2 x		25 - 50 mm			
1 x		1/4"			
9 x		3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm			
8 x		PH0 - PH1 - 5 x PH2 - PH3 -			
8 x		PZ0 - PZ1 - 5 x PZ2 - PZ3			
9 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm			
10 x		1/16" - 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"			
6 x		2 - 2,5 - 3 - 4 - 5 - 6 mm			
6 x		5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32"			
9 x		T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45			
9 x		TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40			
3 x		M5 - M6 - M8			
3 x		#1 - #2 - #3			
4 x		#1 - #2 - #3 - #4			
4 x		4 - 6 - 8 - 10 mm			
3 x		6 - 8 - 10 mm			
4 x		#0 - #1 - #2 - #3			



### SCS VDE pliers and screwdriver set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0124</b>	124 pcs	390,0	564,0	35,0	4,20
9 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 5,5 - 6 - 8 mm			
6 x		2 - 2,5 - 3 - 4 - 5 - 6 mm			
9 x		3 - 4 - 4,5 - 5 - 5,5 - 6 - 6,5 - 7 - 8 mm			
8 x		PH 0 - PH 1 - 5x PH 2 - PH 3			
8 x		PZ 0 - PZ 1 - 5x PZ 2 - PZ 3			
9 x		T8 - T10 - T15 - T20 - T25 - T27 - T30 - T40 - T45			
9 x		TB8 - TB10 - TB15 - TB20 - TB25 - TB27 - TB30 - TB35 - TB40			
3 x		M5 - M6 - M8			
3 x		6 - 8 - 10 mm			
4 x		#1 - #2 - #3 - #4			
4 x		4 - 6 - 8 - 10 mm			
10 x		1/16" - 5/64" - 3/32" - 7/64" - 1/8" - 9/64" - 5/32" - 3/16" - 7/32" - 1/4"			
6 x		1/8" - 3/32" - 5/32" - 5/64" - 7/64" - 9/64"			
4 x		#0 - #1 - #2 - #3			
3 x		#1 - #2 - #3			

1 x		1/4"
1 x		1/4"
2 x		30 - 50 mm
1 x		25 mm
1 x		
1 x		160 mm
1 x		180 mm
1 x		200 mm
1 x		240 mm
3 x		4 - 5,5 - 6,5 mm
2 x		PH1 - PH2
1 x		9,5 mm
1 x		3 mm
1 x		130 mm
1 x		130 mm
6 x		2 - 3 - 4 - 4 - 5 - 6 - 8 mm
1 x		300 g
1 x		18 mm
1 x		3 m x 16 mm

### 1/1 SCS - PLIERS

#### SCS Pliers set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.5009</b>	9 pcs	390,0	564,0	35,0	2,49
1 x		250 mm			
1 x		240 mm			
1 x		160 mm			
1 x		180 mm			
1 x		160 mm			
1 x		160 mm			
1 x		160 mm			
1 x		160 mm			
1 x		160 mm			
1 x		160 mm			

**SCS Pliers set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.1012</b>	12 pcs	390,0	564,0	35,0	3,39
1 x		180 mm			
1 x		210 mm			
1 x		180 mm			
1 x		200 mm			
2 x		125 - 250 mm			
1 x		225 mm			
1 x		240 mm			
1 x		160 mm			
1 x		160 mm			
1 x		160 mm			
1 x		160 mm			

**SCS Pliers set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




	L mm	B mm	H mm	kg	
<b>711.1016</b>	16 pcs	390,0	564,0	35,0	4,78
1 x		180 mm			
1 x		210 mm			
1 x		180 mm			
2 x		160 - 200 mm			
1 x		250 mm			
1 x		150 mm			
1 x		220 mm			


1 x		240 mm
1 x		160 mm
1 x		270 mm
1 x		270 mm
1 x		280 mm

**SCS Circlip pliers and T-Handles set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0012</b>	12 pcs	390,0	564,0	35,0	2,78
8 x		7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 mm			
1 x		19 - 60 mm			
1 x		19 - 60 mm			
1 x		19 - 60 mm			
1 x		19 - 60 mm			
1 x		19 - 60 mm			



**SCS pliers and hammer set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.9013</b>	13 pcs	390,0	564,0	35,0	3,83
1 x		180 mm			
1 x		165 mm			
1 x		180 mm			
1 x		240 mm			
2 x		10 - 28 mm, 19 - 60 mm			
1 x		19 - 60 mm			
2 x		12 - 25 mm, 19 - 60 mm			
1 x		19 - 60 mm			
1 x		850 g			
2 x		300 - 500 g			

**SCS Pliers and file set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.5018</b>	18 pcs	390,0	564,0	35,0	4,30
1 x		125 mm			
1 x		165 mm			
1 x		180 mm			
1 x		200 mm			

1 x		250 mm
1 x		240 mm
1 x		160 mm
1 x		200 mm
1 x		0 - 150mm
1 x		0,01 - 1,0 mm
1 x		5 m
1 x		145 mm

### SCS pliers and wrench set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.2036</b>	36 pcs	390,0	564,0	35,0 3,56
1 x		250 mm		
1 x		240 mm		
1 x		125 mm		
1 x		180 mm		
1 x		200 mm		
1 x		160 mm		
1 x		160 mm		
1 x		160 mm		
1 x		160 mm		
4 x		T6 - T7 - T8 - T9		
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm		
1 x		TS10 - TS15 - TS20 - TS25 - TS27 - TS30 - TS40 - TS45 - TS50		
1 x		130 - 630 mm		
1 x		510 mm, Ø = 15mm		
1 x		140 mm		
1 x		145 mm		

### 1/1 SCS - HAMMER & CHISEL

#### SCS chisel and hammer set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.0014</b>	14 pcs	390,0	564,0	35,0 3,56
1 x		5 mm		
6 x		Ø 3 - (2 x 4) - 5 - 6 - 8 mm		
1 x		5 mm		
1 x		10 mm		
1 x		20 mm		
1 x		7 mm		
1 x		300 g		
1 x		1000 g		
1 x		350 g		

#### SCS file, chisel and hammer set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.0018</b>	18 pcs	390,0	564,0	35,0 4,80
1 x		350 g		
1 x		300 g		
1 x		1000 g		
1 x		Ø 5 mm		
6 x		Ø 3 - (2 x 4) - 5 - 6 - 8 mm		
1 x		20 x 210 mm		
1 x		7 x 190 mm		


1 x		10 x 185 mm
1 x		5 x 185 mm
1 x		200 mm
1 x		200 mm
1 x		200 mm
1 x		200 mm

#### File, chisel and hammer set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality two-coloured foam



	L mm	B mm	H mm	kg
<b>711.1018</b>	18 pcs	390,0	564,0	35,0 3,76
1 x		300 g		
1 x		1000 g		
7 x		Ø 2 - 3 - (2 x 4) - 5 - 6 - 8 mm		
1 x		Ø 5 mm		
1 x		Ø 3 mm		
1 x				
1 x		12 mm		
1 x		26 mm		
1 x		200 mm		
1 x		200 mm		
1 x		200 mm		
1 x		200 mm		





**SCS File, chisel and pliers set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
711.2021	21 pcs	390,0	564,0	35,0	5,60
5 x		Ø 3 - 4 - 5 - 6 - 8 mm			
1 x		5 mm			
1 x		10 mm			
1 x		20 mm			
1 x		7 mm			
1 x		300 g			
1 x		1000 g			
1 x		200 mm			
1 x		200 mm			
1 x		200 mm			
1 x		240 mm			
1 x		210 mm			
1 x		180 mm			
1 x		160 mm			
1 x		230 mm			
1 x		5 m x 19 mm			
1 x		160 mm			

**SCS chisel and hammer set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
711.1021	21 pcs	390,0	564,0	35,0	4,50
3 x		2 - 3 - 4 mm			
5 x		3 - 4 - 5 - 6 - 8 mm			
1 x		7 mm			
1 x		10 mm			
2 x		150 - 200 mm			
1 x		25 x 200 mm			
1 x		15 x 185 mm			
1 x		300 g			
1 x		1000 g			
1 x		350 g			
1 x		30 x 195 mm			
1 x		170 mm			
1 x		130 - 630 mm			
1 x		510 mm			

**1/1 SCS - WORKSHOP SUPPLIES**

**SCS Wheel service tool set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
711.0016	16 pcs	390,0	564,0	35,0	3,84
1 x		20 - 200 Nm			

1 x		1/2"			
1 x		370 mm			
1 x		310 mm			
1 x		0,30 Nm			
1 x		0,45 Nm			
1 x		130 mm			
1 x		200 mm			
1 x		300 mm			
1 x		22 mm			
1 x		250 mm			
5 x		15 - 17 - 19 - 21 - 22 mm			

**SCS pliers, hammer and file set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



		L mm	B mm	H mm	kg
711.6017	17 pcs	390,0	564,0	35,0	5,24
1 x		180 mm			
1 x		180 mm			
1 x		200 mm			
1 x		210 mm			
1 x		240 mm			
1 x		250 mm			
2 x		150 - 200 mm			
1 x		300 g			
1 x		1000 g			
1 x		200 mm			
1 x		200 mm			
1 x		200 mm			
1 x		200 mm			
1 x		200 mm			
1 x		170 mm			
1 x		130 - 630 mm			
1 x		5 m x 19 mm			

### SCS Chisel and hammer set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.7017</b> 17 pcs	390,0	564,0	35,0	4,00
5 x	3 x 4 x 5 x 6 x 8 mm			
1 x	5 mm			
1 x	10 mm			
1 x	20 mm			
1 x	7 mm			
1 x	300 g			
1 x	500 g			
1 x	25 x 200 mm			
1 x	15 x 185 mm			
1 x	30 mm			
1 x	170 mm			
1 x	5 m			
1 x	5 m x 19 mm			

### SCS hammer and pin punch set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.0017</b> 17 pcs	390,0	564,0	35,0	2,24
1 x	10 x 11 mm			
2 x	6 - 7 mm			
5 x	3 - 4 - 5 - 6 - 8 mm			
1 x	8 mm			
2 x	125 - 175 mm			

1 x	300 g
1 x	200 g
1 x	12,5 x 300 mm
1 x	225 mm
1 x	140 mm
1 x	5 m x 19 mm



### SCS pliers, file and drift punch set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.2022</b> 22 pcs	390,0	564,0	35,0	6,07
1 x	180 mm			
1 x	180 mm			
1 x	200 mm			
1 x	210 mm			
1 x	240 mm			
1 x	250 mm			
4 x	4 x 5 x 6 x 8 mm			
1 x	5 mm			
1 x	10 mm			
1 x	20 mm			
1 x	7 mm			
1 x	300 g			
1 x	1000 g			
1 x	200 mm			
1 x	200 mm			
1 x	200 mm			
1 x	200 mm			
1 x	18 mm			
1 x	5 m x 19 mm			

### SCS pliers and chisel set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.1022</b> 22 pcs	390,0	564,0	35,0	5,20
1 x	125 mm			
1 x	160 mm			
1 x	180 mm			
1 x	200 mm			
1 x	240 mm			
1 x	250 mm			
1 x	180 mm			
1 x	AWG 20 - 18, 16 - 14, 12 - 10			
5 x	3 - 4 - 5 - 6 - 8 mm			
1 x	5 mm			
1 x	10 mm			
1 x	20 mm			
1 x	7 mm			
1 x	300 g			
1 x	350 g			
1 x	25 x 200 mm			
1 x	30 mm			
1 x	170 mm			

### SCS ERGOTORQUE® pliers and screwdriver set

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>711.8027</b> 27 pcs	390,0	564,0	35,0	3,65

1 x		180 mm
4 x		3 - 4 - 5 - 6 mm
1 x		Ø 8 mm
2 x		125 - 175 mm
1 x		6 mm
5 x		3 - 4 - 6,5 - 8 - 10 mm
1 x		PH2 mm
2 x		PH1 - PH2
5 x		T10 - T15 - T20 - T25 - T30
1 x		2,4 mm
1 x		160 mm
1 x		180 mm
1 x		200 mm
1 x		240 mm

**SCS hammer and wrench set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.0023</b>	23 pcs	390,0	564,0	35,0	3,71
9 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 10 - 18 mm			
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			
4 x		3 - 4 - 5 - 6 mm			
1 x		8 mm			
2 x		125 - 175 mm			
1 x		240 mm			
1 x		300g			
1 x		200g			
1 x		0,05 - 1 mm			
1 x		510 mm			
1 x		3 m			



**SCS ERGOTORQUE® VDE pliers and screwdriver set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam




	L mm	B mm	H mm	kg	
<b>711.1033</b>	33 pcs	390,0	564,0	35,0	6,00
1 x		160 mm			
1 x		180 mm			
1 x		200 mm			
1 x		240 mm			
1 x		6 mm			
5 x		3 - 4 - 6,5 - 8 - 10 mm			
1 x		2,4 mm			
1 x		PH2			
3 x		PH1 - PH2 - PH3			
1 x		1,5 - 2 - 2,5 - 3 - 4 - 5 - 6 - 7 - 8 - 10 mm			
4 x		3 - 4 - 5 - 6 mm			
1 x		8 mm			
2 x		125 - 175 mm			
1 x		300 g			

**SCS screwdriver and measuring instrument set**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg	
<b>711.1041</b>	41 pcs	390,0	564,0	35,0	3,70
1 x		6 mm			
3 x		4 - 5,5 - 8 mm			
1 x		PH2			
3 x		PH1 - PH2 - PH3			

1 x		PZ2
3 x		PZ1 - PZ2 - PZ3
1 x		230 mm
1 x		200 mm
1 x		12,5 x 300 mm
4 x		3 - 4 - 5 - 6 mm
5 x		3 - 4 - 5 - 6 - 8 mm
3 x		4 - 5 - 6 mm
1 x		5 mm
1 x		2 - 2,5 - 3 - 4 - 5 - 6 - 8 - 10 mm
1 x		
1 x		100 mm
1 x		E1xT5 - E30xT70
1 x		0 - 150 mm
1 x		3 - 48 V

**1/1 SCS - EMPTY INSERTS**

**SCS Universal system insert for tool or small parts (empty)**

- 1/1 System insert
- Suitable for tool cabinets and tool cases
- Firm arrangement due to precise embedding
- Oil and chemical resistant
- Insert made from high quality three-coloured foam



	L mm	B mm	H mm	kg
<b>712.0000</b>	390,0	564,0	35,0	0,40

**PU-foam sheets for self cutting**

- Thickness 10 mm
- Uncut for self modelling



	L mm	B mm	H mm	kg
<b>711.0000</b>	390,0	564,0	35,0	0,95

**Anti slip mat**

- Thickness 10 mm
- Uncut for self modelling



	L mm	B mm	kg
<b>800.0920</b>	10000,0	600,0	2,50

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30